

Cucumber Report

28 Sep 2023, 12:23:21 PM

Start : Sep 28, 12:22:47.422 PM

End : Sep 28, 12:23:19.800 PM

Duration : 32.378 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 11
FAILED - 1
SKIPPED - 5







| # | Feature Name | T | P | F | S | Duration |
|---|--|---|---|---|---|----------|
| 1 | <u>To test the IIS Parameter functionalities</u> | 1 | 0 | 1 | 0 | 32.378 s |







| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|------------------------|----|----|---|---|----------|
| 1 | To test the IIS Parameter functionalities | Penalty -basic Testing | 17 | 11 | 1 | 5 | 32.375 s |

(F)- To test the IIS Parameter functionalities

| | | | | | |
|--|----------------------------|--|---|--|---|
| FAILED | DURATION - 32.378 s | Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0 |  | Steps Total - 17 Pass - 11 Fail - 1 Skip - 5 |  |
| / 12:22:47.422 PM // 12:23:19.800 PM / | | | | | |



(S)- Penalty -basic Testing

| | | | | |
|--|--|--|---|---|
| <div>FAILED</div> <div>DURATION - 32.375 s</div> | |  | <div>Steps</div> <div>Total - 17</div> <div>Pass - 11</div> <div>Fail - 1</div> <div>Skip - 5</div> |  |
| / 12:22:47.425 PM // 12:23:19.800 PM / | | | | |
| To test the IIS Parameter functionalities | | | | |
| @721477 | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given navigate to IIS param application and login with valid credentials | PASSED | 10.031 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.322 s |
| | screenshot | | |
| |  | | |
| 2 | And User_611 get the test data for test case AT_IISPRM_075 | PASSED | 0.549 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.265 s |
| | screenshot | | |
| |  | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 3 | And User_611 clicks on the parameter feature in IIS Param application | PASSED | 0.613 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.275 s |
| | screenshot | | |
| |  | | |
| 4 | And User_611 clicks the penalty Menu in IIS param application | PASSED | 0.332 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.265 s |
| | screenshot | | |
| |  | | |
| 5 | And User_611 clicks the maintenance menu under penalty screen | PASSED | 0.271 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.260 s |
| | screenshot | | |
| |  | | |
| 6 | And User_611 Enter and create a code value under maintenance screen | PASSED | 3.191 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.199 s |
| | screenshot | | |
| |  | | |
| 7 | And User_611 Enter the brief name eng under maintenance screen | PASSED | 0.271 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.228 s |
| | screenshot | | |


| # | Step / Hook Details | Status | Duration |
|----|---|--------|----------|
| |  | | |
| 8 | And User_611 Enter the long discription under maintenance screen | PASSED | 0.109 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.213 s |
| | screenshot | | |
| |  | | |
| 9 | And User_611 Enter the charges code under maintenance screen | PASSED | 0.152 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.243 s |
| | screenshot | | |
| |  | | |
| 10 | And User_611 clicks the save button under maintenance screen | PASSED | 3.326 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.211 s |
| | screenshot | | |
| |  | | |
| 11 | And User_611 Validate the saving record | PASSED | 3.124 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.228 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|----|---|---------|----------|
| |  | | |
| 12 | <p>And User_611 Enter the penalty code under maintenance screen</p> <pre> java.lang.IllegalArgumentException: Keys to send should be a not null CharSequence at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:97) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy46.sendKeys(Unknown Source) at stepdefinitions.IISParameterSteps_611.user_enter_the_penalty_code_under_maintenance_screen(IISParameterSteps_611.java:115) at ?.User_611 Enter the penalty code under maintenance screen(file:///C:/Users/inindc00611/git/FMS1/AzentioAutomationFramework_FMS_kowsalyaa/src/test/java/IISfeatures/IISParameter.feature:16) * Not displayable characters are replaced by '?'. </pre> | FAILED | 0.135 s |
| | <p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p>  | PASSED | 0.290 s |
| 13 | And User_611 Edit the brief name eng for updation under maintenance screen | SKIPPED | 0.001 s |
| 14 | And User_611 Edit the long discription for updation under maintenance screen | SKIPPED | 0.000 s |
| 15 | And User_611 Enter the charges code under maintenance screen | SKIPPED | 0.000 s |
| 16 | And User_611 clicks the save button under maintenance screen | SKIPPED | 0.000 s |
| 17 | And User_611 validate the updating record | SKIPPED | 0.000 s |

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Penalty -basic Testing


(F) To test the IIS Parameter
functionalities



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Penalty -basic Testing


(F) To test the IIS Parameter
functionalities



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Penalty -basic Testing


(F) To test the IIS Parameter
functionalities



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Penalty -basic Testing


(F) To test the IIS Parameter
functionalities



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Penalty -basic Testing


(F) To test the IIS Parameter
functionalities



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Penalty -basic Testing

(F) To test the IIS Parameter
functionalities



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Penalty -basic Testing

(F) To test the IIS Parameter
functionalities

The screenshot displays the AZENTIO web application interface. The top navigation bar shows the user 'KOUSSALYA' and the date '28 September 2023'. The sidebar menu on the left lists various system settings, with 'Penalty / Maintenance' selected. The main content area shows the configuration for a specific penalty type (Code: 0957, Status: Active). The form includes fields for 'Brief Name Eng', 'Long Description', 'Penalty Type', 'Penalty Type After Maturity', 'Minimum Amount', 'Charges Code', and 'Collect Penalty At'. The 'Penalty Type' is set to 'Profit on Outstanding Principal', and the 'Penalty Type After Maturity' is set to 'Annual Percentage on Outstanding Principal Amount'. The 'Minimum Amount' is set to '.000'. The 'Charges Code' is set to 'A'. The 'Collect Penalty At' is set to 'Next Installment'. The 'Penalty Calculation Based on' is set to 'Actual Days'. The bottom status bar indicates 'Copyright ©2023 Azentio ©All Rights Reserved' and 'Powered By'.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Penalty -basic Testing

(F) To test the IIS Parameter
functionalities

This screenshot is identical to the one above, showing the AZENTIO web application interface for the 'Penalty / Maintenance' configuration page. The configuration details are the same: Code 0957, Status Active, Brief Name Eng, Long Description, Penalty Type (Profit on Outstanding Principal), Penalty Type After Maturity (Annual Percentage on Outstanding Principal Amount), Minimum Amount (.000), Charges Code (A), Collect Penalty At (Next Installment), and Penalty Calculation Based on (Actual Days). The sidebar menu and top navigation bar are also consistent with the previous image.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Penalty -basic Testing

(F) To test the IIS Parameter
functionalities

The screenshot shows the AZENTIO system interface. The user is KOUSALYA, Company is 14.7 Oracle BAJ, Branch is Head Office, and the date is 28 September 2023. The system is running version 14.7.0.0 Build 296. The 'Penalty / Maintenance' form is displayed, showing a new record (M068HT) with Code 0957. The form includes fields for Brief Name, Long Description, Penalty Type, and Penalty Type After Maturity. The status is 'Active'.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Penalty -basic Testing

(F) To test the IIS Parameter
functionalities

The screenshot shows the AZENTIO system interface. The user is KOUSALYA, Company is 14.7 Oracle BAJ, Branch is Head Office, and the date is 28 September 2023. The system is running version 14.7.0.0 Build 296. The 'Penalty / Maintenance' form is displayed, showing a table of records. An 'INFORMATION' dialog box is displayed, stating 'Saved Successfully'.

| Penalty Code | Brief name | Long Name | الإسم المختصر | الإسم الكامل بالعربية |
|--------------|------------|-----------|---------------|-----------------------|
| 0123 | test1234 | test | | |
| 0425 | ERYTERV | REVERY | | |
| 8458 | TEST OD | TEST OD | | |
| 1245 | rvrv | ert | | |
| 3333 | YREY | RTUVRU | | |

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Penalty -basic Testing

(F) To test the IIS Parameter functionalities

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Penalty -basic Testing

(F) To test the IIS Parameter functionalities