Cucumber Report

| Start : Oct 27, 3:12:41.819 PM	End : Oct 27, 3:14:21.861 PM	Duration : 1 m 40.042 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 11 FAILED - 1 SKIPPED - 3

#	Feature Name	T	P	F	S	Duration
1	To Test the iisparam application	1	0	1	0	1 m 40.042 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To Test the iisparam application	create request	15	11	1	3	1 m 40.037 s

## (F)- To Test the iisparam application

FAILED	DURATION - 1 m 40.042 s	Scenarios		Steps	
/ 3:12:41.819 PM // 3:14:21.861 PM /		Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Total - 15 Pass - 11 Fail - 1 Skip - 3	15

(S)- create request

FAILED	DURATION - 1 m 40.037 s		Steps	
/ 3:12:41.823 PM // 3:14:21.860 PM /			Total - 15 Pass - 11 Fail - 1 Skip - 3	15
To Test the iisparam application				
@AT_RF_143				

#	Step / Hook Details	Status	Duration
1	Given navigate to FMS application and login with valid credentials	PASSED	8.225 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot +	PASSED	0.300 s
2	And User_482 Click on REQUEST FOR FINANCIN under FMS application	PASSED	2.209 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot +	PASSED	0.182 s
3	And User_482 click the Request For Financing Sub Menu under REQUEST FOR FINANCIN	PASSED	1.336 s

#	Step / Hook Details	Status	Duration
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.224 s
	screenshot		
	+		
4	And User_482 Click on Maintenance under Request For Financing Sub Menu in REQUEST FOR FINANCIN	PASSED	1.472 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.216 s
	screenshot		
	+		
5	And User get the system date	PASSED	0.065 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.207 s
	screenshot		
	+		
6	And User_482 Update Test data set for AT_RF_064	PASSED	0.007 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.182 s
	screenshot		
	+		
7	And User Select New Request in Reason For Submission under Maintenance screen in REQUEST FOR FINANCIN	PASSED	14.922 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.240 s
	screenshot		

#	Step / Hook Details	Status	Duration
	+		
8	And User Search the CIF Number in Customer under Maintenance screen in REQUEST FOR FINANCIN	PASSED	1.285 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.189 s
	screenshot		
	+		
9	And User Search the Facility Type under Maintenance screen in REQUEST FOR FINANCIN	PASSED	0.559 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.345 s
	screenshot		
	+		
10	And User Enter the value in Total Limit under Maintenance screen in REQUEST FOR FINANCIN	PASSED	0.845 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.201 s
	screenshot		
	+		
11	And User Click on Disbursement or Sublimit under Maintenance screen in REQUEST FOR FINANCIN	PASSED	1.177 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.313 s
	screenshot		
	+		

#	Step / Hook Details	Status	Duration
12	And User Click on Add button in Disbursement or Sublimit under Maintenance screen in REQUEST FOR FINANCIN	FAILED	1 m 0.293 s

	org.openqa.selenium.InvalidSelectorException: invalid selector: An invalid or illegal selector was specified (Session info: chrome=118.0.5993.90) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [7bf387c2b7c306d6cae5e17ccf76b44a, findElement {using=id, value=}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 118.0.5993.90, chrome: {chromedriverVersion: 118.0.5993.70 (e52f33f30b91..., userDataDir: C:\Users\ININDC~1\AppData\L...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51718}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:51718/devtoo..., se:cdpVersion: 118.0.5993.90, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 7bf387c2b7c306d6cae5e17ccf76b44a
	  at jdk.internal.reflect.GeneratedConstructorAccessor46.newInstance(Unknown Source)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)
	  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	  at jdk.proxy2/jdk.proxy2.$Proxy46.toString(Unknown Source)
	  at java.base/java.lang.String.valueOf(String.java:4216)
	  at java.base/java.lang.StringBuilder.append(StringBuilder.java:173)
	  at org.openqa.selenium.support.ui.ExpectedConditions$10.toString(ExpectedConditions.java:295)
	  at java.base/java.lang.String.valueOf(String.java:4216)
	  at java.base/java.lang.StringBuilder.append(StringBuilder.java:173)
	  at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:227)
	  at helper.WaitHelper.waitForElementwithFluentwait(WaitHelper.java:95)
	  at stepdefinitions.ApplicationForFacility_482.user_click_on_add_button_in_disbursement_or_sublimit_under_maintenance_screen_in_request_for_financin(ApplicationForFacility_482.java:269)
	  at ?.User Click on Add button in Disbursement or Sublimit under Maintenance screen in REQUEST FOR FINANCIN(file:///C:/Users/ININDC00629/git/AZENTIO-FMS1/AzentioAutomationFramework_FMS_Ajith/src/test/java/features/AT_RF_143%20REQUEST%20FOR%20FINANCING.feature:25)
	* Not displayable characters are replaced by '?'.		

| #	Step / Hook Details	Status	Duration
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.230 s
	screenshot		
	+		
13	And User Search Product Class in Limit Details Pop up Menu	SKIPPED	0.001 s
14	And User Click on Add button in Limit Details Pop up	SKIPPED	0.000 s
15	And User click on feesCharges tab	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) create request

(F) To Test the iisparam application

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) create request

(F) To Test the iisparam application

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) create request (F) To Test the iisparam application	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) create request (F) To Test the iisparam application	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) create request (F) To Test the iisparam application	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) create request (F) To Test the iisparam application	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) create request

(F) To Test the iisparam application

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) create request

(F) To Test the iisparam application

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) create request

(F) To Test the iisparam application

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) create request

(F) To Test the iisparam application

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) create request

(F) To Test the iisparam application

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) create request

(F) To Test the iisparam application