Cucumber Report

| Start : Sep 28, 11:35:05.977 AM	End : Sep 28, 11:35:23.162 AM	Duration : 17.185 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 5 FAILED - 1 SKIPPED - 10

Features: 1

Scenarios: 1

Steps: 16

Pass %: 0 %

Pass %: 0 %

Pass %: 31 %

#	Feature Name	T	P	F	S	Duration
1	To test the IIS Parameter functionalities	1	0	1	0	17.185 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To test the IIS Parameter functionalities	Penalty -basic Testing	16	5	1	10	17.181 s

(F)- To test the IIS Parameter functionalities

FAILED	DURATION - 17.185 s	Scenarios		Steps	
		Total - 1		Total - 16	
/ 11:35:05.977 AM // 11:35:23.162 AM /		Pass - 0	1	Pass - 5	16
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 10	

(S)- Penalty -basic Testing

FAILED	DURATION - 17.181 s		Steps	
/ 11:35:05.981 AM // 11:35:23.162 AM /			Total - 16	
To test the IIS Parameter functionalities			Pass - 5	16
@721477			Fail - 1	
			Skip - 10	

#	Step / Hook Details	Status	Duration
1	Given navigate to IIS param application and login with valid credentials	PASSED	6.042 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.289 s
	screenshot		
	+		
2	And User_611 clicks on the parameter feature in IIS Param application	PASSED	0.354 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.219 s
	screenshot		
	+		

| #	Step / Hook Details	Status	Duration
3	And User_611 clicks the penalty Menu in IIS param application	PASSED	0.603 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.219 s
	screenshot		
	+		
4	And User_611 clicks the maintenance menu under penalty screen	PASSED	0.319 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.250 s
	screenshot		
	+		
5	And User_611 Enter and create a code value under maintenance screen	PASSED	1.796 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.234 s
	screenshot		
	+		
6	And User_611 Enter the brief name eng under maintenance screen	FAILED	0.042 s

	java.lang.NullPointerException: Cannot invoke "java.util.Map.get(Object)" because "this.testData" is null
	    at stepdefinitions.IISParameterSteps_611.user_enter_the_brief_name_eng_under_maintenance_screen(IISParameterSteps_611.java:73)
	    at ?.User_611 Enter the brief name eng under maintenance screen(file:///C:/Users/inindc00611/git/FMS1/AzentioAutomationFramework_FMS_kowsalyaa/src/test/java/IISfeatures/IISParameter.feature:10)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.219 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	And User_611 Enter the long discription under maintenance screen	SKIPPED	0.000 s
8	And User_611 Enter the charges code under maintenance screen	SKIPPED	0.000 s
9	And User_611 clicks the save button under maintenance screen	SKIPPED	0.000 s
10	And User_611 Validate the saving record	SKIPPED	0.000 s
11	And User_611 Enter the penalty code under maintenance screen	SKIPPED	0.001 s
12	And User_611 Edit the brief name eng for updation under maintenance screen	SKIPPED	0.000 s
13	And User_611 Edit the long discription for updation under maintenance screen	SKIPPED	0.000 s
14	And User_611 clicks the save button under maintenance screen	SKIPPED	0.000 s
15	And User_611 Validate the saving record	SKIPPED	0.000 s
16	And User_611 validate the updating record	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Penalty -basic Testing	
(F) To test the IIS Parameter functionalities	

| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) | |
| (S) Penalty -basic Testing | |
| (F) To test the IIS Parameter functionalities | |

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cumber.
java.Scenario)

(S) Penalty -basic Testing

(F) To test the IIS Parameter
functionalities

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cumber.
java.Scenario)

(S) Penalty -basic Testing

(F) To test the IIS Parameter
functionalities

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)	
(S) Penalty -basic Testing	
(F) To test the IIS Parameter functionalities	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)	
(S) Penalty -basic Testing	
(F) To test the IIS Parameter functionalities	