

Cucumber Report

9 Oct 2023, 10:13:38 AM

Start : Oct 09, 10:13:16.147 AM

End : Oct 09, 10:13:36.683 AM

Duration : 20.536 s

Features

Scenarios

Steps

PASSED - 1
FAILED - 0
SKIPPED - 0

PASSED - 1
FAILED - 0
SKIPPED - 0

PASSED - 4
FAILED - 0
SKIPPED - 0







#	Feature Name	T	P	F	S	Duration
1	To Test the FMS application login	1	1	0	0	20.536 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To Test the FMS application login	To Test the login functionality of IIS s application	4	4	0	0	20.532 s



(F)- To Test the FMS application login

PASSED	DURATION - 20.536 s	Scenarios		Steps	
/ 10:13:16.147 AM // 10:13:36.683 AM /		Total - 1		Total - 4	
		Pass - 1		Pass - 4	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- To Test the login functionality of IIS s application

<div>PASSED</div> <div>DURATION - 20.532 s</div>			Steps	
/ 10:13:16.151 AM // 10:13:36.683 AM /				
To Test the FMS application login				
@AT_IISPRM_027				


#	Step / Hook Details	Status	Duration
1	Given navigate to IIS application and login with valid credentials	PASSED	8.836 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.353 s
	screenshot		
			
2	And user click on early settlement tab	PASSED	3.951 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.210 s
	screenshot		
			

#	Step / Hook Details	Status	Duration
3	And user click on batch early settlement under early settlement tab	PASSED	2.085 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.225 s
	screenshot		
			
4	And user Check the new menu option Batch Create under early settlement	PASSED	0.000 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.221 s
	screenshot		
			

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To Test the login functionality of IIS s
application


(F) To Test the FMS application login



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To Test the login functionality of IIS s
application

(F) To Test the FMS application login



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To Test the login functionality of IIS s
application

(F) To Test the FMS application login

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To Test the login functionality of IIS s
application

(F) To Test the FMS application login