

Cucumber Report

28 Sep 2023, 9:47:51 AM

Start : Sep 28, 9:47:30.420 AM

End : Sep 28, 9:47:50.404 AM

Duration : 19.984 s

Features

Scenarios

Steps

PASSED - 1
FAILED - 0
SKIPPED - 0

PASSED - 1
FAILED - 0
SKIPPED - 0

PASSED - 6
FAILED - 0
SKIPPED - 0







#	Feature Name	T	P	F	S	Duration
1	<u>To Test the FMSiis application</u>	1	1	0	0	19.984 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To Test the FMSiis application	Check basic functionality of Reason code module	6	6	0	0	19.981 s


(F)- To Test the FMSiis application

PASSED	DURATION - 19.984 s	Scenarios		Steps	
/ 9:47:30.420 AM // 9:47:50.404 AM /		Total - 1		Total - 6	
		Pass - 1		Pass - 6	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- Check basic functionality of Reason code module

<div><div>PASSED</div><div>DURATION - 19.981 s</div></div>			<div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 9:47:30.423 AM // 9:47:50.404 AM /				
To Test the FMSiis application				
@AT_IISPRM_57				


#	Step / Hook Details	Status	Duration
1	Given user_57 navigate to the IISParam application and login with the valid credentials	PASSED	12.854 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.359 s
	screenshot		
			
2	Then user_57 update test data set id for AT_iisprm_058	PASSED	0.000 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.154 s
	screenshot		
			

#	Step / Hook Details	Status	Duration
3	And user_57 click on parameters tab	PASSED	0.077 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.175 s
	screenshot		
			
4	And user_57 click on Reason code	PASSED	0.478 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.298 s
	screenshot		
			
5	And user_57 check menus and lists are available	PASSED	0.326 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.233 s
	screenshot		
			
6	And user_57 click on maintenance and create a record	PASSED	0.104 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.224 s
	screenshot		
			

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check basic functionality of Reason
code module


(F) To Test the FMSiis application



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check basic functionality of Reason
code module


(F) To Test the FMSiis application



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check basic functionality of Reason
code module


(F) To Test the FMSiis application



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check basic functionality of Reason
code module


(F) To Test the FMSiis application



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check basic functionality of Reason
code module

(F) To Test the FMSiis application



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check basic functionality of Reason
code module

(F) To Test the FMSiis application

