Cucumber Report

| Start : Sep 28, 12:05:57.445 PM	End : Sep 28, 12:06:19.904 PM	Duration : 22.459 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 11 FAILED - 1 SKIPPED - 5

#	Feature Name	T	P	F	S	Duration
1	To test the IIS Parameter functionalities	1	0	1	0	22.459 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To test the IIS Parameter functionalities	Penalty -basic Testing	17	11	1	5	22.456 s

(F)- To test the IIS Parameter functionalities

FAILED	DURATION - 22.459 s	Scenarios		Steps	
		Total - 1		Total - 17	
/ 12:05:57.445 PM // 12:06:19.904 PM /		Pass - 0	**1**	Pass - 11	**17**
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 5	

(S)- Penalty -basic Testing

FAILED	DURATION - 22.456 s		Steps	
/ 12:05:57.448 PM // 12:06:19.904 PM /			Total - 17	
To test the IIS Parameter functionalities			Pass - 11	**17**
@721477			Fail - 1	
			Skip - 5	

#	Step / Hook Details	Status	Duration
1	Given navigate to IIS param application and login with valid credentials	PASSED	5.997 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.360 s
	screenshot +		
2	And User_611 get the test data for test case AT_IISPRM_075	PASSED	0.382 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.217 s
	screenshot +		

| #	Step / Hook Details	Status	Duration
3	And User_611 clicks on the parameter feature in IIS Param application	PASSED	0.387 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot +	PASSED	0.349 s
4	And User_611 clicks the penalty Menu in IIS param application	PASSED	0.173 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot +	PASSED	0.193 s
5	And User_611 clicks the maintenance menu under penalty screen	PASSED	0.266 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot +	PASSED	1.672 s
6	And User_611 Enter and create a code value under maintenance screen	PASSED	0.272 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot +	PASSED	0.190 s
7	And User_611 Enter the brief name eng under maintenance screen	PASSED	0.265 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.220 s

#	Step / Hook Details	Status	Duration
	+		
8	And User_611 Enter the long discription under maintenance screen	PASSED	0.134 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.211 s
	screenshot +		
9	And User_611 Enter the charges code under maintenance screen	PASSED	0.110 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.229 s
	screenshot +		
10	And User_611 clicks the save button under maintenance screen	PASSED	3.184 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.231 s
	screenshot +		
11	And User_611 Validate the saving record	PASSED	0.115 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.267 s
	screenshot		

#	Step / Hook Details	Status	Duration
	+		
12	And User_611 Enter the penalty code under maintenance screen	FAILED	0.049 s

	java.lang.IllegalArgumentException: Keys to send should be a not null CharSequence
	    at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:97)
	    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
	    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	    at java.base/java.lang.reflect.Method.invoke(Method.java:568)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51)
	    at jdk.proxy2/jdk.proxy2.$Proxy46.sendKeys(Unknown Source)
	    at stepdefinitions.IISParameterSteps_611.user_enter_the_penalty_code_under_maintenance_screen(IISParameterSteps_611.java:114)
	    at ?.User_611 Enter the penalty code under maintenance screen(file:///C:/Users/inindc00611/git/FMS1/AzentioAutomationFramework_FMS_kowsalyaa/src/test/java/IISfeatures/IISParameter.feature:16)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.255 s
	screenshot		
	+		
13	And User_611 Edit the brief name eng for updation under maintenance screen	SKIPPED	0.000 s
14	And User_611 Edit the long discription for updation under maintenance screen	SKIPPED	0.000 s
15	And User_611 clicks the save button under maintenance screen	SKIPPED	0.000 s
16	And User_611 Validate the saving record	SKIPPED	0.001 s
17	And User_611 validate the updating record	SKIPPED	0.000 s

| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Penalty -basic Testing	
(F) To test the IIS Parameter functionalities	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Penalty -basic Testing	
(F) To test the IIS Parameter functionalities	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Penalty -basic Testing	
(F) To test the IIS Parameter functionalities	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Penalty -basic Testing	
(F) To test the IIS Parameter functionalities	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Penalty -basic Testing

(F) To test the IIS Parameter
functionalities

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Penalty -basic Testing

(F) To test the IIS Parameter
functionalities

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Penalty -basic Testing	
(F) To test the IIS Parameter functionalities	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Penalty -basic Testing	
(F) To test the IIS Parameter functionalities	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Penalty -basic Testing	
(F) To test the IIS Parameter functionalities	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Penalty -basic Testing	
(F) To test the IIS Parameter functionalities	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Penalty -basic Testing	
(F) To test the IIS Parameter functionalities	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Penalty -basic Testing	
(F) To test the IIS Parameter functionalities	