
Start: May 29, 2:22:24.728 PM **Duration: 3 m 34.030 s** End: May 29, 2:25:58.758 PM Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 6 SKIPPED - 0 SKIPPED - 0 SKIPPED - 14 21 40 50 60 40 50 60 40 50 60 Pass % 70 30 Pass % 70 30 Pass % 70 20 20 20 80 80 80 90 90 10 28 % 100 100

FEATURES SUMMARY -- 2 --



| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|--------------|
| 1 | To check the WIFAK Application features | 1 | 0 | 1 | 0 | 3 m 34.030 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|--------------------------------|------------------|----|---|---|----|--------------|
| 1 | To check the WIFAK Application | TSR - RIDB180129 | 21 | 6 | 1 | 14 | 3 m 34.022 s |
| | features | | | | | | |

(F)- To check the WIFAK Application features

| FAILED | DURATION - 3 m 34.030 s | Scenarios | | Steps | |
|------------------|-------------------------|-----------|---|------------|----|
| | | Total - 1 | | Total - 21 | |
| / 2:22:24.728 PM | 1 // 2:25:58.758 PM / | Pass - 0 | 1 | Pass - 6 | 21 |
| | | Fail - 1 | | Fail - 1 | |
| | | Skip - 0 | | Skip - 14 | |

(S)- TSR - RIDB180129



| # | Step / Hook Details | Status | Duration |
|---|--|--------|--------------|
| 1 | Given navigate to FMS application and login with valid credentials | PASSED | 1 m 13.166 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.559 s |
| | screenshot | | |
| | | | |
| | | | |
| | | | |
| 2 | And get the test data for test case 640861 | PASSED | 0.761 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.439 s |
| | screenshot | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | 1 | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|--------------|
| 3 | And User clicks on the WIFAK_Application first link | PASSED | 0.933 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.309 s |
| | screenshot | | |
| | | | |
| 4 | And User clicks on the WIFAK_Application second link | PASSED | 1.536 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.343 s |
| | screenshot | | |
| | | | |
| 5 | And User clicks on the Application for financial facility link | PASSED | 1.048 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.287 s |
| | screenshot | | |
| | | | |
| 6 | And User clicks the maintanance menu | PASSED | 1.847 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.253 s |
| | screenshot | | |
| | | | |
| 7 | And User select the application for dropdown as new facility | FAILED | 1 m 23.461 s |
| | org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of [[ChromeDriver: chrome on WINDOWS (f470d44e1ef1d3636566be19db02c1c2)] -> xpath: //select[@id='applicationFacilityApplicationfor_WIFT001MT']] (tried for 60 second(s) with 5 milliseconds interval) | | |


| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263) | | |
| | at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) | | |
| | at helper.WaitHelper.waitForElementwithFluentwait(WaitHelper.java:95) | | |
| | at stepdefinitions.WIFAK_Application_Steps.user_select_the_application_for_dropdown_as_new_facility(WIFAK_Application_Steps.java:152) | | |
| | at ?.User select the application for dropdown as new facility(file:///C:/Users/inindc00608/git/Sankar_FMS/FMS_SankarS2/src/test/java/features/WIFAK_Application.feature:108) | | |
| | Caused by: org.openga.selenium.NoSuchElementException: no such element: Unable to locate element: | | |
| | {"method":"xpath","selector":"//select[@id='applicationFacilityApplicationfor_WIFT001MT']"} (Session info: chrome=113.0.5672.127) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: '8ebccac989' | | |
| | System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.2' Driver info: org.openqa.selenium.chrome. | | |
| | ChromeDriver Command: [f470d44e1ef1d3636566be19db02c1c2, findElement {using=xpath, | | |
| | value=//select[@id='applicationFacilityApplicationfor_WIFT001MT']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, | | |
| | browserVersion: 113.0.5672.127, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae, userDataDir: | | |
| | C:\Users\ININDC~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:53084}, networkConnectionEnabled: false, | | |
| | pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:53084/devtoo, se:cdpVersion: 113.0.5672.127, | | |
| | setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:minPinLength: true, | | |
| | webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f470d44e1ef1d3636566be19db02c1c2 | | |
| | at jdk.internal.reflect.GeneratedConstructorAccessor44.newInstance(Unknown Source) | | |
| | at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) | | |
| | at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) | | |
| | at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) | | |
| | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) | | |
| | at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) | | |
| | at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) | | |
| | at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) | | |
| | at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) | | |
| | at jdk.proxy2/jdk.proxy2.\$Proxy46.isDisplayed(Unknown Source) | | |
| | at org.openga.selenium.support.ui.ExpectedConditions.elementlfVisible(ExpectedConditions.java:307) | | |
| | at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) | | |
| | at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) | | |
| | at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) | | |
| | at org.openga.selenium.support.ui.FluentWait.until(FluentWait.java:208) | | |
| | at helper.WaitHelper.waitForElementwithFluentwait(WaitHelper.java:95) | | |
| | at stepdefinitions.WIFAK_Application_Steps.user_select_the_application_for_dropdown_as_new_facility(WIFAK_Application_Steps. | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | java:152) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:78) | | |
| | at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:567) | | |
| | at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) | | |
| | at io.cucumber.java.Invoker.invoke(Invoker.java:24) | | |
| | at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) | | |
| | at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) | | |
| | at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) | | |
| | at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) | | |
| | at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) | | |
| | at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) | | |
| | at io.cucumber.core.runner.TestStep.run(TestStep.java:64) | | |
| | at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) | | |
| | at io.cucumber.core.runner.TestCase.run(TestCase.java:104) | | |
| | at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) | | |
| | at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) | | |
| | at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) | | |
| | at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) | | |
| | at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:78) | | |
| | at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:567) | | |
| | at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) | | |
| | at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) | | |
| | at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) | | |
| | at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) | | |
| | at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) | | |
| | at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) | | |
| | at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) | | |
| | at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) | | |
| | at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) | | |
| | at org.testng.TestRunner.privateRun(TestRunner.java:794) | | |
| | at org.testng.TestRunner.run(TestRunner.java:596) | | |
| | at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) | | |
| | at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) | | |
| | at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) | | |
| | at org.testng.SuiteRunner.run(SuiteRunner.java:276) | | |
| | at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) | | |
| | at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) | | |


DETAILED SECTION -- 8 --

| # | Step / Hook Details | Status | Duration |
|----|--|---------|----------|
| | at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) | | |
| | * Not displayable characters are replaced by '?'. AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.376 s |
| | screenshot | | |
| | | | |
| 8 | And User enter the CIF No in main info tab | SKIPPED | 0.000 s |
| 9 | And User enter the facility type in main info tab | SKIPPED | 0.001 s |
| 10 | And User enter the country of financing in main info tab | SKIPPED | 0.000 s |
| 11 | And User enter the facility rating in main info tab | SKIPPED | 0.000 s |
| 12 | And User clicks on the additional details tab | SKIPPED | 0.000 s |
| 13 | And User enter the total value in additional info tab | SKIPPED | 0.000 s |
| 14 | And User enter the expire date in additional info tab | SKIPPED | 0.001 s |
| 15 | And User enter the down payment percentage in additional info tab | SKIPPED | 0.000 s |
| 16 | And User enter the down payment to vendor percentage in additional info tab | SKIPPED | 0.000 s |
| 17 | And User clicks the limit details tab | SKIPPED | 0.000 s |
| 18 | And User clicks the add new record button in limit details tab | SKIPPED | 0.001 s |
| 19 | And User enter the product class details | SKIPPED | 0.000 s |
| 20 | Then User validate the visibility of Account No input box in limit details | SKIPPED | 0.000 s |
| 21 | Then User validate the visibility of Fund Transfer rate input box in limit details | SKIPPED | 0.000 s |


EXPANDED SECTION -- 9 --



EXPANDED SECTION -- 10 --



EXPANDED SECTION -- 11 --



EXPANDED SECTION -- 12 --

