Cucumber Report

28 Sep 2023, 6:00:09 PM

Start : Sep 28, 5:59:50.956 PM	End : Sep 28, 6:00:08.687 PM	Duration : 17.731 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 6 FAILED - 1 SKIPPED - 6

Features: 1

Scenarios: 1

Steps: 13

Features Pass %: 0 %

Scenarios Pass %: 0 %

Steps Pass %: 46 %

#	Feature Name	T	P	F	S	Duration
1	To Test the FMSiis application	1	0	1	0	17.731 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To Test the FMSiis application	Check basic functionality of Reason code module	13	6	1	6	17.727 s

(F)- To Test the FMSiis application

| FAILED	DURATION - 17.731 s	Scenarios		Steps	
	/ 5:59:50.956 PM // 6:00:08.687 PM /	Total - 1		Total - 13	
		Pass - 0	1	Pass - 6	13
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 6	

(S)- Check basic functionality of Reason code module

FAILED	DURATION - 17.727 s		Steps	
	/ 5:59:50.960 PM // 6:00:08.687 PM /		Total - 13	
	To Test the FMSiis application		Pass - 6	13
	@AT_IISPRM_57		Fail - 1	
			Skip - 6	

#	Step / Hook Details	Status	Duration
1	Given user_57 navigate to the IISParam application and login with the valid credentials	PASSED	7.138 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.399 s
	screenshot		
	+		
2	Then user_57 update test data set id for AT_iisprm_058	PASSED	0.004 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.213 s
	screenshot		
	+		

| #	Step / Hook Details	Status	Duration
3	And user_57 click on parameters tab	PASSED	0.081 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.172 s
	screenshot		
4	And user_57 click on Reason code	PASSED	0.382 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.210 s
	screenshot		
5	And user_57 check menus and lists are available	PASSED	0.324 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.203 s
	screenshot		
6	And user_57 click on maintenance and create a record	PASSED	0.084 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.399 s
	screenshot		
7	And user_57 enter code brief description long description and save it	FAILED	1.763 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <input type="text" autocomplete="off" name="reasoncodeCO.trsreasonVO.BRIEF_DESC_ENG" class="path-theme-cust-input textCompSize ui-state-focus ui-corner-all" maxlength="20" value="" id="reasonCodeBriefNameEnglish_M038MT" required="true" initialvalue="" prevvalue=""> is not clickable at point (795, 168). Other element would receive the click: <div class="jMsgbox-background" style="position: fixed; width: 1804px; height: 815px; z-		

#	Step / Hook Details	Status	Duration

	index: 999999; opacity: 0.6; top: 0px; left: 0px;"></div> (Session info: chrome=117.0.5938.92) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2315e20905f5a537e287c729b03a9482, clickElement {id=AF1870B9418DE007C2E8777BAD6969FB_element_276}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.92, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\ININDC~1\AppData\L...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55901}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55901/devtoo..., se:cdpVersion: 117.0.5938.92, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (2315e20905f5a537e287c729b03a9482)] -> xpath: (//input[@class='path-theme-cust-input textCompSize ui-state-focus ui-corner-all'])[2]] Session ID: 2315e20905f5a537e287c729b03a9482
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)
	  at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224)
	  at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77)
	  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
	  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	  at java.base/java.lang.reflect.Method.invoke(Method.java:568)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51)
	  at jdk.proxy2/jdk.proxy2.$Proxy46.click(Unknown Source)
	  at stepdefinitions.Reason_codes_057.user_57_enter_code_brief_description_long_description_and_save_it(Reason_codes_057.java:131)
	  at ?.user_57 enter code brief description long description and save it(file:///C:/Users/ININDC00629/git/AZENTIO-FMS1/AzentioAutomationFramework_FMS_Ajith/src/test/java/features_IIS/AT_IISPRM_057.feature:10)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot +	PASSED	0.188 s

#	Step / Hook Details	Status	Duration
8	And user_57 check first last prev next button	SKIPPED	0.000 s
9	And user_57 check sorting functionality	SKIPPED	0.000 s
10	And user_57 search the code to check searching is working	SKIPPED	0.000 s
11	And user_57 check grid is listing all relevant data	SKIPPED	0.002 s
12	And user_57 retrieve the code and delete it	SKIPPED	0.000 s
13	And user_57 close the screen	SKIPPED	0.000 s

|	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check basic functionality of Reason code module	
(F) To Test the FMSiis application	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check basic functionality of Reason code module	
(F) To Test the FMSiis application	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) Check basic functionality of Reason code module (F) To Test the FMSiis application	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) Check basic functionality of Reason code module (F) To Test the FMSiis application	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check basic functionality of Reason
code module

(F) To Test the FMSiis application

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check basic functionality of Reason
code module

(F) To Test the FMSiis application

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check basic functionality of Reason code module

(F) To Test the FMSiis application