

Cucumber Report

6 Oct 2023, 10:51:02 AM

Start : Oct 06, 10:49:47.867 AM

End : Oct 06, 10:51:01.008 AM

Duration : 1 m 13.141 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 1
FAILED - 1
SKIPPED - 10







#	Feature Name	T	P	F	S	Duration
1	<u>To Test the FMSiis application</u>	1	0	1	0	1 m 13.141 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>To Test the FMSiis application</u>	<u>Check basic functionality of product class module</u>	12	1	1	10	1 m 13.138 s

(F)- To Test the FMSiis application

FAILED	DURATION - 1 m 13.141 s	Scenarios		Steps	
/ 10:49:47.867 AM // 10:51:01.008 AM /		Total - 1	1	Total - 12	12
		Pass - 0		Pass - 1	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 10	


(S)- Check basic functionality of product class module

<div>FAILED</div> <div>DURATION - 1 m 13.138 s</div>			Steps		
/ 10:49:47.870 AM // 10:51:01.008 AM /			Total - 12		
To Test the FMSiis application			Pass - 1		
@AT_IISPRM_111			Fail - 1		
			Skip - 10		

#	Step / Hook Details	Status	Duration
1	Given user_111 navigate to the IISParam application and login with the valid credentials	PASSED	7.804 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.165 s
	screenshot		
			
2	And user_111 click on parameters tab	FAILED	1 m 0.041 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //td[text()='Parameters']' (tried for 60 second(s) with 5 milliseconds interval) at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:262) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:230) at helper.WaitHelper.waitForElementwithFluentwait(WaitHelper.java:95) at stepdefinitions.Product_Class_111.user_111_click_on_parameters_tab(Product_Class_111.java:42) at ?.user_111 click on parameters tab(file:///C:/Users/ININDC00629/git/AZENTIO-FMS1/AzentioAutomationFramework_FMS_Ajith/src/test/java/features_IIS/AT_IISPRM_111.feature:5) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element:		

#	Step / Hook Details	Status	Duration
	<pre> {"method":"xpath","selector":"/td[text()='Parameters']} (Session info: chrome=117.0.5938.149) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [1915a456c01fedd25a34ba97dbbe6e0c, findElement {using=xpath, value=/td[text()='Parameters']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.149, chrome: {chromedriverVersion: 117.0.5938.149 (e3344ddefa1..., userDataDir: C:\Users\NINDC~1\AppData\Local\Temp\selenium-chrome-profile\userDataDir\chrome- cdp: ws://localhost:63422/devtools, se.cdpVersion: 117.0.5938.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1915a456c01fedd25a34ba97dbbe6e0c atjdk.internal.reflect.GeneratedConstructorAccessor45.newInstance(Unknown Source) atjava.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) atjava.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) atjava.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) atorg.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) atorg.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) atorg.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) atorg.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) atorg.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) atorg.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) atorg.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) atorg.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) atorg.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) atorg.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) atorg.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) atorg.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) atorg.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) atjdk.proxy2/jdk.proxy2.\$Proxy46.isDisplayed(Unknown Source) atorg.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:304) atorg.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:37) atorg.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) atorg.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:287) atorg.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:205) athelper.WaitHelper.waitForElementWithFluentwait(WaitHelper.java:95) atstepdefinitions.Product_Class_111.user_111_click_on_parameters_tab(Product_Class_111.java:42) atjava.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) atjava.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) atjava.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) atjava.base/java.lang.reflect.Method.invoke(Method.java:568) atio.cucumber.java.Invoker.doInvoke(Invoker.java:66) atio.cucumber.java.Invoker.invoke(Invoker.java:24) atio.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) </pre>		

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre> <p>* Not displayable characters are replaced by '?'. </p>		

#	Step / Hook Details	Status	Duration
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.226 s
	screenshot		
			
3	And user_111 click on product class under parameter tab	SKIPPED	0.001 s
4	And user_111 click on maintenance under product class tab	SKIPPED	0.000 s
5	And user_111 click on search button under product class	SKIPPED	0.001 s
6	And user_111 click on the first option under search button	SKIPPED	0.001 s
7	And user_111 click on profit calculation under maintainance tab	SKIPPED	0.000 s
8	And user_111 check flag under profit calculation tab	SKIPPED	0.000 s
9	And user_111 click on additional information	SKIPPED	0.000 s
10	And user_111 click on repayment plan under the additional information	SKIPPED	0.000 s
11	And user_111 validates for the Accural Entry At Revaluation	SKIPPED	0.000 s
12	And user_111 check the availble option of Accural Entry At Revaluation	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check basic functionality of product
class module

(F) To Test the FMSiis application

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check basic functionality of product
class module

(F) To Test the FMSiis application

