Cucumber Report

Start : Oct 06, 8:43:16.273 AM	*End : Oct 06, 8:43:48.187 AM*	*Duration : 31.914 s*
Features	Scenarios	Steps

PASSED - 1	PASSED - 1	PASSED - 11
FAILED - 0	FAILED - 0	FAILED - 0
SKIPPED - 0	SKIPPED - 0	SKIPPED - 0

#	Feature Name	T	P	F	S	Duration
1	To Test the FMSiis application	1	1	0	0	31.914 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To Test the FMSiis application	Check basic functionality of product class module	11	11	0	0	31.910 s

(F)- To Test the FMSiis application

PASSED *DURATION - 31.914 s*	**Scenarios** Total - 1 Pass - 1 Fail - 0 Skip - 0	1	**Steps** Total - 11 Pass - 11 Fail - 0 Skip - 0	11
/ 8:43:16.273 AM // 8:43:48.187 AM /			

(S)- Check basic functionality of product class module

PASSED *DURATION - 31.910 s*		**Steps** Total - 11 Pass - 11 Fail - 0 Skip - 0	11
/ 8:43:16.277 AM // 8:43:48.187 AM /		
To Test the FMSiis application		
@AT_IISPRM_111		

#	Step / Hook Details	Status	Duration
1	Given user_111 navigate to the IISParam application and login with the valid credentials	PASSED	7.832 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.253 s
	screenshot		
	+		
2	And user_111 click on parameters tab	PASSED	0.076 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.176 s
	screenshot		
	+		

| #	Step / Hook Details	Status	Duration
3	And user_111 click on product class under parameter tab	PASSED	0.279 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.223 s
	screenshot		
4	And user_111 click on maintenance under product class tab	PASSED	0.184 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.301 s
	screenshot		
5	And user_111 click on search button under product class	PASSED	1.934 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.232 s
	screenshot		
6	And user_111 click on the first option under search button	PASSED	3.318 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.583 s
	screenshot		
7	And user_111 click on profit calculation under maintainance tab	PASSED	3.235 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.197 s
	screenshot		

#	Step / Hook Details	Status	Duration
8	And user_111 check flag under profit calculation tab	PASSED	4.138 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.179 s
9	And user_111 click on additional information	PASSED	3.112 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.199 s
10	And user_111 click on repayement plan under the additional information	PASSED	0.112 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.202 s
11	And user_111 validates for the Accural Entry At Revaluation	PASSED	0.097 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.188 s

#	Step / Hook Details	Status	Duration

|	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check basic functionality of product class module	
(F) To Test the FMSiis application	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check basic functionality of product class module	
(F) To Test the FMSiis application	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check basic functionality of product class module

(F) To Test the FMSiis application

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check basic functionality of product class module

(F) To Test the FMSiis application

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check basic functionality of product class module	
(F) To Test the FMSiis application	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check basic functionality of product class module	
(F) To Test the FMSiis application	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check basic functionality of product class module

(F) To Test the FMSiis application

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check basic functionality of product class module

(F) To Test the FMSiis application

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check basic functionality of product
class module

(F) To Test the FMSiis application

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check basic functionality of product
class module

(F) To Test the FMSiis application

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check basic functionality of product
class module

(F) To Test the FMSiis application