

# Cucumber Report

1 Nov 2023, 2:03:15 PM

Start : Nov 01, 2:01:31.429 PM

End : Nov 01, 2:03:14.002 PM

Duration : 1 m 42.573 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 7  
FAILED - 1  
SKIPPED - 2







| # | Feature Name                                | T | P | F | S | Duration     |
|---|---|---|---|---|---|--------------|
| 1 | Test the Functionality of Draw Down Request | 1 | 0 | 1 | 0 | 1 m 42.573 s |







| # | Feature Name                                | Scenario Name           | T  | P | F | S | Duration     |
|---|---|-------------------------|----|---|---|---|--------------|
| 1 | Test the Functionality of Draw Down Request | In FMS REVERSE THE DDR3 | 10 | 7 | 1 | 2 | 1 m 42.570 s |




**(F)- Test the Functionality of Draw Down Request**


|                                      |                                |           |   |            |   |
|--------------------------------------|--------------------------------|-----------|---|------------|---|
| <b>FAILED</b>                        | <b>DURATION - 1 m 42.573 s</b> | Scenarios |  | Steps      |  |
| / 2:01:31.429 PM // 2:03:14.002 PM / |                                | Total - 1 |   | Total - 10 |   |
|                                      |                                | Pass - 0  |   | Pass - 7   |   |
|                                      |                                | Fail - 1  |   | Fail - 1   |   |
|                                      |                                | Skip - 0  |   | Skip - 2   |   |

**(S)- In FMS REVERSE THE DDR3**


|  |  |  |  |   |
|--|--|--|--|---|
| <div>FAILED</div> <div>DURATION - 1 m 42.570 s</div> |  |  | <div>Steps</div> <div>Total - 10</div> <div>Pass - 7</div> <div>Fail - 1</div> <div>Skip - 2</div> |  |
| / 2:01:31.432 PM // 2:03:14.002 PM /                 |  |  |  |   |
| Test the Functionality of Draw Down Request          |  |  |  |   |
| @AT_DDR_007  |  |  |  |   |

| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
| 1 | Given User_007 navigate to FMS application and login with valid credentials         | PASSED | 10.163 s |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)    | PASSED | 0.401 s  |
|   | screenshot  |        |          |
|   |  |        |          |
| 2 | And User_007 Click on Report menu   | PASSED | 1.109 s  |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)    | PASSED | 0.255 s  |
|   | screenshot  |        |          |
|   |  |        |          |
| 3 | And User_007 Click on Availment Ticket sub menu under Report menu                   | PASSED | 1.314 s  |

| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)    | PASSED | 0.217 s  |
|   | screenshot  |        |          |
|   |    |        |          |
| 4 | And User_007 Click on CIF No Tab  | PASSED | 2.369 s  |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)    | PASSED | 0.213 s  |
|   | screenshot  |        |          |
|   |    |        |          |
| 5 | And User_007 Enter CIF No   | PASSED | 0.111 s  |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)    | PASSED | 0.145 s  |
|   | screenshot  |        |          |
|   |    |        |          |
| 6 | And User_007 Click On Retrive Button  | PASSED | 0.078 s  |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)    | PASSED | 0.175 s  |
|   | screenshot  |        |          |
|   |  |        |          |
| 7 | And User_007 Click On Availment Ticket sub Report Drawdown                          | PASSED | 20.698 s |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)    | PASSED | 0.245 s  |
|   | screenshot  |        |          |

| # | Step / Hook Details   | Status | Duration    |
|---|---|--------|-------------|
|   |    |        |             |
| 8 | <p>And User_007 Check the draw down linked in TFA are displaying in the report</p> <pre> org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: /html/body/table/tbody/tr[2]/table/tbody/tr[2]/td' (tried for 60 second(s) with 5 milliseconds interval)   at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:262)   at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:230)   at helper.WaitHelper.waitForElementWithFluentwait(WaitHelper.java:95)   at stepdefinitions. ReportAvailment_007.User_007_Check_the_draw_down_linked_in_TFA_are_displaying_in_the_report(ReportAvailment_007.java:132)   at ?.User_007 Check the draw down linked in TFA are displaying in the report(file:///C:/Users/ININDC00629/git/AZENTIO-FMS1/AzentioAutomationFramework_FMS_Ajith/src/test/java/features/DrawDownandRequest.feature:12) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"/html/body/table/tbody/tr[2]/table/tbody/tr[2]/td"} (Session info: chrome=118.0.5993.118) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [262402a4fa6ca167ff8ead767b993abb, findElement {using=xpath, value=/html/body/table/tbody/tr[2]/table/tbody/tr[2]/td}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 118.0.5993.118, chrome: {chromedriverVersion: 118.0.5993.70 (e52f33f30b91..., userDataDir: C:\Users\ININDC~1\AppData\Local\Temp\chrome-ws-localhost:62375/devtools-..., se:cdpVersion: 118.0.5993.118, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 262402a4fa6ca167ff8ead767b993abb   at jdk.internal.reflect.GeneratedConstructorAccessor41.newInstance(Unknown Source)   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)   at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) </pre> | FAILED | 1 m 0.035 s |

| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
|   | <pre> at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy46.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:304) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:37) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:287) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:205) at helper.WaitHelper.waitForElementwithFluentwait(WaitHelper.java:95) at stepdefinitions. ReportAvailment_007.User_007_Check_the_draw_down_linked_in_TFA_are_displaying_in_the_report(ReportAvailment_007.java:132) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) </pre> |        |          |

| #  | Step / Hook Details  | Status  | Duration |
|----|--|---------|----------|
|    | <pre> at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre> <p>* Not displayable characters are replaced by '?'. </p> |         |          |
|    | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)   | PASSED  | 0.268 s  |
|    | screenshot   |         |          |
|    |   |         |          |
| 9  | And User_007 Click On Availment Ticket sub Report Facility   | SKIPPED | 0.000 s  |
| 10 | And User_007 Check the draw down details are displaying when the user specify the particular facility  | SKIPPED | 0.000 s  |



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) In FMS REVERSE THE DDR3

(F) Test the Functionality of Draw Down  
Request

The screenshot shows the AZENTIO application interface. The top navigation bar includes the AZENTIO logo, user information (User: AJITH, Company: 14.7 Oracle BAJ, Branch: Head Office), the date (16 January 2021), and customer information (Customer ID: -, Customer Name: -). The right side of the navigation bar contains links for New Session, Full Screen, Options, Advanced Options, Switch View, Home, Log Out, and Help, along with a language selector. The main content area is titled 'Menu Options' and displays a 'Loading Contents...' message with a circular progress indicator. The footer contains the copyright notice 'Copyright ©2023 Azentio ©All Rights Reserved - iMIL Facility Management System 14.7.0.0 Build 292' and the text 'Powered By AZENTIO'.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) In FMS REVERSE THE DDR3


(F) Test the Functionality of Draw Down  
Request

The screenshot shows the AZENTIO application interface with a menu list on the left side. The top navigation bar is identical to the previous screenshot. The main content area displays a list of menu items under the heading 'Menu Options'. The items include: Reports, Request, Request For Finance, Sivara BAJ Applicat, Sivara BAJ Request, Treasury, VYSAKH - CORPORATE, VYSAKH - RETAIL, WIFAK APPLICATION, applicatio, new req, new req, new req, new req, newopt, req, requ, request new, retail, test, ulan, Johns request, Corporate financings, Retail, Retail financing, Corporate Finan, Individual Loan Jo, App screen, Retail, and Corporate k. The footer contains the copyright notice 'Copyright ©2023 Azentio ©All Rights Reserved - iMIL Facility Management System 14.7.0.0 Build 292' and the text 'Powered By AZENTIO'.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) In FMS REVERSE THE DDR3


(F) Test the Functionality of Draw Down  
Request



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) In FMS REVERSE THE DDR3

(F) Test the Functionality of Draw Down  
Request



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) In FMS REVERSE THE DDR3

(F) Test the Functionality of Draw Down  
Request

The screenshot shows the AZENTIO web application interface. The top navigation bar includes the AZENTIO logo, user information (User: AJITH, Company: 14.7 Oracle BAJ, Branch: Head Office), date (16 January 2021), and various utility links (New Session, Full Screen, Options, Advanced Options, Switch View, Home, Log Out, Help). The left sidebar shows a tree view of reports, with 'Avalment Ticket' selected. The main content area displays the 'Reports / Avalment Ticket' page. It includes a search bar with 'U010' entered, a 'Parameters' section with filters for CIF No (361303), DRAW DOWN (0), and Excludelgl, and a 'Language' dropdown set to 'English'. The page also has buttons for 'Sort', 'Filter', 'Group', 'Retrieve', 'Reset', 'Arguments Filters', and 'Export'. The footer shows 'Copyright ©2023 Azentio @All Rights Reserved' and 'Powered By'.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) In FMS REVERSE THE DDR3


(F) Test the Functionality of Draw Down  
Request

This screenshot is identical to the one above, showing the AZENTIO web application interface. The top navigation bar includes the AZENTIO logo, user information (User: AJITH, Company: 14.7 Oracle BAJ, Branch: Head Office), date (16 January 2021), and various utility links (New Session, Full Screen, Options, Advanced Options, Switch View, Home, Log Out, Help). The left sidebar shows a tree view of reports, with 'Avalment Ticket' selected. The main content area displays the 'Reports / Avalment Ticket' page. It includes a search bar with 'U010' entered, a 'Parameters' section with filters for CIF No (361303), DRAW DOWN (0), and Excludelgl, and a 'Language' dropdown set to 'English'. The page also has buttons for 'Sort', 'Filter', 'Group', 'Retrieve', 'Reset', 'Arguments Filters', and 'Export'. The footer shows 'Copyright ©2023 Azentio @All Rights Reserved' and 'Powered By'.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) In FMS REVERSE THE DDR3

(F) Test the Functionality of Draw Down  
Request



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) In FMS REVERSE THE DDR3

(F) Test the Functionality of Draw Down  
Request

