

Cucumber Report

1 Nov 2023, 2:19:35 PM

Start : Nov 01, 2:18:04.902 PM

End : Nov 01, 2:19:33.918 PM

Duration : 1 m 29.016 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 7
FAILED - 1
SKIPPED - 2







#	Feature Name	T	P	F	S	Duration
1	Test the Functionality of Draw Down Request	1	0	1	0	1 m 29.016 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Test the Functionality of Draw Down Request	In FMS REVERSE THE DDR3	10	7	1	2	1 m 29.013 s

(F)- Test the Functionality of Draw Down Request


FAILED	DURATION - 1 m 29.016 s	Scenarios		Steps	
/ 2:18:04.902 PM // 2:19:33.918 PM /		Total - 1		Total - 10	
		Pass - 0		Pass - 7	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 2	

(S)- In FMS REVERSE THE DDR3


<div>FAILED</div> <div>DURATION - 1 m 29.013 s</div>			<div>Steps</div> <div>Total - 10</div> <div>Pass - 7</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 2:18:04.905 PM // 2:19:33.918 PM /				
Test the Functionality of Draw Down Request				
@AT_DDR_007				

#	Step / Hook Details	Status	Duration
1	Given User_007 navigate to FMS application and login with valid credentials	PASSED	8.778 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.286 s
	screenshot		
			
2	And User_007 Click on Report menu	PASSED	1.446 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.218 s
	screenshot		
			

#	Step / Hook Details	Status	Duration
3	And User_007 Click on Availment Ticket sub menu under Report menu	PASSED	1.295 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.305 s
	screenshot		
			
4	And User_007 Click on CIF No Tab	PASSED	2.925 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.198 s
	screenshot		
			
5	And User_007 Enter CIF No	PASSED	0.100 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.174 s
	screenshot		
			
6	And User_007 Click On Retrive Button	PASSED	5.086 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.193 s
	screenshot		
			
7	And User_007 Click On Availment Ticket sub Report Drawdown	PASSED	2.910 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.190 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
8	<p>And User_007 Check the draw down linked in TFA are displaying in the report</p> <p>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: /html/body/table/tbody/tr[2]/table/tbody/tr[2]/td' (tried for 60 second(s) with 5 milliseconds interval) at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:262) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:230) at helper.WaitHelper.waitForElementWithFluentwait(WaitHelper.java:95) at stepdefinitions. ReportAvailment_007.User_007_Check_the_draw_down_linked_in_TFA_are_displaying_in_the_report(ReportAvailment_007.java:133) at ?.User_007 Check the draw down linked in TFA are displaying in the report(file:///C:/Users/ININDC00629/git/AZENTIO-FMS1/AzentioAutomationFramework_FMS_Ajith/src/test/java/features/DrawDownandRequest.feature:12) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"/html/body/table/tbody/tr[2]/table/tbody/tr[2]/td"} (Session info: chrome=118.0.5993.118) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [31a4e01ce29a4811ef46e5820d603cb3, findElement {using=xpath, value=/html/body/table/tbody/tr[2]/table/tbody/tr[2]/td}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 118.0.5993.118, chrome: {chromedriverVersion: 118.0.5993.70 (e52f33f30b91..., userDataDir: C:\Users\ININDC~1\AppData\Local\Google\Chrome\User Data\Default\Profile 1\Extensions\chrome-extension://efaidhhdknnhefhokgnhdhinmnhhoohbcnl}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62719}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62719/devtools, se:cdpVersion: 118.0.5993.118, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 31a4e01ce29a4811ef46e5820d603cb3 atjdk.internal.reflect.GeneratedConstructorAccessor41.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)</p>	FAILED	1 m 0.048 s

#	Step / Hook Details	Status	Duration
	<p>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)</p> <p>at jdk.proxy2/jdk.proxy2.\$Proxy46.isDisplayed(Unknown Source)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:304)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:37)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:287)</p> <p>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:205)</p> <p>at helper.WaitHelper.waitForElementwithFluentwait(WaitHelper.java:95)</p> <p>at stepdefinitions.</p> <p>ReportAvailment_007.User_007_Check_the_draw_down_linked_in_TFA_are_displaying_in_the_report(ReportAvailment_007.java:133)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)</p> <p>at java.base/java.lang.reflect.Method.invoke(Method.java:568)</p> <p>at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)</p> <p>at io.cucumber.java.Invoker.invoke(Invoker.java:24)</p> <p>at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)</p> <p>at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)</p> <p>at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)</p> <p>at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)</p> <p>at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)</p> <p>at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)</p> <p>at io.cucumber.core.runner.TestStep.run(TestStep.java:64)</p> <p>at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)</p> <p>at io.cucumber.core.runner.TestCase.run(TestCase.java:104)</p> <p>at io.cucumber.core.runner.Runner.runPickle(Runner.java:71)</p> <p>at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116)</p> <p>at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117)</p> <p>at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113)</p> <p>at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)</p> <p>at java.base/java.lang.reflect.Method.invoke(Method.java:568)</p> <p>at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)</p> <p>at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664)</p> <p>at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227)</p> <p>at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)</p> <p>at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957)</p> <p>at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200)</p> <p>at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)</p> <p>at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.199 s
	screenshot		
			
9	And User_007 Click On Availment Ticket sub Report Facility	SKIPPED	0.002 s
10	And User_007 Check the draw down details are displaying when the user specify the particular facility	SKIPPED	0.002 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) In FMS REVERSE THE DDR3

(F) Test the Functionality of Draw Down
Request

The screenshot shows the AZENTIO application interface. The top navigation bar is blue and contains the AZENTIO logo, a user profile icon, and user information: User: AJITH, Company: 14.7 Oracle BAJ, Branch: Head Office, and the date 16 January 2021. On the right side of the navigation bar, there are links for New Session, Full Screen, Options, Advanced Options, Switch View, Home, Log Out, and Help. Below the navigation bar, there is a 'Menu Options' sidebar on the left with a 'Loading Contents...' message. The main content area is empty. The footer contains the copyright notice: Copyright ©2023 Azentio ©All Rights Reserved. JML Facility Management System 14.7.0.0 Build 262, and the text 'Powered By AZENTIO'.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) In FMS REVERSE THE DDR3


(F) Test the Functionality of Draw Down
Request

The screenshot shows the AZENTIO application interface with a menu expanded on the left. The top navigation bar is identical to the previous screenshot. The 'Menu Options' sidebar on the left lists the following items: Reports, Request, Request For Finance, Sivara BAJ Applicat, Sivara BAJ Request, Treasury, VYSAKH - CORPORATE, VYSAKH - RETAIL, WIFAK APPLICATION, applicatio, new req, new req, new req, new req, newopt, req, requ, request new, retail, test, ulan, Johns request, Corporate financings, Retail, Retail financing, Corporate Finan, Individual Loan Jo, App screen, Retail, and Corporate k. The main content area is empty. The footer contains the copyright notice: Copyright ©2023 Azentio ©All Rights Reserved. JML Facility Management System 14.7.0.0 Build 262, and the text 'Powered By AZENTIO'.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) In FMS REVERSE THE DDR3


(F) Test the Functionality of Draw Down Request



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) In FMS REVERSE THE DDR3

(F) Test the Functionality of Draw Down Request



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) In FMS REVERSE THE DDR3

(F) Test the Functionality of Draw Down
Request

The screenshot shows the AZENTIO web application interface. The top navigation bar includes the AZENTIO logo, user information (User: AJITH, Company: 14.7 Oracle BAJ, branch: Head Office), date (16 January 2021), and customer information (Customer ID, Customer Name). The main content area is titled 'Reports / Avalment Ticket' and displays a search bar with 'U010' entered. Below the search bar are several filter options: 'Parameters' (CIF No, DRAW DOWN, Excludng), 'Language' (English), 'Format' (Html), and 'Connection description'. There are also buttons for 'Sort', 'Filter', 'Group', 'Retrieve', 'Reset', 'Arguments Filters', and 'Export'. The sidebar on the left contains a tree view of reports, with 'Avalment Ticket' selected. The bottom status bar shows 'Copyright ©2023 Azentio (BAI) Rights Reserved' and 'Powered By'.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) In FMS REVERSE THE DDR3


(F) Test the Functionality of Draw Down
Request

The screenshot shows the AZENTIO web application interface with an error message. The error message is displayed in a red box with the text: 'Error in generating nested reports: Error in creating JRM file: /MAL-WebApps/MS-DMAL147_QA_012/repository/reporting/U010_FMS_AJITH/report_avalment_gl.jrm for report reference:U010 and report application:FMS'. The error message is dated 01/11/2023 17:24:46. The user information is 'User Name :AJITH, Application :FMS,Page Reference :U010,Company Code :1,Branch Code :1'. The error message also states 'Failed to retrieve the report null'. The bottom status bar shows 'Copyright ©2023 Azentio (BAI) Rights Reserved' and 'Powered By'.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) In FMS REVERSE THE DDR3

(F) Test the Functionality of Draw Down
Request



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) In FMS REVERSE THE DDR3

(F) Test the Functionality of Draw Down
Request

