Cucumber Report

6 Oct 2023, 10:11:30 AM

Start : Oct 06, 10:09:58.726 AM	End : Oct 06, 10:11:29.673 AM	Duration : 1 m 30.947 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 11 FAILED - 1 SKIPPED - 0

#	Feature Name	T	P	F	S	Duration
1	To Test the FMSiis application	1	0	1	0	1 m 30.947 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	To Test the FMSiis application	Check basic functionality of product class module	12	11	1	0	1 m 30.942 s

(F)- To Test the FMSiis application

FAILED	DURATION - 1 m 30.947 s		Scenarios		Steps	
/ 10:09:58.726 AM // 10:11:29.673 AM /			Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Total - 12 Pass - 11 Fail - 1 Skip - 0	12

(S)- Check basic functionality of product class module

FAILED	DURATION - 1 m 30.942 s		Steps	
/ 10:09:58.731 AM // 10:11:29.673 AM /			Total - 12 Pass - 11 Fail - 1 Skip - 0	12
To Test the FMSiis application				
@AT_IISPRM_111				

#	Step / Hook Details	Status	Duration
1	Given user_111 navigate to the IISParam application and login with the valid credentials	PASSED	6.833 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot +	PASSED	0.312 s
2	And user_111 click on parameters tab	PASSED	0.069 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot +	PASSED	0.154 s
3	And user_111 click on product class under parameter tab	PASSED	0.376 s

#	Step / Hook Details	Status	Duration
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.250 s
	screenshot		
	+		
4	And user_111 click on maintenance under product class tab	PASSED	0.134 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.299 s
	screenshot		
	+		
5	And user_111 click on search button under product class	PASSED	1.766 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.308 s
	screenshot		
	+		
6	And user_111 click on the first option under search button	PASSED	3.291 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.271 s
	screenshot		
	+		
7	And user_111 click on profit calculation under maintainance tab	PASSED	3.165 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.212 s
	screenshot		

| #	Step / Hook Details	Status	Duration
8	And user_111 check flag under profit calculation tab	PASSED	4.138 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.206 s
	screenshot		
9	And user_111 click on additional information	PASSED	3.120 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.190 s
	screenshot		
10	And user_111 click on repayement plan under the additional information	PASSED	0.124 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.237 s
	screenshot		
11	And user_111 validates for the Accural Entry At Revaluation	PASSED	0.102 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.192 s
	screenshot		

#	Step / Hook Details	Status	Duration
12	And user_111 check the availble option of Accural Entry At Revaluation	FAILED	1 m 0.130 s

	org.openqa.selenium.InvalidSelectorException: invalid selector: An invalid or illegal selector was specified (Session info: chrome=117.0.5938.149) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [4bf3158cd584b4874437d7924adb8a93, findElement {using=id, value=}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.149, chrome: {chromedriverVersion: 117.0.5938.149 (e3344ddefa1..., userDataDir: C:\Users\ININDC~1\AppData\L...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:61872}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:61872/devtoo..., se:cdpVersion: 117.0.5938.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 4bf3158cd584b4874437d7924adb8a93
	    at jdk.internal.reflect.GeneratedConstructorAccessor46.newInstance(Unknown Source)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)
	    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	    at jdk.proxy2/jdk.proxy2.$Proxy46.toString(Unknown Source)
	    at java.base/java.lang.String.valueOf(String.java:4216)
	    at java.base/java.lang.StringBuilder.append(StringBuilder.java:173)
	    at org.openqa.selenium.support.ui.ExpectedConditions$10.toString(ExpectedConditions.java:295)
	    at java.base/java.lang.String.valueOf(String.java:4216)
	    at java.base/java.lang.StringBuilder.append(StringBuilder.java:173)
	    at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:227)
	    at helper.WaitHelper.waitForElementwithFluentwait(WaitHelper.java:95)
	    at stepdefinitions.Product_Class_111.user_111_check_the_availble_option_of_Accural_Entry_At_Revaluation(Product_Class_111.java:168)
	    at ?.user_111 check the availble option of Accural_Entry At Revaluation(file:///C:/Users/ININDC00629/git/AZENTIO-FMS1/AzentioAutomationFramework_FMS_Ajith/src/test/java/features_IIS/AT_IISPRM_111.feature:15)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.193 s

#	Step / Hook Details	Status	Duration
	screenshot		

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check basic functionality of product class module

(F) To Test the FMSiis application

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check basic functionality of product class module

(F) To Test the FMSiis application

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) Check basic functionality of product class module (F) To Test the FMSiis application	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) Check basic functionality of product class module (F) To Test the FMSiis application	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check basic functionality of product class module

(F) To Test the FMSiis application

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check basic functionality of product class module

(F) To Test the FMSiis application

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check basic functionality of product class module

(F) To Test the FMSiis application

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check basic functionality of product class module

(F) To Test the FMSiis application

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check basic functionality of product class module

(F) To Test the FMSiis application

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check basic functionality of product class module

(F) To Test the FMSiis application

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check basic functionality of product
class module

(F) To Test the FMSiis application

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check basic functionality of product
class module

(F) To Test the FMSiis application