# Cucumber Report

6 Oct 2023, 10:47:47 AM

| Start : Oct 06, 10:46:13.518 AM | End : Oct 06, 10:47:46.051 AM | Duration : 1 m 32.533 s |
|---|---|---|

| Features | Scenarios | Steps |
|---|---|---|
| PASSED - 0<br>FAILED - 1<br>SKIPPED - 0 | PASSED - 0<br>FAILED - 1<br>SKIPPED - 0 | PASSED - 11<br>FAILED - 1<br>SKIPPED - 0 |












| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|
| 1 | To Test the FMSiis application | 1 | 0 | 1 | 0 | 1 m 32.533 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|---|
| 1 | To Test the FMSiis application | Check basic functionality of product class module | 12 | 11 | 1 | 0 | 1 m 32.530 s |

## (F)- To Test the FMSiis application

| FAILED | DURATION - 1 m 32.533 s | Scenarios | | Steps | |
|---|---|---|---|---|---|
| / 10:46:13.518 AM // 10:47:46.051 AM / | | Total - 1<br>Pass - 0<br>Fail - 1<br>Skip - 0 | | Total - 12<br>Pass - 11<br>Fail - 1<br>Skip - 0 |  |

## (S)- Check basic functionality of product class module

| FAILED | DURATION - 1 m 32.530 s | | Steps | |
|---|---|---|---|---|
| / 10:46:13.521 AM // 10:47:46.051 AM / | |  | Total - 12<br>Pass - 11<br>Fail - 1<br>Skip - 0 | |
| To Test the FMSiis application | | | | |
| @AT_IISPRM_111 | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given user_111 navigate to the IISParam application and login with the valid credentials | PASSED | 7.593 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.295 s |
| | screenshot | | |
| | + | | |
| 2 | And user_111 click on parameters tab | PASSED | 0.074 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.171 s |
| | screenshot | | |
| | + | | |
| 3 | And user_111 click on product class under parameter tab | PASSED | 0.285 s |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.247 s |
| | screenshot | | |
| | + | | |
| 4 | And user_111 click on maintenance under product class tab | PASSED | 0.132 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.328 s |
| | screenshot | | |
| |  + | | |
| 5 | And user_111 click on search button under product class | PASSED | 1.817 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.284 s |
| | screenshot | | |
| |  + | | |
| 6 | And user_111 click on the first option under search button | PASSED | 3.343 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.351 s |
| | screenshot | | |
| |  + | | |
| 7 | And user_111 click on profit calculation under maintainance tab | PASSED | 3.173 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.207 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | + | | |
| 8 | And user_111 check flag under profit calculation tab | PASSED | 4.136 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.207 s |
| | screenshot | | |
| | + | | |
| 9 | And user_111 click on additional information | PASSED | 3.113 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.200 s |
| | screenshot | | |
| | + | | |
| 10 | And user_111 click on repayement plan under the additional information | PASSED | 0.118 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.207 s |
| | screenshot | | |
| | + | | |
| 11 | And user_111 validates for the Accural Entry At Revaluation | PASSED | 0.113 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.189 s |
| | screenshot | | |
| | + | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 12 | And user_111 check the availble option of Accural Entry At Revaluation | FAILED | 1 m 0.299 s |

org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression //*[@id=\"iisProductClassAccuralEntryAtRevaluation_M003MT\"]//option[contains(text(),'Adjustment')] because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string '//*[@id=\"iisProductClassAccuralEntryAtRevaluation_M003MT\"]//option[contains(text(),'Adjustment')]' is not a valid XPath expression. (Session info: chrome=117.0.5938.149) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [4a223d0d0ee189d7d1c9da67e3c06171, findElement {using=xpath, value=//*[@id=\"iisProductClassAccuralEntryAtRevaluation_M003MT\"]//option[contains(text(),'Adjustment')]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.149, chrome: {chromedriverVersion: 117.0.5938.149 (e3344ddefa1..., userDataDir: C:\Users\ININDC~1\AppData\L...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63280}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63280/devtoo..., se:cdpVersion: 117.0.5938.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 4a223d0d0ee189d7d1c9da67e3c06171

at jdk.internal.reflect.GeneratedConstructorAccessor45.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)
at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)
at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)
at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
at jdk.proxy2/jdk.proxy2.$Proxy46.toString(Unknown Source)
at java.base/java.lang.String.valueOf(String.java:4216)
at java.base/java.lang.StringBuilder.append(StringBuilder.java:173)
at org.openqa.selenium.support.ui.ExpectedConditions$10.toString(ExpectedConditions.java:295)
at java.base/java.lang.String.valueOf(String.java:4216)
at java.base/java.lang.StringBuilder.append(StringBuilder.java:173)
at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:227)
at helper.WaitHelper.waitForElementwithFluentwait(WaitHelper.java:95)
at stepdefinitions.Product_Class_111.user_111_check_the_availble_option_of_Accural_Entry_At_Revaluation(Product_Class_111.java:174)
at ?.user_111 check the availble option of Accural Entry At Revaluation(file:///C:/Users/ININDC00629/git/AZENTIO-

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | FMS1/AzentioAutomationFramework_FMS_Ajith/src/test/java/features_IIS/AT_IISPRM_111.feature:15)<br>* Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.197 s |
| | screenshot | | |
| | + | | |

| | |
|---|---|
| (Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) |  |
| (S) Check basic functionality of product class module | |
| (F) To Test the FMSiis application | |



| | |
|---|---|
| (Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) |  |
| (S) Check basic functionality of product class module | |
| (F) To Test the FMSiis application | |

(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Check basic functionality of product class module

(F) To Test the FMSiis application




(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Check basic functionality of product class module

(F) To Test the FMSiis application



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check basic functionality of product class module

(F) To Test the FMSiis application




(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check basic functionality of product class module

(F) To Test the FMSiis application



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check basic functionality of product class module

(F) To Test the FMSiis application




(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check basic functionality of product class module

(F) To Test the FMSiis application



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check basic functionality of product class module

(F) To Test the FMSiis application




(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check basic functionality of product class module

(F) To Test the FMSiis application



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check basic functionality of product class module

(F) To Test the FMSiis application




(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check basic functionality of product class module

(F) To Test the FMSiis application