Cucumber Report

Start : Oct 06, 8:39:39.337 AM	*End : Oct 06, 8:40:11.250 AM*	*Duration : 31.913 s*
Features	Scenarios	Steps

PASSED - 1	PASSED - 1	PASSED - 11
FAILED - 0	FAILED - 0	FAILED - 0
SKIPPED - 0	SKIPPED - 0	SKIPPED - 0

#	Feature Name	T	P	F	S	Duration
1	To Test the FMSiis application	1	1	0	0	31.913 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To Test the FMSiis application	Check basic functionality of product class module	11	11	0	0	31.910 s

(F)- To Test the FMSiis application

PASSED	DURATION - 31.913 s	Scenarios		Steps	
		Total - 1		Total - 11	
/ 8:39:39.337 AM // 8:40:11.250 AM /		Pass - 1	1	Pass - 11	11
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- Check basic functionality of product class module

PASSED	DURATION - 31.910 s		Steps	
			Total - 11	
/ 8:39:39.340 AM // 8:40:11.250 AM /			Pass - 11	11
To Test the FMSiis application			Fail - 0	
@AT_IISPRM_111			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given user_111 navigate to the IISParam application and login with the valid credentials	PASSED	7.166 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.288 s
	screenshot		
	+		
2	And user_111 click on parameters tab	PASSED	0.070 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.165 s
	screenshot		
	+		

| #	Step / Hook Details	Status	Duration
3	And user_111 click on product class under parameter tab	PASSED	0.314 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.219 s
	screenshot		
4	And user_111 click on maintenance under product class tab	PASSED	0.312 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.268 s
	screenshot		
5	And user_111 click on search button under product class	PASSED	1.666 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.289 s
	screenshot		
6	And user_111 click on the first option under search button	PASSED	3.354 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.379 s
	screenshot		
7	And user_111 click on profit calculation under maintainance tab	PASSED	3.176 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.202 s
	screenshot		

#	Step / Hook Details	Status	Duration
8	And user_111 check flag under profit calculation tab	PASSED	4.156 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.188 s
	screenshot		
9	And user_111 click on additional information	PASSED	3.113 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.199 s
	screenshot		
10	And user_111 click on repayement plan under the additional information	PASSED	0.119 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.196 s
	screenshot		
11	And user_111 validates for the Accural Entry At Revaluation	PASSED	0.078 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.219 s
	screenshot		

#	Step / Hook Details	Status	Duration

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check basic functionality of product
class module

(F) To Test the FMSiis application

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check basic functionality of product
class module

(F) To Test the FMSiis application

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check basic functionality of product class module	
(F) To Test the FMSiis application	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check basic functionality of product class module	
(F) To Test the FMSiis application	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check basic functionality of product
class module

(F) To Test the FMSiis application

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check basic functionality of product
class module

(F) To Test the FMSiis application

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check basic functionality of product class module

(F) To Test the FMSiis application

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check basic functionality of product class module

(F) To Test the FMSiis application

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check basic functionality of product class module

(F) To Test the FMSiis application

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check basic functionality of product class module

(F) To Test the FMSiis application

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check basic functionality of product
class module

(F) To Test the FMSiis application