

# Cucumber Report

2 Nov 2023, 2:44:24 PM

Start : Nov 02, 2:42:45.836 PM

End : Nov 02, 2:44:23.296 PM

Duration : 1 m 37.460 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0


PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 4  
FAILED - 1  
SKIPPED - 5







#	Feature Name	T	P	F	S	Duration
1	Test the Functionality of Draw Down Request	1	0	1	0	1 m 37.460 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Test the Functionality of Draw Down Request</u>	<u>Check in Transaction Template screen, new elements 'Down Payment' and 'Down Payment Refund' is added to *</u>	10	4	1	5	1 m 37.456 s


\* The feature name and/or scenario name has been cropped to fit in the available space.




**(F)- Test the Functionality of Draw Down Request**

<b>FAILED</b>	<b>DURATION - 1 m 37.460 s</b>	Scenarios		Steps	
/ 2:42:45.836 PM // 2:44:23.296 PM /		Total - 1		Total - 10	
		Pass - 0		Pass - 4	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 5	

**(S)- Check in Transaction Template screen, new elements 'Down Payment' and 'Down Payment Refund' is added to the amount**


<div>FAILED</div> <div>DURATION - 1 m 37.456 s</div>			<div>Steps</div> <div>Total - 10</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 5</div>	
/ 2:42:45.840 PM // 2:44:23.296 PM /				
Test the Functionality of Draw Down Request				
@AT_DDR_081				

#	Step / Hook Details	Status	Duration
1	Given User_081 navigate to FMS param application and login with valid credentials	PASSED	22.637 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.458 s
	screenshot		
			
2	And User_081 Click Parameter Menu	PASSED	0.501 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.222 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	And User_081 Click Transaction Template Menu	PASSED	1.393 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.367 s
	screenshot		
			
4	And User_081 Click Maintanance Under Transaction Template	PASSED	0.427 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.452 s
	screenshot		
			
5	And User_081 Click Add Icon Under Maintanance	FAILED	1 m 3.700 s
	<p>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //*[@id="new_1698924720765_trxTemplateDetVO.LINE_NO"]' (tried for 60 second(s) with 5 milliseconds interval)</p> <p>at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:262)</p> <p>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:230)</p> <p>at helper.WaitHelper.waitForElementWithFluentwait(WaitHelper.java:95)</p> <p>at stepdefinitions.TransactionTemplate_081.User_081_Click_Add_Icon_Under_Maintanance(TransactionTemplate_081.java:93)</p> <p>at ?.User_081 Click Add Icon Under Maintanance(file:///C:/Users/ININDC00629/git/AZENTIO-FMS1/AzentioAutomationFramework_FMS_Ajith/src/test/java/features/DrawDownandRequest.feature:99)</p> <p>Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[@id="new_1698924720765_trxTemplateDetVO.LINE_NO"]"} (Session info: chrome=118.0.5993.118) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [269db117f6204e44c9ff1231269950a8, findElement {using=xpath, value=//*[@id="new_1698924720765_trxTemplateDetVO.LINE_NO"]} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 118.0.5993.118, chrome: {chromedriverVersion: 118.0.5993.70 (e52f33f30b91..., userDataDir: C:\Users\ININDC~1\AppDataL..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54940}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:54940/devtoo..., se:cdpVersion: 118.0.5993.118, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000},</p>		

#	Step / Hook Details	Status	Duration
	<p>unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 269db117f6204e44c9ff1231269950a8</p> <p>at jdk.internal.reflect.GeneratedConstructorAccessor41.newInstance(Unknown Source)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)  at jdk.proxy2/jdk.proxy2.\$Proxy46.isDisplayed(Unknown Source)  at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:304)  at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:37)  at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290)  at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:287)  at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:205)  at helper.WaitHelper.waitForElementwithFluentwait(WaitHelper.java:95)  at stepdefinitions.TransactionTemplate_081.User_081_Click_Add_Icon_Under_Maintanance(TransactionTemplate_081.java:93)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)  at java.base/java.lang.reflect.Method.invoke(Method.java:568)  at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)  at io.cucumber.java.Invoker.invoke(Invoker.java:24)  at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)  at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)  at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)  at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)  at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)  at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)  at io.cucumber.core.runner.TestStep.run(TestStep.java:64)  at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)</p>		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.263 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
6	And User_081 Click on Plus Icon Under Formula in Amount	SKIPPED	0.000 s
7	And User_081 Click Add Icon Under Formula in Amount	SKIPPED	0.002 s
8	And User_081 Click on List Of Fields	SKIPPED	0.001 s
9	And User_081 drawDown Field	SKIPPED	0.001 s
10	And User_081 Check new elements Down Payment and Down Payment Refund is added to the amount	SKIPPED	0.000 s



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Check in Transaction Template  
screen, new elements 'Down Payment'  
and 'Down Payment Refund' is added to  
the amount


(F) Test the Functionality of Draw Down  
Request



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Check in Transaction Template  
screen, new elements 'Down Payment'  
and 'Down Payment Refund' is added to  
the amount


(F) Test the Functionality of Draw Down  
Request



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Check in Transaction Template  
screen, new elements 'Down Payment'  
and 'Down Payment Refund' is added to  
the amount


(F) Test the Functionality of Draw Down  
Request



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Check in Transaction Template  
screen, new elements 'Down Payment'  
and 'Down Payment Refund' is added to  
the amount

(F) Test the Functionality of Draw Down  
Request



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Check in Transaction Template  
screen, new elements 'Down Payment'  
and 'Down Payment Refund' is added to  
the amount

(F) Test the Functionality of Draw Down  
Request

**AZENTIO** User: AJITH 02 November 2023 Customer ID: 14.7 Oracle BAJ Customer Name: Head Office

Parameters / Transaction Template / Maintenance

POU3SM

Code:

Brief Name:  الإسم المختصر

Long Name:  الإسم الكامل

Transaction Template Details

L/N	Company Type	Company Code	Branch Type	Branch Code	Currency Type	A/C CY	GI Type	A/C G/L	CIF Type	A/C CIF	A/C SL	TR Code	Trx Description	Trx
-----	--------------	--------------	-------------	-------------	---------------	--------	---------	---------	----------	---------	--------	---------	-----------------	-----

View 1 - 1 of 1

Save

Copyright ©2023 Azentio ©All Rights Reserved JML RM: PARAMETER 14.7.0.0 Build 267 Powered By: AZENTIO