Cucumber Report

| Start : Sep 28, 6:28:54.545 PM	End : Sep 28, 6:29:17.000 PM	Duration : 22.455 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 10 FAILED - 1 SKIPPED - 30

Features: 1

Scenarios: 1

Steps: 41

Pass %: 0 %

Pass %: 0 %

Pass %: 24 %

#	Feature Name	T	P	F	S	Duration
1	To test the IIS Parameter functionalities	1	0	1	0	22.455 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	To test the IIS Parameter functionalities	Penalty -basic Testing	41	10	1	30	22.452 s

(F)- To test the IIS Parameter functionalities

FAILED	DURATION - 22.455 s	Scenarios		Steps	
		Total - 1		Total - 41	
/ 6:28:54.545 PM // 6:29:17.000 PM /		Pass - 0	1	Pass - 10	41
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 30	

(S)- Penalty -basic Testing

FAILED	DURATION - 22.452 s		Steps	
			Total - 41	
/ 6:28:54.548 PM // 6:29:17.000 PM /			Pass - 10	41
To test the IIS Parameter functionalities			Fail - 1	
@721477			Skip - 30	

#	Step / Hook Details	Status	Duration
1	Given navigate to IIS param application and login with valid credentials	PASSED	6.486 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.305 s
	screenshot		
	+		
2	And User_611 get the test data for test case AT_IISPRM_075	PASSED	0.377 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.186 s
	screenshot		
	+		

#	Step / Hook Details	Status	Duration
3	And User_611 clicks on the parameter feature in IIS Param application	PASSED	0.477 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.238 s
	screenshot		
4	And User_611 clicks the penalty Menu in IIS param application	PASSED	0.289 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.294 s
	screenshot		
5	And User_611 clicks the maintenance menu under penalty screen	PASSED	0.121 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.316 s
	screenshot		
6	And User_611 Enter and create a code value under maintenance screen	PASSED	1.717 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.175 s
	screenshot		
7	And User_611 Enter the brief name eng under maintenance screen	PASSED	0.256 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.209 s
	screenshot		

| #	Step / Hook Details	Status	Duration
8	And User_611 Enter the long discription under maintenance screen	PASSED	0.104 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.209 s
	screenshot		
9	And User_611 Enter the charges code under maintenance screen	PASSED	0.126 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.217 s
	screenshot		
10	And User_611 clicks the save button under maintenance screen	PASSED	3.206 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.204 s
	screenshot		
11	And User_611 Validate the saving record	FAILED	0.028 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[text()='Saved Successfully']"} (Session info: chrome=117.0.5938.92) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.12.1', revision: '8e34639b11' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [8d15c7a0e1056c5656f1a542ff837d03, findElement {using=xpath, value=//div[text()='Saved Successfully']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.92, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\ININDC~1\AppData\L...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60163},		

#	Step / Hook Details	Status	Duration

	networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60163/devtoo..., se:cdpVersion: 117.0.5938.92, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 8d15c7a0e1056c5656f1a542ff837d03
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353)
	  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	  at jdk.proxy2/jdk.proxy2.$Proxy46.isDisplayed(Unknown Source)
	  at stepdefinitions.IISParameterSteps_611.user_validate_the_saving_record(IISParameterSteps_611.java:104)
	  at ?.User_611 Validate the saving record(file:///C:/Users/inindc00611/git/FMS1/AzentioAutomationFramework_FMS_kowsalyaa/src/test/java/IISfeatures/IISParameter.feature:15)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot +	PASSED	0.222 s
12	And User_611 Enter the penalty code under maintenance screen	SKIPPED	0.001 s
13	And User_611 Edit the brief name eng for updation under maintenance screen	SKIPPED	0.000 s
14	And User_611 Edit the long discription for updation under maintenance screen	SKIPPED	0.000 s
15	And User_611 Enter the charges code under maintenance screen	SKIPPED	0.000 s
16	And User_611 clicks the save button under maintenance screen	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
17	And User_611 validate the updating record	SKIPPED	0.000 s
18	And User_611 Double tap the creating record for delete the record	SKIPPED	0.000 s
19	And User_611 clicks the delete button	SKIPPED	0.000 s
20	And User_611 Validate the deleting record	SKIPPED	0.000 s
21	And User_611 clicks the search button under maintenance screen	SKIPPED	0.000 s
22	And User_611 clicks the lookup clear button	SKIPPED	0.000 s
23	And User_611 Validate the penalty code value under grid list datas	SKIPPED	0.001 s
24	And User_611 Validate the Brief name value under grid list datas	SKIPPED	0.000 s
25	And user_611 Validate the Long name value under grid list datas	SKIPPED	0.000 s
26	And User_611 Validate the Code value field accept only numeric values in maintenance under penalty screen	SKIPPED	0.000 s
27	And User_611 Validate the Searching button is working properly	SKIPPED	0.000 s
28	And User_611 Validate the List menu under penalty screen	SKIPPED	0.000 s
29	And User_611 Validate the update after authorize menu under penalty screen	SKIPPED	0.000 s
30	And User_611 Validate the reject menu under penalty screen	SKIPPED	0.001 s
31	And User_611 Validate the approve menu under penalty screen	SKIPPED	0.000 s
32	And User_611 click the find records for validate the sorting functionality	SKIPPED	0.000 s
33	And User_611 Validate the pentalty code in sorting functionality	SKIPPED	0.001 s
34	And User_611 Validate the brief name eng in sorting functionality	SKIPPED	0.000 s
35	And User_611 Validate the long name eng in sorting functionality	SKIPPED	0.000 s
36	And User_611 close the sorting screen	SKIPPED	0.000 s
37	And User_611 Validate the first button in maintenance under penalty screen	SKIPPED	0.000 s
38	And User_611 Validate the last button in maintenance under penalty screen	SKIPPED	0.000 s
39	And User_611 Validate the Next button in maintenance under penalty screen	SKIPPED	0.000 s
40	And User_611 Validate the previous button in maintenance under penalty screen	SKIPPED	0.000 s
41	And User_611 close the penalty screen tab	SKIPPED	0.000 s

| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) | |
| (S) Penalty -basic Testing | |
| (F) To test the IIS Parameter functionalities | |

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Penalty -basic Testing	
(F) To test the IIS Parameter functionalities	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Penalty -basic Testing	
(F) To test the IIS Parameter functionalities	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Penalty -basic Testing	
(F) To test the IIS Parameter functionalities	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Penalty -basic Testing

(F) To test the IIS Parameter
functionalities

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Penalty -basic Testing

(F) To test the IIS Parameter
functionalities

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Penalty -basic Testing

(F) To test the IIS Parameter
functionalities

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Penalty -basic Testing

(F) To test the IIS Parameter
functionalities

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Penalty -basic Testing	
(F) To test the IIS Parameter functionalities	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Penalty -basic Testing	
(F) To test the IIS Parameter functionalities	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cumber.
java.Scenario)

(S) Penalty -basic Testing

(F) To test the IIS Parameter
functionalities