

Cucumber Report

6 Oct 2023, 9:39:01 AM

Start : Oct 06, 9:38:22.449 AM

End : Oct 06, 9:38:59.720 AM

Duration : 37.271 s

Features


Scenarios

Steps

PASSED - 1
FAILED - 0
SKIPPED - 0

PASSED - 1
FAILED - 0
SKIPPED - 0

PASSED - 12
FAILED - 0
SKIPPED - 0







| # | Feature Name | T | P | F | S | Duration |
|---|---------------------------------------|---|---|---|---|----------|
| 1 | <u>To Test the FMSiis application</u> | 1 | 1 | 0 | 0 | 37.271 s |







| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|--------------------------------|---|----|----|---|---|----------|
| 1 | To Test the FMSiis application | Check basic functionality of Reason code module | 12 | 12 | 0 | 0 | 37.257 s |



(F)- To Test the FMSiis application






| | | | | | |
|--------------------------------------|----------------------------|-----------|---|------------|---|
| PASSED | DURATION - 37.271 s | Scenarios |  | Steps |  |
| / 9:38:22.449 AM // 9:38:59.720 AM / | | Total - 1 | | Total - 12 | |
| | | Pass - 1 | | Pass - 12 | |
| | | Fail - 0 | | Fail - 0 | |
| | | Skip - 0 | | Skip - 0 | |


(S)- Check basic functionality of Reason code module

| | | | | | |
|--|--|---|---|--|--|
| <div>PASSED</div> <div>DURATION - 37.257 s</div> | | <div></div> | <div>Steps</div> <div>Total - 12</div> <div>Pass - 12</div> <div>Fail - 0</div> <div>Skip - 0</div> | | <div></div> |
| <div>/ 9:38:22.463 AM // 9:38:59.720 AM /</div> | | | | | |
| <div>To Test the FMSiis application</div> | | | | | |
| <div>@AT_IISPRM_57</div> | | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given user_57 navigate to the IISParam application and login with the valid credentials | PASSED | 12.024 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.267 s |
| | screenshot | | |
| |  | | |
| 2 | Then user_57 update test data set id for AT_iisprm_058 | PASSED | 0.002 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.168 s |
| | screenshot | | |
| |  | | |
| 3 | And user_57 click on parameters tab | PASSED | 0.101 s |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.142 s |
| | screenshot | | |
| |  | | |
| 4 | And user_57 click on Reason code | PASSED | 0.405 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.224 s |
| | screenshot | | |
| |  | | |
| 5 | And user_57 check menus and lists are available | PASSED | 0.300 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.224 s |
| | screenshot | | |
| |  | | |
| 6 | And user_57 click on maintenance and create a record | PASSED | 0.081 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 2.232 s |
| | screenshot | | |
| |  | | |
| 7 | And user_57 enter code brief description long description and save it | PASSED | 2.606 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.216 s |
| | screenshot | | |


| # | Step / Hook Details | Status | Duration |
|----|---|--------|----------|
| |  | | |
| 8 | And user_57 check first last prev next button | PASSED | 1.025 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.186 s |
| | screenshot | | |
| |  | | |
| 9 | And user_57 check sorting functionality | PASSED | 3.560 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.193 s |
| | screenshot | | |
| |  | | |
| 10 | And user_57 check grid is listing all relevant data | PASSED | 3.259 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.184 s |
| | screenshot | | |
| |  | | |
| 11 | And user_57 retrieve the code and delete it | PASSED | 4.184 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.294 s |
| | screenshot | | |
| |  | | |

| # | Step / Hook Details | Status | Duration |
|----|---|--------|----------|
| 12 | And user_57 close the screen | PASSED | 0.597 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.202 s |
| | screenshot | | |
| |  | | |

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check basic functionality of Reason
code module


(F) To Test the FMSiis application



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check basic functionality of Reason
code module


(F) To Test the FMSiis application



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check basic functionality of Reason
code module


(F) To Test the FMSiis application



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check basic functionality of Reason
code module


(F) To Test the FMSiis application



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check basic functionality of Reason
code module


(F) To Test the FMSiis application



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check basic functionality of Reason
code module

(F) To Test the FMSiis application



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check basic functionality of Reason
code module

(F) To Test the FMSiis application

Menu Options

- Parameters
 - Forex Deal purpose
 - Control Record
 - Collateral Type
 - Upload Security Price
 - Maintain Security Price
 - Leased Asset
 - Ar-Raho Unit Price
 - Product Category Control Record
 - JP/BP/ Tenure Matrix
 - Product Sub Category
 - Product Type
 - Charges
 - Budget
 - Excessive Profit Rate
 - LIBOR Rate
 - Floating Rate
 - Mudharabah Rate
 - Templates
 - Repayment Plan Template
 - Item
 - Yield
 - Provision Management
 - Product Class
 - Product Class - Fund Accounts
 - Product Class - Portfolio Accounts
 - Vendor Information
 - Target Maintenance
 - Revenues and Expenses Accounts
 - Settlement Policy
 - Swift Currency Settings
 - Vendor Incentive Schemes
 - Forex Multi/Div Indicator
 - Currency Exchange Rate
 - Tolerance Level
 - Report Template
 - Reason Codes
 - Maintenance**

Parameters / Reason Codes / Maintenance

M038MT

Code *

Brief Description *

Long Description *

Type

☐ early_settlement_closure_key

Save

INFORMATION

Saved Successfully

OK

Copyright ©2023 Azentio ©All Rights Reserved - 484L103 Parameter 14.7.0.0 Baki 304 Powered By 484L103

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check basic functionality of Reason
code module

(F) To Test the FMSiis application

Menu Options

- Parameters
 - Forex Deal purpose
 - Control Record
 - Collateral Type
 - Upload Security Price
 - Maintain Security Price
 - Leased Asset
 - Ar-Raho Unit Price
 - Product Category Control Record
 - JP/BP/ Tenure Matrix
 - Product Sub Category
 - Product Type
 - Charges
 - Budget
 - Excessive Profit Rate
 - LIBOR Rate
 - Floating Rate
 - Mudharabah Rate
 - Templates
 - Repayment Plan Template
 - Item
 - Yield
 - Provision Management
 - Product Class
 - Product Class - Fund Accounts
 - Product Class - Portfolio Accounts
 - Vendor Information
 - Target Maintenance
 - Revenues and Expenses Accounts
 - Settlement Policy
 - Swift Currency Settings
 - Vendor Incentive Schemes
 - Forex Multi/Div Indicator
 - Currency Exchange Rate
 - Tolerance Level
 - Report Template
 - Reason Codes
 - Maintenance**

Parameters / Reason Codes / Maintenance

| Reason Code | Brief Description | Long Description | الإسم المختصر | الإسم الكامل |
|-------------|-------------------|------------------|---------------|--------------|
| 4444 | Right | | Right Data | |
| 0618 | Test | | Test | |
| 0507 | mobile | | mobile | |
| 0365 | Test | | Test | |
| 0322 | Test | | Test | |

Page 1 of 4

Toggle Clear

Code *

Brief Description *

Long Description *

Type

☐ early_settlement_closure_key

Save

Copyright ©2023 Azentio ©All Rights Reserved - 484L103 Parameter 14.7.0.0 Baki 304 Powered By 484L103

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check basic functionality of Reason
code module

(F) To Test the FMSiis application

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)


(S) Check basic functionality of Reason
code module

(F) To Test the FMSiis application

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check basic functionality of Reason
code module

(F) To Test the FMSiis application



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check basic functionality of Reason
code module

(F) To Test the FMSiis application

