

# Cucumber Report

27 Oct 2023, 3:36:52 PM

Start : Oct 27, 3:36:10.095 PM

End : Oct 27, 3:36:51.355 PM

Duration : 41.260 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0


PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 12  
FAILED - 1  
SKIPPED - 2







| # | Feature Name                            | T | P | F | S | Duration |
|---|---|---|---|---|---|----------|
| 1 | <u>To Test the iisparam application</u> | 1 | 0 | 1 | 0 | 41.260 s |







| # | Feature Name                            | Scenario Name         | T  | P  | F | S | Duration |
|---|---|-----------------------|----|----|---|---|----------|
| 1 | <u>To Test the iisparam application</u> | <u>create request</u> | 15 | 12 | 1 | 2 | 41.257 s |




**(F)- To Test the iisparam application**






|                                      |                            |           |   |            |   |
|--------------------------------------|----------------------------|-----------|---|------------|---|
| <b>FAILED</b>                        | <b>DURATION - 41.260 s</b> | Scenarios |  | Steps      |  |
| / 3:36:10.095 PM // 3:36:51.355 PM / |                            | Total - 1 |   | Total - 15 |   |
|                                      |                            | Pass - 0  |   | Pass - 12  |   |
|                                      |                            | Fail - 1  |   | Fail - 1   |   |
|                                      |                            | Skip - 0  |   | Skip - 2   |   |


**(S)- create request**

|                                      |                            |  |       |   |
|--------------------------------------|----------------------------|--|-------|---|
| <b>FAILED</b>                        | <b>DURATION - 41.257 s</b> |  | Steps |  |
| / 3:36:10.098 PM // 3:36:51.355 PM / |                            |  |       |   |
| To Test the iisparam application     |                            |  |       |   |
| @AT_RF_143                           |                            |  |       |   |

| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
| 1 | Given navigate to FMS application and login with valid credentials                  | PASSED | 8.213 s  |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)    | PASSED | 0.274 s  |
|   | screenshot  |        |          |
|   |  |        |          |
| 2 | And User_482 Click on REQUEST FOR FINANCIN under FMS application                    | PASSED | 1.998 s  |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)    | PASSED | 0.203 s  |
|   | screenshot  |        |          |
|   |  |        |          |
| 3 | And User_482 click the Request For Financing Sub Menu under REQUEST FOR FINANCIN    | PASSED | 1.619 s  |

| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)                      | PASSED | 0.219 s  |
|   | screenshot  |        |          |
|   |                      |        |          |
| 4 | And User_482 Click on Maintenance under Request For Financing Sub Menu in REQUEST FOR FINANCIN        | PASSED | 1.479 s  |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)                      | PASSED | 0.209 s  |
|   | screenshot  |        |          |
|   |                      |        |          |
| 5 | And User get the system date  | PASSED | 0.057 s  |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)                      | PASSED | 0.219 s  |
|   | screenshot  |        |          |
|   |                      |        |          |
| 6 | And User_482 Update Test data set for AT_RF_064   | PASSED | 0.006 s  |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)                      | PASSED | 0.184 s  |
|   | screenshot  |        |          |
|   |                    |        |          |
| 7 | And User Select New Request in Reason For Submission under Maintenance screen in REQUEST FOR FINANCIN | PASSED | 15.311 s |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)                      | PASSED | 0.248 s  |
|   | screenshot  |        |          |

| #  | Step / Hook Details   | Status | Duration |
|----|---|--------|----------|
|    |            |        |          |
| 8  | And User Search the CIF Number in Customer under Maintenance screen in REQUEST FOR FINANCIN | PASSED | 1.196 s  |
|    | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)            | PASSED | 0.211 s  |
|    | screenshot  |        |          |
|    |            |        |          |
| 9  | And User Search the Facility Type under Maintenance screen in REQUEST FOR FINANCIN          | PASSED | 0.337 s  |
|    | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)            | PASSED | 0.238 s  |
|    | screenshot  |        |          |
|    |            |        |          |
| 10 | And User Enter the value in Total Limit under Maintenance screen in REQUEST FOR FINANCIN    | PASSED | 0.798 s  |
|    | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)            | PASSED | 0.228 s  |
|    | screenshot  |        |          |
|    |          |        |          |
| 11 | And User Click on Disbursement or Sublimit  | PASSED | 0.759 s  |
|    | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)            | PASSED | 0.239 s  |
|    | screenshot  |        |          |
|    |          |        |          |

| #  | Step / Hook Details   | Status | Duration |
|----|---|--------|----------|
| 12 | And User Click on Add button in Disbursement or Sublimit  | PASSED | 0.365 s  |
|    | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  | PASSED | 0.277 s  |
|    | screenshot  |        |          |
|    |    |        |          |
| 13 | And User Enter productclass   | FAILED | 0.060 s  |
|    | <p>org.openqa.selenium.json.JsonException: java.lang.reflect.InvocationTargetException Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1447c381edbf26a5dcd2dfdd47eb8b30, actions {actions=[org.openqa.selenium.interactions.Sequence@4603845b]]} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 118.0.5993.90, chrome: {chromedriverVersion: 118.0.5993.70 (e52f33f30b91..., userDataDir: C:\Users\ININDC~1\AppData\Local\Temp\chrome-win-1080x760\chrome\userDataDir\Profile 1}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52572}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52572/devtools, se:cdpVersion: 118.0.5993.90, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1447c381edbf26a5dcd2dfdd47eb8b30</p> <p>at org.openqa.selenium.json.JsonOutput.convertUsingMethod(JsonOutput.java:415)<br/> at org.openqa.selenium.json.JsonOutput.lambda\$new\$16(JsonOutput.java:178)<br/> at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:341)<br/> at org.openqa.selenium.json.JsonOutput.lambda\$new\$22(JsonOutput.java:200)<br/> at java.base/java.util.stream.ForEachOps\$ForEachOp\$OfRef.accept(ForEachOps.java:183)<br/> at java.base/java.util.stream.ReferencePipeline\$2\$1.accept(ReferencePipeline.java:179)<br/> at java.base/java.util.Iterator.forEachRemaining(Iterator.java:133)<br/> at java.base/java.util.Spliterators\$IteratorSpliterator.forEachRemaining(Spliterators.java:1845)<br/> at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509)<br/> at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499)<br/> at java.base/java.util.stream.ForEachOps\$ForEachOp.evaluateSequential(ForEachOps.java:150)<br/> at java.base/java.util.stream.ForEachOps\$ForEachOp\$OfRef.evaluateSequential(ForEachOps.java:173)<br/> at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234)<br/> at java.base/java.util.stream.ReferencePipeline.forEach(ReferencePipeline.java:596)<br/> at org.openqa.selenium.json.JsonOutput.lambda\$new\$23(JsonOutput.java:200)<br/> at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:341)<br/> at org.openqa.selenium.json.JsonOutput.lambda\$new\$24(JsonOutput.java:218)<br/> at com.google.common.collect.SingletonImmutableBiMap.forEach(SingletonImmutableBiMap.java:68)<br/> at org.openqa.selenium.json.JsonOutput.lambda\$new\$25(JsonOutput.java:213)<br/> at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:341)<br/> at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:332)<br/> at org.openqa.selenium.json.Json.toJson(Json.java:47)<br/> at org.openqa.selenium.json.Json.toJson(Json.java:41)</p> |        |          |


| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
|   | <p>at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:273)<br/> at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:127)<br/> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:179)<br/> at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)<br/> at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)<br/> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)<br/> at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:604)<br/> at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:605)<br/> at org.openqa.selenium.interactions.Actions.perform(Actions.java:574)<br/> at helper.ClicksAndActionsHelper.moveToElement(ClicksAndActionsHelper.java:36)<br/> at stepdefinitions.AT_IISRF_143.user_Enter_productclass(AT_IISRF_143.java:150)<br/> at ?.User Enter productclass(file:///C:/Users/ININDC00629/git/AZENTIO-FMS1/AzentioAutomationFramework_FMS_Ajith/src/test/java/features/AT_RF_143%20REQUEST%20FOR%20FINANCING.feature:26)</p> <p>Suppressed: org.openqa.selenium.json.JsonException: Attempting to close incomplete json stream Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: driver.version: RemoteWebDriver<br/> at org.openqa.selenium.json.JsonOutput.close(JsonOutput.java:357) at org.openqa.selenium.json.Json.toJson(Json.java:45) at org.openqa.selenium.json.Json.toJson(Json.java:41) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:273) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:127) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:179) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:604) at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:605) at org.openqa.selenium.interactions.Actions.perform(Actions.java:574) at helper.ClicksAndActionsHelper.moveToElement(ClicksAndActionsHelper.java:36) at stepdefinitions.AT_IISRF_143.user_Enter_productclass(AT_IISRF_143.java:150) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.</p> |        |          |



| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
|   | <p>java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) Caused by: java.lang.reflect.InvocationTargetException</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)<br/> at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)<br/> at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)<br/> at java.base/java.lang.reflect.Method.invoke(Method.java:568)<br/> at org.openqa.selenium.json.JsonOutput.convertUsingMethod(JsonOutput.java:411)<br/> at org.openqa.selenium.json.JsonOutput.lambda\$new\$16(JsonOutput.java:178)<br/> at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:341)<br/> at org.openqa.selenium.json.JsonOutput.lambda\$new\$22(JsonOutput.java:200)<br/> at java.base/java.util.stream.ForEachOps\$ForEachOp\$OfRef.accept(ForEachOps.java:183)<br/> at java.base/java.util.stream.ReferencePipeline\$2\$1.accept(ReferencePipeline.java:179)<br/> at java.base/java.util.Iterator.forEachRemaining(Iterator.java:133)<br/> at java.base/java.util.Spliterators\$IteratorSpliterator.forEachRemaining(Spliterators.java:1845)<br/> at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509)<br/> at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499)<br/> at java.base/java.util.stream.ForEachOps\$ForEachOp.evaluateSequential(ForEachOps.java:150)<br/> at java.base/java.util.stream.ForEachOps\$ForEachOp\$OfRef.evaluateSequential(ForEachOps.java:173)<br/> at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234)<br/> at java.base/java.util.stream.ReferencePipeline.forEach(ReferencePipeline.java:596)<br/> at org.openqa.selenium.json.JsonOutput.lambda\$new\$23(JsonOutput.java:200)<br/> at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:341)<br/> at org.openqa.selenium.json.JsonOutput.lambda\$new\$24(JsonOutput.java:218)<br/> at com.google.common.collect.SingletonImmutableBiMap.forEach(SingletonImmutableBiMap.java:68)<br/> at org.openqa.selenium.json.JsonOutput.lambda\$new\$25(JsonOutput.java:213)<br/> at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:341)<br/> at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:332)<br/> at org.openqa.selenium.json.Json.toJson(Json.java:47)<br/> at org.openqa.selenium.json.Json.toJson(Json.java:41)<br/> at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:273)<br/> at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:127)<br/> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:179)<br/> at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)<br/> at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)<br/> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)<br/> at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:604)</p> |        |          |

| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
|   | at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:605)<br>at org.openqa.selenium.interactions.Actions.perform(Actions.java:574)<br>at helper.ClicksAndActionsHelper.moveToElement(ClicksAndActionsHelper.java:36)<br>at stepdefinitions.AT_IISRF_143.user_Enter_productclass(AT_IISRF_143.java:150)<br>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)<br>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)<br>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)<br>at java.base/java.lang.reflect.Method.invoke(Method.java:568)<br>at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)<br>at io.cucumber.java.Invoker.invoke(Invoker.java:24)<br>at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)<br>at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)<br>at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)<br>at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)<br>at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)<br>at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)<br>at io.cucumber.core.runner.TestStep.run(TestStep.java:64)<br>at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)<br>at io.cucumber.core.runner.TestCase.run(TestCase.java:104)<br>at io.cucumber.core.runner.Runner.runPickle(Runner.java:71)<br>at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116)<br>at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117)<br>at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113)<br>at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31)<br>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)<br>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)<br>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)<br>at java.base/java.lang.reflect.Method.invoke(Method.java:568)<br>at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)<br>at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664)<br>at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227)<br>at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)<br>at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957)<br>at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200)<br>at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)<br>at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)<br>at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)<br>at org.testng.TestRunner.privateRun(TestRunner.java:848)<br>at org.testng.TestRunner.run(TestRunner.java:621)<br>at org.testng.SuiteRunner.runTest(SuiteRunner.java:443)<br>at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437)<br>at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) |        |          |


| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
|   | <pre> at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre> <p>Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"///*[@id="lookuptxt_requestFinancingLimitDetailsGeneralFacilityProductClass_CSMRF00MT"]} (Session info: chrome=118.0.5993.90) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1447c381edbf26a5dcd2dfdd47eb8b30, findElement {using=xpath, value=//*[@id="lookuptxt_requestFinancingLimitDetailsGeneralFacilityProductClass_CSMRF00MT"]} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 118.0.5993.90, chrome: {chromedriverVersion: 118.0.5993.70 (e52f33f30b91..., userDataDir: C:\Users\NINDC~1\AppData\Local\Temp\chrome-accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52572}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:52572/devtoo..., se.cdpVersion: 118.0.5993.90, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1447c381edbf26a5dcd2dfdd47eb8b30</p> <pre> at jdk.internal.reflect.GeneratedConstructorAccessor45.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy46.getWrappedElement(Unknown Source) at org.openqa.selenium.interactions.PointerInput\$Origin.asArg(PointerInput.java:275) at org.openqa.selenium.interactions.PointerInput\$Move.encode(PointerInput.java:224) </pre> |        |          |

| #  | Step / Hook Details   | Status  | Duration |
|----|---|---------|----------|
|    | at org.openqa.selenium.interactions.Sequence.encode(Sequence.java:72)<br>at org.openqa.selenium.interactions.Sequence.toJson(Sequence.java:81)<br>* Not displayable characters are replaced by '?'. |         |          |
|    | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  | PASSED  | 0.247 s  |
|    | screenshot  |         |          |
|    |    |         |          |
| 14 | And User Click on Add button  | SKIPPED | 0.000 s  |
| 15 | And User click on feesCharges tab   | SKIPPED | 0.000 s  |

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) create request


(F) To Test the iisparam application



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) create request


(F) To Test the iisparam application



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) create request


(F) To Test the iisparam application



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) create request


(F) To Test the iisparam application



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) create request


(F) To Test the iisparam application



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) create request

(F) To Test the iisparam application



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) create request

(F) To Test the iisparam application

The screenshot displays the AZENTIO application interface for creating a request for financing or maintenance. The top header shows the user 'AJITH' and the date '16 January 2021'. The left sidebar contains a navigation menu with various options, including 'REQUEST FOR FINANCING' and 'Maintenance'. The main form area is titled 'REQUEST FOR FINANCING / Request For Financing / Maintenance' and includes fields for 'Reason For Submission', 'Customer', 'Review Date', 'Request Date', 'CTF Open Date', 'Country', and 'Additional Reference'. The 'Facility Type Details' section includes 'Facility Type', 'Revolving/One-Off', 'Global Limit', and 'Down Payment to Vendor'. The form is partially filled with test data, and the 'Create' button is visible at the top right.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) create request

(F) To Test the iisparam application

This screenshot shows the AZENTIO application interface for creating a request for financing or maintenance. The top header displays the user 'AJITH' and the date '16 January 2021'. The left sidebar features a navigation menu with 'REQUEST FOR FINANCING' and 'Maintenance' highlighted. The main form area is titled 'REQUEST FOR FINANCING / Request For Financing / Maintenance' and contains fields for 'Reason For Submission', 'Customer', 'Review Date', 'Request Date', 'CTF Open Date', 'Country', and 'Additional Reference'. The 'Facility Type Details' section includes 'Facility Type', 'Revolving/One-Off', 'Global Limit', and 'Down Payment to Vendor'. The form is partially filled with test data, and the 'Create' button is located at the top right.



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) create request

(F) To Test the iisparam application

REQUEST FOR FINANCING / Request For Financing / Maintenance

CSMF00MT

Code: [ ] User ID: AJITH Status: Create

Reason For Submission: New Request

Customer: 727 Republic of Guinea

Country: GIN

Request Date: 16/01/2021

CIF Open Date: 08/05/2013

Facility Type: 221 Revolving/One-Off

Global Limit: New Global Limit 100,000,000 USD

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) create request

(F) To Test the iisparam application

REQUEST FOR FINANCING / Request For Financing / Maintenance

CSMF00MT

Code: [ ] User ID: AJITH Status: Create

Reason For Submission: New Request

Customer: 727 Republic of Guinea

Country: GIN

Request Date: 16/01/2021

CIF Open Date: 08/05/2013

Facility Type: 221 REQUEST

Global Limit: New Global Limit 100,000,000 USD

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) create request

(F) To Test the iisparam application

REQUEST FOR FINANCING / Request For Financing / Maintenance

CSMRFOOM

Code  User ID  Status

Reason For Submission \*

Customer \*   Review Date

Republic of Guinea

Request Date

Country  CTF Open Date

Additional Reference

Request Details

Disbursement

Min Amount  Max Amount  Max Number

| Item | Product Class | Brief Name | Utilized Limit | Outstanding limit | Class Type | Brief Name | Total Limit | Group ID | Funded/Non-Funded | Revolving Type |
|------|---------------|------------|----------------|-------------------|------------|------------|-------------|----------|-------------------|----------------|
|      |               |            |                |                   |            |            |             |          |                   |                |

No records to view

Copyright ©2023 Azentio @All Rights Reserved iisparam Facility Management System 14.7.0.0 Build 292 Powered By iisparam

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) create request

(F) To Test the iisparam application

REQUEST FOR FINANCING / Request For Financing / Maintenance

CSMRFOOM

Code  User ID  Status

Reason For Submission \*

Customer \*   Review Date

Republic of Guinea

Request Date

Country  CTF Open Date

Additional Reference

Request Details

Disbursement

Min Amount  Max Amount  Max Number

| Item | Product Class | Brief Name | Utilized Limit | Outstanding limit | Class Type | Brief Name | Total Limit | Group ID | Funded/Non-Funded | Revolving Type |
|------|---------------|------------|----------------|-------------------|------------|------------|-------------|----------|-------------------|----------------|
|      |               |            |                |                   |            |            |             |          |                   |                |

No records to view

Copyright ©2023 Azentio @All Rights Reserved iisparam Facility Management System 14.7.0.0 Build 292 Powered By iisparam

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) create request

(F) To Test the iisparam application

**AZENTIO** User: AJITH, Company: 14.7 Oracle BAJ, Branch: Head Office, 16 January 2021, Customer ID: , Customer Name: , New Session, Full Screen, Options, Advanced Options, Switch View, Home, Log Out, Help, Language

REQUEST FOR FINANCING / Request For Financing / Maintenance

CSMRFOOM

Code: User ID: AJITH Status: Create Status Details Journal Voucher Details

Reason For Submission: New Request

Customer: 727 CIF Details Review Date: 26/04/2021

Country: GIN Request Date: 16/01/2021

Additional Reference: CIF Open Date: 08/05/2013

Request Details: Disbursement, Customer Credit Memo, Document Checklist, Customer Grading & Recommendations, Credit Committee Recommendations, Drawdown Details, History Log, Exceptions

Disbursement: Min Amount: Max Amount: Max Number:

| Item               | Product Class | Utilized Limit | Outstanding limit | Class Type | Brief Name | Total Limit | Group ID | Funded/Non-Funded | Revolving Typ |
|--------------------|---------------|----------------|-------------------|------------|------------|-------------|----------|-------------------|---------------|
|                    | Code          | Brief Name     |                   |            |            |             |          |                   |               |
| No records to view |               |                |                   |            |            |             |          |                   |               |

Copyright ©2023 Azentio All Rights Reserved. iMIL Facility Management System 14.7.0.0 Build 292 Powered By