Cucumber Report

28 Sep 2023, 12:00:17 PM

| Start : Sep 28, 11:59:55.967 AM	End : Sep 28, 12:00:15.612 PM	Duration : 19.645 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 10 FAILED - 1 SKIPPED - 6
1	1	17
0 %	0 %	58 %

#	Feature Name	T	P	F	S	Duration
1	To test the IIS Parameter functionalities	1	0	1	0	19.645 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To test the IIS Parameter functionalities	Penalty -basic Testing	17	10	1	6	19.639 s

(F)- To test the IIS Parameter functionalities

| FAILED	DURATION - 19.645 s	Scenarios		Steps	
/ 11:59:55.967 AM // 12:00:15.612 PM /		Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Total - 17 Pass - 10 Fail - 1 Skip - 6	17

(S)- Penalty -basic Testing

FAILED	DURATION - 19.639 s		Steps	
/ 11:59:55.973 AM // 12:00:15.612 PM /			Total - 17 Pass - 10 Fail - 1 Skip - 6	17
To test the IIS Parameter functionalities				
@721477				

#	Step / Hook Details	Status	Duration
1	Given navigate to IIS param application and login with valid credentials	PASSED	6.360 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.252 s
	screenshot		
	+		
2	And User_611 get the test data for test case AT_IISPRM_075	PASSED	0.403 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.188 s
	screenshot		
	+		

#	Step / Hook Details	Status	Duration
3	And User_611 clicks on the parameter feature in IIS Param application	PASSED	0.458 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.292 s
4	And User_611 clicks the penalty Menu in IIS param application	PASSED	0.299 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.303 s
5	And User_611 clicks the maintenance menu under penalty screen	PASSED	0.151 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	1.661 s
6	And User_611 Enter and create a code value under maintenance screen	PASSED	0.282 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.201 s
7	And User_611 Enter the brief name eng under maintenance screen	PASSED	0.210 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.197 s

| #	Step / Hook Details	Status	Duration
8	And User_611 Enter the long discription under maintenance screen	PASSED	0.109 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.176 s
	screenshot		
9	And User_611 Enter the charges code under maintenance screen	PASSED	0.121 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.189 s
	screenshot		
10	And User_611 clicks the save button under maintenance screen	PASSED	0.198 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.201 s
	screenshot		
11	And User_611 Validate the saving record	FAILED	0.065 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[text()='Saved Successfully']"} (Session info: chrome=117.0.5938.92) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.12.1', revision: '8e34639b11' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [546bf96deaa67f4344e4bc6640da642c, findElement {using=xpath, value=//div[text()='Saved Successfully']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.92, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\ININDC~1\AppData\L...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59560},		

#	Step / Hook Details	Status	Duration

	networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59560/devtoo..., se:cdpVersion: 117.0.5938.92, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 546bf96deaa67f4344e4bc6640da642c
	
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)
	   at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353)
	   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	   at jdk.proxy2/jdk.proxy2.$Proxy46.isDisplayed(Unknown Source)
	   at stepdefinitions.IISParameterSteps_611.user_validate_the_saving_record(IISParameterSteps_611.java:102)
	   at ?.User_611 Validate the saving record(file:///C:/Users/inindc00611/git/FMS1/AzentioAutomationFramework_FMS_kowsalyaa/src/test/java/IISfeatures/IISParameter.feature:15)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.245 s
12	And User_611 Enter the penalty code under maintenance screen	SKIPPED	0.000 s
13	And User_611 Edit the brief name eng for updation under maintenance screen	SKIPPED	0.000 s
14	And User_611 Edit the long discription for updation under maintenance screen	SKIPPED	0.001 s
15	And User_611 clicks the save button under maintenance screen	SKIPPED	0.000 s
16	And User_611 Validate the saving record	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
17	And User_611 validate the updating record	SKIPPED	0.000 s

| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) | |
| (S) Penalty -basic Testing | |
| (F) To test the IIS Parameter functionalities | |

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Penalty -basic Testing	
(F) To test the IIS Parameter functionalities	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Penalty -basic Testing	
(F) To test the IIS Parameter functionalities	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Penalty -basic Testing	
(F) To test the IIS Parameter functionalities	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) Penalty -basic Testing (F) To test the IIS Parameter functionalities	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) Penalty -basic Testing (F) To test the IIS Parameter functionalities	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Penalty -basic Testing	
(F) To test the IIS Parameter functionalities	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Penalty -basic Testing	
(F) To test the IIS Parameter functionalities	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Penalty -basic Testing

(F) To test the IIS Parameter
functionalities

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Penalty -basic Testing

(F) To test the IIS Parameter
functionalities

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Penalty -basic Testing

(F) To test the IIS Parameter
functionalities