Cucumber Report

| Start : Oct 28, 7:23:03.291 AM	End : Oct 28, 7:23:43.658 AM	Duration : 40.367 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 11 FAILED - 1 SKIPPED - 3

#	Feature Name	T	P	F	S	Duration
1	To Test the iisparam application	1	0	1	0	40.367 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	To Test the iisparam application	create request	15	11	1	3	40.363 s

(F)- To Test the iisparam application

FAILED	DURATION - 40.367 s	Scenarios		Steps	
		Total - 1		Total - 15	
/ 7:23:03.291 AM // 7:23:43.658 AM /		Pass - 0	1	Pass - 11	15
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 3	

(S)- create request

FAILED	DURATION - 40.363 s		Steps	
/ 7:23:03.295 AM // 7:23:43.658 AM /			Total - 15	
To Test the iisparam application			Pass - 11	15
@AT_RF_143			Fail - 1	
			Skip - 3	

#	Step / Hook Details	Status	Duration
1	Given navigate to FMS application and login with valid credentials	PASSED	8.174 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.251 s
	screenshot		
	+		
2	And User_482 Click on REQUEST FOR FINANCIN under FMS application	PASSED	1.571 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.230 s
	screenshot		
	+		

#	Step / Hook Details	Status	Duration
3	And User_482 click the Request For Financing Sub Menu under REQUEST FOR FINANCIN	PASSED	1.215 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.219 s
	screenshot		
4	And User_482 Click on Maintenance under Request For Financing Sub Menu in REQUEST FOR FINANCIN	PASSED	1.619 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.198 s
	screenshot		
5	And User get the system date	PASSED	0.063 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.179 s
	screenshot		
6	And User_482 Update Test data set for AT_RF_064	PASSED	0.007 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.190 s
	screenshot		
7	And User Select New Request in Reason For Submission under Maintenance screen in REQUEST FOR FINANCIN	PASSED	15.687 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.282 s
	screenshot		

| #	Step / Hook Details	Status	Duration
8	And User Search the CIF Number in Customer under Maintenance screen in REQUEST FOR FINANCIN	PASSED	1.614 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.341 s
	screenshot		
9	And User Search the Facility Type under Maintenance screen in REQUEST FOR FINANCIN	PASSED	0.424 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.305 s
	screenshot		
10	And User Enter the value in Total Limit under Maintenance screen in REQUEST FOR FINANCIN	PASSED	0.498 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.256 s
	screenshot		
11	And User Click on Disbursement or Sublimit	PASSED	1.120 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.213 s
	screenshot		

#	Step / Hook Details	Status	Duration
12	And User Click on Add button in Disbursement or Sublimit	FAILED	0.052 s

	org.openqa.selenium.ElementNotInteractableException: element not interactable: [object HTMLSpanElement] has no size and location (Session info: chrome=118.0.5993.118) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [91427aa7dca544bed5a95dd246440b35, actions {actions=[org.openqa.selenium.interactions.Sequence@6af447b6]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 118.0.5993.118, chrome: {chromedriverVersion: 118.0.5993.70 (e52f33f30b91..., userDataDir: C:\Users\ININDC~1\AppData\L...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59123}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59123/devtoo..., se:cdpVersion: 118.0.5993.118, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 91427aa7dca544bed5a95dd246440b35
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)
	    at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:604)
	    at org.openqa.selenium.interactions.Actions$BuiltAction.perform(Actions.java:605)
	    at org.openqa.selenium.interactions.Actions.perform(Actions.java:574)
	    at helper.ClicksAndActionsHelper.moveToElement(ClicksAndActionsHelper.java:36)
	    at stepdefinitions.AT_IISRF_143.user_Click_on_Add_button_in_Disbursement_or_Sublimits(AT_IISRF_143.java:144)
	    at ?.User Click on Add button in Disbursement or Sublimit(file:///C:/Users/ININDC00629/git/AZENTIO-FMS1/AzentioAutomationFramework_FMS_Ajith/src/test/java/features/AT_RF_143%20REQUEST%20FOR%20FINANCING.feature:25)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.241 s
	screenshot +		
13	And User Enter productclass	SKIPPED	0.000 s
14	And User Click on Add button	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
15	And User click on feesCharges tab	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)


(S) create request

(F) To Test the iisparam application

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) create request

(F) To Test the iisparam application

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) create request

(F) To Test the iisparam application

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) create request

(F) To Test the iisparam application

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) create request (F) To Test the iisparam application	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) create request (F) To Test the iisparam application	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) create request

(F) To Test the iisparam application

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) create request

(F) To Test the iisparam application

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) create request

(F) To Test the iisparam application

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) create request

(F) To Test the iisparam application

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) create request

(F) To Test the iisparam application

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) create request

(F) To Test the iisparam application