Cucumber Report

29 May 2023, 12:16:46 PM

Start : May 29, 12:14:28.525 PM	End : May 29, 12:16:33.144 PM	Duration : 2 m 4.619 s

Features	Scenarios	Steps
PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 13 FAILED - 0 SKIPPED - 0









#	Feature Name	T	P	F	S	Duration
1	To test the IIS Param Application	1	1	0	0	2 m 4.619 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To test the IIS Param Application	IIS Param Application	13	13	0	0	2 m 4.605 s

(F)- To test the IIS Param Application

PASSED	DURATION - 2 m 4.619 s	Scenarios		Steps	
/ 12:14:28.525 PM // 12:16:33.144 PM /		Total - 1 Pass - 1 Fail - 0 Skip - 0		Total - 13 Pass - 13 Fail - 0 Skip - 0	

(S)- IIS Param Application

PASSED	DURATION - 2 m 4.605 s		Steps	
/ 12:14:28.539 PM // 12:16:33.144 PM /			Total - 13 Pass - 13 Fail - 0 Skip - 0	
To test the IIS Param Application				
@665923_IISParam				

#	Step / Hook Details	Status	Duration
1	Given navigate to IIS param application and login with valid credentials	PASSED	38.529 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.502 s
	screenshot		
	 +		
2	And get the test data for test case 665923_IISParam	PASSED	0.124 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.274 s
	screenshot		
	 +		

#	Step / Hook Details	Status	Duration
3	And User clicks on the parameter feature in IIS Param application	PASSED	0.131 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.276 s
	screenshot		
	 +		
4	And User clicks on the product class module uder parameter feature	PASSED	0.954 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.369 s
	screenshot		
	 +		
5	And User clicks on the maintanance screen under product class module	PASSED	0.479 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.410 s
	screenshot		
	 +		
6	And User clicks on the search button in maintanance under product class	PASSED	11.959 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.380 s
	screenshot		
	 +		
7	And User enter the class code in maintanance under product class	PASSED	4.966 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.305 s
	screenshot		

#	Step / Hook Details	Status	Duration
	 +		
8	And User double click on the retrived data in maitanance under product class	PASSED	1.801 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.325 s
	screenshot		
	 +		
9	And User clicks on the additional information tab in maitanance under product class	PASSED	2.811 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.285 s
	screenshot		
	 +		
10	And User clicks on the repayment plan tab under additional information tab	PASSED	2.856 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.420 s
	screenshot		
	 +		
11	And User enter the value in number of payments under repayment plan tab	PASSED	4.529 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.336 s
	screenshot		

#	Step / Hook Details	Status	Duration
	 +		
12	And User select the dropdown in number of payments under repayment plan tab	PASSED	1.024 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.338 s
	screenshot		
	 +		
13	Then User clicks save the button in maintanance under product class	PASSED	5.108 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.382 s
	screenshot		
	+		

(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	
(S) IIS Param Application	
(F) To test the IIS Param Application	

(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	
(S) IIS Param Application	
(F) To test the IIS Param Application	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) IIS Param Application	
(F) To test the IIS Param Application	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) IIS Param Application	
(F) To test the IIS Param Application	

(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) IIS Param Application

(F) To test the IIS Param Application



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) IIS Param Application

(F) To test the IIS Param Application



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) IIS Param Application

(F) To test the IIS Param Application



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) IIS Param Application

(F) To test the IIS Param Application



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) IIS Param Application

(F) To test the IIS Param Application



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) IIS Param Application

(F) To test the IIS Param Application



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) IIS Param Application

(F) To test the IIS Param Application



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) IIS Param Application

(F) To test the IIS Param Application



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) IIS Param Application

(F) To test the IIS Param Application