Cucumber Report

Start : Nov 02, 3:11:52.888 PM

End : Nov 02, 3:13:41.785 PM

Duration : 1 m 48.897 s

| Features	Scenarios	Steps
PASSED - 0	PASSED - 0	PASSED - 5
FAILED - 1	FAILED - 1	FAILED - 1
SKIPPED - 0	SKIPPED - 0	SKIPPED - 5

1

1

11

Pass %

0 %

Pass %

0 %

Pass %

45 %

#	Feature Name	T	P	F	S	Duration
1	Test the Functionality of Draw Down Request	1	0	1	0	1 m 48.897 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Test the Functionality of Draw Down Request	Check in Transaction Template screen, new elements 'Down Payment' and 'Down Payment Refund' is added to *	11	5	1	5	1 m 48.888 s

(F)- Test the Functionality of Draw Down Request

FAILED	DURATION - 1 m 48.897 s	Scenarios		Steps	
		Total - 1		Total - 11	
/ 3:11:52.888 PM // 3:13:41.785 PM /		Pass - 0	1	Pass - 5	11
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 5	

(S)- Check in Transaction Template screen, new elements 'Down Payment' and 'Down Payment Refund' is added to the amount

FAILED	DURATION - 1 m 48.888 s		Steps	
			Total - 11	
/ 3:11:52.897 PM // 3:13:41.785 PM /			Pass - 5	11
Test the Functionality of Draw Down Request			Fail - 1	
@AT_DDR_081			Skip - 5	

#	Step / Hook Details	Status	Duration
1	Given User_081 navigate to FMS param application and login with valid credentials	PASSED	21.453 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.280 s
	screenshot		
2	And User_081 Click Parameter Menu	PASSED	0.199 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.154 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	And User_081 Click Transaction Template Menu	PASSED	0.563 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.187 s
	screenshot		
4	And User_081 Click Maintanance Under Transaction Template	PASSED	0.155 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.313 s
	screenshot		
5	And User_081 Click Add Icon Under Maintanance	PASSED	2.366 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.193 s
	screenshot		
6	And User_081 Click on LN Under AddIcon	FAILED	1 m 18.376 s

	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of [[ChromeDriver: chrome on windows (44f8f171636cdb582ec5fe30b8bf83d6)] -> xpath: //*[@id="jqgh_trxTemplateDetGridTbl_Id_P0035M_trxTemplateDetVO.AMT_NAME"]] (tried for 60 second(s) with 5 milliseconds interval) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: driver.version: unknown
	    at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:262)
	    at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:230)
	    at helper.WaitHelper.waitForElementwithFluentwait(WaitHelper.java:95)		

#	Step / Hook Details	Status	Duration
	at stepdefinitions.TransactionTemplate_081.User_081_Click_on_LN_Under_AddIcon(TransactionTemplate_081.java:101) at ?.User_081 Click on LN Under AddIcon(file:///C:/Users/ININDC00629/git/AZENTIO-FMS1/AzentioAutomationFramework_FMS_Ajith/src/test/java/features/DrawDownandRequest.feature:100) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.175 s
7	And User_081 Click on Plus Icon Under Formula in Amount	SKIPPED	0.002 s
8	And User_081 Click Add Icon Under Formula in Amount	SKIPPED	0.000 s
9	And User_081 Click on List Of Fields	SKIPPED	0.000 s
10	And User_081 drawDown Field	SKIPPED	0.000 s
11	And User_081 Check new elements Down Payment and Down Payment Refund is added to the amount	SKIPPED	0.000 s

|	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check in Transaction Template screen, new elements 'Down Payment' and 'Down Payment Refund' is added to the amount	
(F) Test the Functionality of Draw Down Request	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check in Transaction Template screen, new elements 'Down Payment' and 'Down Payment Refund' is added to the amount	
(F) Test the Functionality of Draw Down Request	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check in Transaction Template screen, new elements 'Down Payment' and 'Down Payment Refund' is added to the amount	
(F) Test the Functionality of Draw Down Request	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check in Transaction Template screen, new elements 'Down Payment' and 'Down Payment Refund' is added to the amount	
(F) Test the Functionality of Draw Down Request	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check in Transaction Template screen, new elements 'Down Payment' and 'Down Payment Refund' is added to the amount

(F) Test the Functionality of Draw Down Request

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check in Transaction Template screen, new elements 'Down Payment' and 'Down Payment Refund' is added to the amount

(F) Test the Functionality of Draw Down Request