
Cucumber Report




FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	To Test the iisparam application	1	0	1	0	2 m 0.299 s

SCENARIOS SUMMARY -- 3 --



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To Test the iisparam application	Check basic functionality of Insurance companies module	12	9	1	2	2 m 0.294 s

(F)- To Test the iisparam application

FAILED	DURATION - 2 m 0.299 s	Scenarios		Steps	
		Total - 1		Total - 12	
/ 9:53:07.366 AI	M // 9:55:07.665 AM /	Pass - 0	1	Pass - 9	12
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 2	

(S)- Check basic functionality of Insurance companies module

FAILED DURATION - 2 m 0.294 s	80 -					<u> </u>	1					3	Steps		
/ 9:53:07.371 AM // 9:55:07.665 AM /	60 -						¦						Total - 12		
	40 -				-		¦						Pass - 9	12	
To Test the iisparam application	20 -	+ -		-	-		+		!- :		- + -	!	Fall - 1 Skip - 2		
@AT_IISPRM_055	0 -	1	2	3	4	5	6	7 8	9	10	11	12	3KIP - Z		

#	Step / Hook Details	Status	Duration
1	Given user_55 navigate to the IISParam application and login with the valid credentials	PASSED	7.502 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.296 s
	screenshot		
	——————————————————————————————————————		
2	Then user_55 update test data set id for AT_IISPRM_058	PASSED	0.002 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.129 s
	screenshot		
3	And user_55 click on parameters tab	PASSED	0.078 s

#	Step / Hook Details	Status	Duration
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.172 s
	screenshot		
	### ### ### ##########################		
4	And user_55 click on Insurance companies	PASSED	0.357 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.204 s
	screenshot		
	#		
5	And user_55 check menus and lists are available	PASSED	0.264 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.211 s
	screenshot		
6	And user_55 click on maintenance and create a record	PASSED	0.096 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.241 s
	screenshot		

7	And user_55 enter code brief description long description and save it	PASSED	4.479 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.251 s
	screenshot		

#	Step / Hook Details	Status	Duration
8	And user_55 check first last prev next button	PASSED	0.910 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.173 s
	screenshot	1	
9	And user_55 check sorting functionality	PASSED	6.643 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.204 s
	screenshot	1	
10	And user_55 check grid is listing all relevant data	FAILED	1 m 33.139 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //*[@id="td_insuranceCompanyParamListGridTbl_Id_M0622MT_1_trsinsurance_companiesVO.INSURANCE_CODE"]' (tried for 60 second(s) with 5 milliseconds interval) at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:262) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:230) at helper.WaitHelper.waitForElementwithFluentwait(WaitHelper.java:95) at stepdefinitions.InsuranceCompanies_055.user_55_check_grid_is_listing_all_relevant_data(InsuranceCompanies_055.java:242) at ?.user_55 check grid is listing all relevant data(file://lc://Users/ININDC00629/git/AZENTIO-FMS1/AzentioAutomationFramework_FMS_/ajith/src/test/java/features_IIS/AT_IISPRM_055.feature:14) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[@id="td_insuranceCompanyParamListGridTbl_Id_M0622MT_1_trsinsurance_companiesVO.INSURANCE_CODE"]*] (Session info: chrome=117.0.5938.149) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors/#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os. version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [18c8e257c2121afc48bd02e7a1ba51cf, findElement {using=xpath, value=//*[@id="td_insuranceCompanyParamListGridTbl_Id_M0622MT_1_trsinsurance_companiesVO.INSURANCE_CODE"]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.149, chrome: {chromedriverVersion: 117.0.5938.149} (e3344ddefa1, userDataDir: C:\Users\Univers\		


#	Step / Hook Details	Status	Duration
	localhost:61072}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp:		
	ws://localhost:61072/devtoo, se:cdpVersion: 117.0.5938.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0,		
	pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true,		
	webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators:		
	true} Session ID: 18c8e257c2121afc48bd02e7a1ba51cf		
	at jdk.internal.reflect.GeneratedConstructorAccessor45.newInstance(Unknown Source)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at jdk.proxy2/jdk.proxy2.\$Proxy46.isDisplayed(Unknown Source)		
	at org.openqa.selenium.support.ui.ExpectedConditions.elementlfVisible(ExpectedConditions.java:304)		
	at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:37)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:287)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:205)		
	at helper.WaitHelper.waitForElementwithFluentwait(WaitHelper.java:95)		
	at stepdefinitions.InsuranceCompanies_055.user_55_check_grid_is_listing_all_relevant_data(InsuranceCompanies_055.java:242)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at io.cucumber.java.lnvoker.dolnvoke(lnvoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:64)		

	Step / Hook Details	Status	Duration
a	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
a	at io.cucumber.core.runner.TestCase.run(TestCase.java:104)		
6	at io.cucumber.core.runner.Runner.runPickle(Runner.java:71)		
a	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116)		
6	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113)		
a	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31)		
6	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
a	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
6	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
8	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)		
6	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664)		
8	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227)		
	at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)		
	at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200)		
	at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)		
	at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)		
	at org.testng.TestRunner.privateRun(TestRunner.java:848)		
	at org.testng.TestRunner.run(TestRunner.java:621)		
6	at org.testng.SuiteRunner.runTest(SuiteRunner.java:443)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:336)		
- 1	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1200)		
	at org.testng.TestNG.runSuites(TestNG.java:1114)		
	at org.testng.TestNG.run(TestNG.java:1082)		
	at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115)		
	at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251)		
	at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)		
	ot displayable characters are replaced by '?'.		
AF	TER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.183 s
scr	eenshot	1	


DETAILED SECTION -- 9 --

#	Step / Hook Details	Status	Duration
11	And user_55 retrieve the code and delete it	SKIPPED	0.000 s
12	And user_55 close the screen	SKIPPED	0.000 s


EXPANDED SECTION -- 10 --



EXPANDED SECTION



EXPANDED SECTION -- 12 --



EXPANDED SECTION -- 13 --

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. + New Dearch Record Redail Audit Sm java.Scenario) Product Sub Category
Product Type include_FAS_asset_class Charges Budget LIBOR Rate Floating Rate
 Mudharabah Rate Repayment Plan Template Product Class Product Class - Fund Accounts Product Class - Portfolio Accounts
 Vendor Information (S) Check basic functionality of Insurance Target Maintenance Revenues and Expenses companies module Swift Currency Settings Vendor Incentive Scheme Currency Exchange Rate Tolerance Level Report Template Hiiri Setup (F) To Test the iisparam application Board Members CIF SECRET Maintenance Karaman Screen | ♥ Options | Xadvanced Options | Solution View | ♣ Home | ● Log Out | ♣ He (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. IP/BP/ Tenure Matrix + New D Search Record Audit Smart java. Scenario) Product Sub Category Brief Description Insurance Code long_description_key Product Type Charges Budget BAJ Insurance Rate Excessive Profit Rate 000000000133 insurCompg LIBOR Rate 000000005454 higfch Floating Rate 000000000998 xyzz ddfdf Mudharabah Rate Renayment Plan Template Page 1 of 10 → ► 5 ✔ P □ A Toggle Φ Clear Yield Provision Management ☐ Tracker Insurance Settlement Priority Number ☐ include_FAS_asset_class Product Class Product Class - Fund Accounts Product Class - Portfolio Accounts Vendor Information (S) Check basic functionality of Insurance Brief Name Eng * Target Maintenance Revenues and Expenses Accounts
 Settlement Policy Long Description companies module Swift Currency Settings Long Description Arabic Vendor Incentive Schemes Forex Mult/Div Indicator **■** Save Currency Exchange Rate Tolerance Level Report Template Sub Purpose Codes Hijri Setup Unit Codes Setup Security Market Price Deviation (F) To Test the iisparam application CIF SECRET Insurance Types Maintenance

EXPANDED SECTION -- 14 --

