


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	testing the fuctionalities of bank reconciliation module	1	0	1	0	31.424 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	testing the fuctionalities of bank	Check system displays correct sum and records in below	14	10	1	3	31.419 s
	reconciliation module	head as per logics given in FSD.					

DETAILED SECTION -- 4 --

## (F)- testing the fuctionalities of bank reconciliation module

FAILED	DURATION - 31.424 s	Scenarios		Steps	
		Total - 1		Total - 14	
/ 1:45:55.232 PN	1 // 1:46:26.656 PM /	Pass - 0	1	Pass - 10	14
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 3	

## (S)- Check system displays correct sum and records in below head as per logics given in FSD.

FAILED DURATION - 31.419 s	15	10		-	1	-	-	-	-	-		-		-	-	Steps			
/ 1:45:55.237 PM // 1:46:26.656 PM /	10	╢	-	 					-   -						-	Total - 14			
testing the fuctionalities of bank reconciliation module	5		-	 												Pass - 10 Fail - 1		14	
@KUBS_TAX_UAT_011_001TC_002	0		<u> </u>	 	1		-	7	, R	-	10	11	12	13	14	Skip - 3	•		7

#	Step / Hook Details	Status	Duration
1	Given user log in to Azentio for bank recon	PASSED	14.674 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.452 s
	screenshot		
	The Contraction of the Contracti		
2	And user click bank recon module	PASSED	0.085 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.180 s
	screenshot		


AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  Screenshot  4 And user click add icon in bank recon  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  Screenshot  5 And user select bank name in bank recon Module for csv file  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 And user select bank account Number in bank recon Module  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  0.834 S  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  D.835ED  0.803 S  0.804 S  0.804 S  0.804 S  0.804 S  0.804 S  0.804 S  0.805 S  0.804 S  0.804 S  0.804 S  0.804 S  0.804 S  0.805 S  0.805 S  0.804 S  0.	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io. cucumber java. Scenario)  Screenshot  4 And user click add icon in bank recon  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io. cucumber java. Scenario)  Screenshot  5 And user select bank name in bank recon Module for csv file  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io. cucumber java. Scenario)  Screenshot  5 And user select bank name in bank recon Module for csv file  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io. cucumber java. Scenario)  Screenshot  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io. cucumber java. Scenario)  PASSED  0.234 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io. cucumber java. Scenario)  PASSED  0.183 s		10		
screenshot  And user click add icon in bank recon  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  0.234 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  0.183 s	3	And user click eye icon in bank recon module	PASSED	0.436 s
ArTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  PASSED  O.234 s  Arter_step - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  PASSED  O.183 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.604 s
4 And user click add icon in bank recon  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  Screenshot  5 And user select bank name in bank recon Module for csv file  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  Screenshot  6 And user select bank account Number in bank recon Module  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  PASSED  0.234 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  PASSED  0.183 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  5 And user select bank name in bank recon Module for csv file  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 And user select bank account Number in bank recon Module  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.234 s  PASSED  0.183 s		# OF CONTINUES   10 CONTINUES   20		
Screenshot  5 And user select bank name in bank recon Module for csv file  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 And user select bank account Number in bank recon Module  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AND USER SEED  0.267 s  0.168 s  0.168 s  0.168 s	4	And user click add icon in bank recon	PASSED	0.283 s
5 And user select bank name in bank recon Module for csv file  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  6 And user select bank account Number in bank recon Module  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.234 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.183 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.252 s
5 And user select bank name in bank recon Module for csv file  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  And user select bank account Number in bank recon Module  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  APASSED  0.267 s  0.168 s  PASSED  0.234 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.183 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 And user select bank account Number in bank recon Module  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.168 s  PASSED  0.234 s  PASSED  0.183 s		■ Control Con		
Screenshot  6 And user select bank account Number in bank recon Module  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.234 s  0.183 s	5	And user select bank name in bank recon Module for csv file	PASSED	0.267 s
6 And user select bank account Number in bank recon Module  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.234 s  0.183 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.168 s
6 And user select bank account Number in bank recon Module  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.234 s  0.183 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.183 s		0   1   1   1   1   1   1   1   1   1		
	6	And user select bank account Number in bank recon Module	PASSED	0.234 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.183 s
		screenshot		

7 And user click bank recon from date and select the date for csv file  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  8 And user click bank recon to date and select the date for csv file  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  9 And user click choose file and upload the bank statement for csv  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  9 And user click choose file and upload the bank statement for csv  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  9 And user click save button in bank recon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  9 And user click save button in bank recon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  And user click bank recon to date and select the date for csv file  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  O.207 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  And user click save button in bank recon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  O.303 s		0		
Screenshot  8 And user click bank recon to date and select the date for csv file  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  9 And user click choose file and upload the bank statement for csv  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  9 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  10 And user click save button in bank recon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.Hook	7	And user click bank recon from date and select the date for csv file	PASSED	2.287 s
8 And user click bank recon to date and select the date for csv file  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  9 And user click choose file and upload the bank statement for csv  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  8 APTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  9 ARTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  10 And user click save button in bank recon  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  PASSED  0.132 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  PASSED  0.303 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.159 s
8 And user click bank recon to date and select the date for csv file  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  9 And user click choose file and upload the bank statement for csv  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.207 s  PASSED  0.212 s  Company of the statement for csv  And user click save button in bank recon  PASSED  0.303 s		screenshot		
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  9 And user click choose file and upload the bank statement for csv  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  8 AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  9 And user click save button in bank recon  10 And user click save button in bank recon  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.132 s  PASSED  0.303 s		□ starting   □		
Screenshot  9 And user click choose file and upload the bank statement for csv  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  10 And user click save button in bank recon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.207 s  0.212 s  0.212 s	8	And user click bank recon to date and select the date for csv file	PASSED	1.475 s
9 And user click choose file and upload the bank statement for csv  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  10 And user click save button in bank recon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.207 s  0.212 s  0.212 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.187 s
9 And user click choose file and upload the bank statement for csv  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  10 And user click save button in bank recon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.207 s  0.212 s  0.212 s		screenshot		
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  10 And user click save button in bank recon  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.212 s  PASSED  0.312 s  PASSED  0.332 s  PASSED  0.303 s				
Screenshot  10 And user click save button in bank recon  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.303 s	9	And user click choose file and upload the bank statement for csv	PASSED	0.207 s
10 And user click save button in bank recon  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.132 s  0.303 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.212 s
10 And user click save button in bank recon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.132 s  0.303 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.303 s		U Marian  O Maria  O Maria  O Maria  O Maria  O Maria  \[ \begin{array}{ccccc} \lambda & \lambda		
	10	And user click save button in bank recon	PASSED	0.132 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.303 s
		screenshot	1	


#	Step / Hook Details	Status	Duration
	We see the second secon		
11	And user click process button in bank recon	FAILED	0.230 s
	org.openqa.selenium.NoAlertPresentException: no such alert (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc551cbda' System info: host: 'INMUVADP016585', ip: '10.1.47.108', os.name: Windows 10', os.arch: 'am664', os.version: '10.0', java. version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [30b55828eb7885d35ec0251b9e58688e, getAlertText {}} [Capabilities {acceptinsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: (chromedriverVersion: 99.0.4844.51) (d537ec02474b5, userDataDir: C:\Users\ININDC-1\AppDataL), goog:chromeOptions: (debuggerAddress: localhost.61858), javascriptEnabled: true, networkConnectionEnabled: false, page1-oadStrategy: normal, platform: WINDOWS, platformAmer: WINDOWS, proxy. Proxy(), se.cdp: ws.//localhost:61858/devtoo, se.cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: (implicit: 0, paget-load3 300000), script: 30000), unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:largeBlob: true, webauthn:virulalAuthenticators: true) Session ID: 30055828eb7885d35ec0251b9e58688e at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/java.lang.reflect.Constructor.newInstance(WinterConstructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(WinterConstructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:499) at org.openqa.selenium.remote.odec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.HttpCommandExecutor.execute(PittpCommandExecutor.java:164) at org.openqa.selenium.remote.exervice.DriverComma		
	AFTER STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	FAILED	0.446 s
	org.openqa.selenium.UnhandledAlertException: unexpected alert open: <unknown> (Session info: chrome=99.0.4844.82): Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016585', ip: '10.1.47.108', os.name: 'Windows 10', os.arch: 'amd64', os. version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [30b55828eb7885d35ec0251b9e58688e, screenshot {}] Capabilities {acceptlnsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5, userDataDir: C:\Users\ININDC~1\AppData\L},</unknown>		

#	Step / Hook Details	Status	Duration
	goog:chromeOptions: {debuggerAddress: localhost:61858}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61858/devtoo, se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 30b55828eb7885d35ec0251b9e58688e		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:131)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606)		
	at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:347)		
	at stepdefinitions.HooksClass.addScreenshot(HooksClass.java:42)		
12	And user click the unmatched data in bank recon process	SKIPPED	0.000 s
13	Then user verify Receipt recorded in Book but missing in Bank Statement	SKIPPED	0.001 s
14	Then user verify Receipts recorded in bank statement but missing in Book	SKIPPED	0.000 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	0.087 s
	org.openqa.selenium.UnhandledAlertException: unexpected alert open: {Alert text : Bank recon process started} (Session info: chrome=99.0.4844.82): Bank recon process started Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016585', ip: '10.1.47.108', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [30b55828eb7885d35ec0251b9e58688e, close {}}] Capabilities {acceptlinsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromeefriverVersion: 99.0.4844.51 (d537ec02474b5, userDataDir: C:\Users\ININDC~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:61858}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61858/devtoo, se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 3055828eb7885d35ec0251b9e58688e at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:131) at org.openqa.selenium.remote.dec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:131) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.cose(RemoteWebDriver.java:432) at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)		


EXPANDED SECTION --- 9 --




EXPANDED SECTION --- 10 --



EXPANDED SECTION -- 11 --



EXPANDED SECTION -- 12 --



EXPANDED SECTION -- 13 --

