Cucumber Report

Start : Jan 16, 9:26:34.477 AM	End : Jan 16, 9:27:25.250 AM	Duration : 50.773 s
Features	Scenarios	Steps
PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 6 FAILED - 0 SKIPPED - 0

#	Feature Name	T	P	F	S	Duration
1	Checking the Supplementary Budget functionality	1	1	0	0	50.773 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Checking the Supplementary Budget functionality	System should display the search criteria to search the data based on specific data elements.	6	6	0	0	50.770 s

(F)- Checking the Supplementary Budget functionality

PASSED	DURATION - 50.773 s	Scenarios		Steps	
/ 9:26:34.477 AM // 9:27:25.250 AM /		Total - 1 Pass - 1 Fail - 0 Skip - 0	1	Total - 6 Pass - 6 Fail - 0 Skip - 0	6

(S)- System should display the search criteria to search the data based on specific data elements.

PASSED	DURATION - 50.770 s		Steps	
/ 9:26:34.480 AM // 9:27:25.250 AM /			Total - 6 Pass - 6 Fail - 0 Skip - 0	6
Checking the Supplementary Budget functionality				
@SupplementaryBudget_BP_SB_12_01				

| #	Step / Hook Details	Status	Duration
1	Given maker should navigate to the url and login with valid credentials	PASSED	29.196 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.583 s
	screenshot		
2	And maker should navigate to the budget module	PASSED	5.082 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.520 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	And maker click on budget field	PASSED	2.095 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.653 s
	screenshot		
4	When maker click on budget supplementary eye icon	PASSED	2.525 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.126 s
	screenshot		
5	And maker navigate to search icon and fill the required field	PASSED	5.557 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.158 s
	screenshot		
6	Then maker select the record	PASSED	0.053 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.073 s
	screenshot		

#	Step / Hook Details	Status	Duration

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) System should display the search criteria to search the data based on specific data elements.

(F) Checking the Supplementary Budget functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) System should display the search criteria to search the data based on specific data elements.

(F) Checking the Supplementary Budget functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should display the search criteria to search the data based on specific data elements.

(F) Checking the Supplementary Budget functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should display the search criteria to search the data based on specific data elements.

(F) Checking the Supplementary Budget functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cumber.
java.Scenario)

(S) System should display the search
criteria to search the data based on
specific data elements.

(F) Checking the Supplementary Budget
functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should display the search
criteria to search the data based on
specific data elements.

(F) Checking the Supplementary Budget
functionality