Cucumber Report

| Start : Mar 04, 6:39:25.472 pm	End : Mar 04, 6:39:50.495 pm	Duration : 25.023 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 14 FAILED - 1 SKIPPED - 0

#	Feature Name	T	P	F	S	Duration
1	Check the Functionality of AR/AP Module	1	0	1	0	25.023 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Functionality of AR/AP Module	Verify cancelled advances is not available for payment settlement	15	14	1	0	25.014 s

(F)- Check the Functionality of AR/AP Module

FAILED	DURATION - 25.023 s	Scenarios		Steps	
/ 6:39:25.472 pm // 6:39:50.495 pm /		Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Total - 15 Pass - 14 Fail - 1 Skip - 0	15

(S)- Verify cancelled advances is not available for payment settlement

FAILED	DURATION - 25.014 s		Steps	
/ 6:39:25.481 pm // 6:39:50.495 pm /			Total - 15	
Check the Functionality of AR/AP Module			Pass - 14 Fail - 1 Skip - 0	15
@KUBS_AR_AP_UAT_003_009_TC_02				

#	Step / Hook Details	Status	Duration
1	Given Navigate The Azentio Url	PASSED	12.598 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.145 s
	screenshot		
2	Then Choose the second Tab Segment	PASSED	0.330 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.153 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	And Click On Main module Accounts Receivable	PASSED	0.153 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.196 s
	screenshot		
4	Then Click on Accounts Receive Advances Eye Icon	PASSED	0.351 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.270 s
	screenshot		
5	And Click On Search Icon	PASSED	0.135 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.230 s
	screenshot		
6	Then Enter Cancelled Value In Advance Status	PASSED	0.558 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.194 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	Then Click on Table Row First Eye Icon	PASSED	0.152 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.361 s
	screenshot		
8	And Get The Business Partner and Advance Number	PASSED	0.096 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.108 s
	screenshot		
9	And Click On Main module Accounts payable	PASSED	0.097 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.182 s
	screenshot		
10	Then Click sub module Payment settlement Eye Icon	PASSED	0.180 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.290 s
	screenshot		

#	Step / Hook Details	Status	Duration
11	And Click Add icon button	PASSED	0.216 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.197 s
	screenshot		
12	Then Enter payment option	PASSED	0.403 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.197 s
	screenshot		
13	And Give stored Business partner Name	PASSED	0.301 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.178 s
	screenshot		
14	Then Choose value date as System current date	PASSED	1.916 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.129 s
	screenshot		

#	Step / Hook Details	Status	Duration
15	And find the Advance reference number for cancelled Advances is availabe at the billing queue	FAILED	1.071 s

	org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=99.0.4844.51) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os. version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [76fb509452696d68b66cafee4192fa4a, clickElement {id=33c841a4-b2fc-46a8-9522-b060371c0933}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.51, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:58855}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58855/devtoo..., se:cdpVersion: 99.0.4844.51, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (76fb509452696d68b66cafee4192fa4a)] -> xpath: (//i[@class='datatable-icon-right'])[2]] Session ID: 76fb509452696d68b66cafee4192fa4a
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	   at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251)
	   at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77)
	   at jdk.internal.reflect.GeneratedMethodAccessor6.invoke(Unknown Source)
	   at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	   at java.base/java.lang.reflect.Method.invoke(Method.java:568)
	   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52)
	   at jdk.proxy2/jdk.proxy2.$Proxy46.click(Unknown Source)
	   at stepdefinitions.ARAP_CancellationOfGRN.find_the_advance_reference_number_for_cancelled_advances_is_availabe_at_the_billing_queue(ARAP_CancellationOfGRN.java:858)
	   at ?.find the Advance reference number for cancelled Advances is availabe at the billing queue(file:///C:/Users/inindc00075/git/repository/Arshath_Azentio_AutomationFramework/src/test/java/features/ARAP_GrnCancellation.feature:164)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.120 s

#	Step / Hook Details	Status	Duration
	screenshot		

| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Verify cancelled advances is not available for payment settlement	
(F) Check the Functionality of AR/AP Module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Verify cancelled advances is not available for payment settlement	
(F) Check the Functionality of AR/AP Module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify cancelled advances is not available for payment settlement

(F) Check the Functionality of AR/AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify cancelled advances is not available for payment settlement

(F) Check the Functionality of AR/AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Verify cancelled advances is not available for payment settlement	
(F) Check the Functionality of AR/AP Module	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Verify cancelled advances is not available for payment settlement	
(F) Check the Functionality of AR/AP Module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) Verify cancelled advances is not available for payment settlement (F) Check the Functionality of AR/AP Module	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) Verify cancelled advances is not available for payment settlement (F) Check the Functionality of AR/AP Module	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify cancelled advances is not available for payment settlement

(F) Check the Functionality of AR/AP Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify cancelled advances is not available for payment settlement

(F) Check the Functionality of AR/AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Verify cancelled advances is not available for payment settlement	
(F) Check the Functionality of AR/AP Module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Verify cancelled advances is not available for payment settlement	
(F) Check the Functionality of AR/AP Module	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify cancelled advances is not
available for payment settlement

(F) Check the Functionality of AR/AP
Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify cancelled advances is not
available for payment settlement

(F) Check the Functionality of AR/AP
Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify cancelled advances is not
available for payment settlement

(F) Check the Functionality of AR/AP
Module

☰ 🌐 Kastle Universal Banking (Beta)   19-Oct-2022 English ▾   Azentio Software ▾   (AZENTMAIN) 🔔 ▣ 👤 ANANT

Finance ▾

🛠 ⇄ 📋

← Ap Payment Settlement   💾

* Entity Branch	* Payment Option	Business Partner
Azentio Main Branch × ▾	Business Partner wise × ▾	suvarana Pvt Ltd × ▾

Txn Date	*Value Date	* Adjusted Payment Amount
19-Oct-2022 📅	03-Oct-2022 📅	

Tds/Wht	* Net Payable	* Description

Txn Number	Status
	Active ▾

● Vendor contracts ✎ 👁 🗑
● Vendor purchase orders ✎ 👁 🗑
● Goods received note (GRN) ✎ 👁 🗑
● Invoice booking ✎ 👁 🗑
● **Payment settlement** ✎ 👁 🗑
● Payment settlement cancellation ✎ 👁 🗑

Select	Sr No.	Payable Type	Reference Number	Business Partner	Gross Invoice Amount	Credit Note	Debit Note
☐	1	Advance Against PO	ADV_30_2322022	suvarana Pvt Ltd	30000	0	0

1 total

22 Appro... ✖   11 Messa... ✖

⠿ Home   ➤ Preference