Cucumber Report

Start : May 17, 12:56:09.839 PM	End : May 17, 12:56:50.539 PM	Duration : 40.700 s
Features	Scenarios	Steps
PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 6 FAILED - 0 SKIPPED - 0

#	Feature Name	T	P	F	S	Duration
1	To verify user can able to do transaction in gl2 moduyle	1	1	0	0	40.700 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	To verify user can able to do transaction in gl2 moduyle	Check the trial balance	6	6	0	0	40.694 s

(F)- To verify user can able to do transaction in gl2 moduyle

PASSED	DURATION - 40.700 s	Scenarios		Steps	
		Total - 1		Total - 6	
/ 12:56:09.839 PM // 12:56:50.539 PM /		Pass - 1	1	Pass - 6	6
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- Check the trial balance

PASSED	DURATION - 40.694 s		Steps	
/ 12:56:09.845 PM // 12:56:50.539 PM /			Total - 6	
To verify user can able to do transaction in gl2 moduyle			Pass - 6	6
			Fail - 0	
@KUBS_GL2_UAT_008_007 @GL2 @Report			Skip - 0	

| #	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	15.968 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.795 s
	screenshot		
2	Then click on report icon	PASSED	2.666 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.256 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	And user should navigate to financial reporting menu	PASSED	0.283 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.280 s
	screenshot		
4	Then click on temp grid button of Trial Balance report	PASSED	0.315 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.232 s
	screenshot		
5	And fill the required field of Trial Balance report	PASSED	3.468 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.208 s
	screenshot		
6	Then click on view button to view the report of Trial balance	PASSED	9.125 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.238 s
	screenshot		

#	Step / Hook Details	Status	Duration

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check the trial balance

(F) To verify user can able to do
transaction in gl2 moduyle

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check the trial balance

(F) To verify user can able to do
transaction in gl2 moduyle

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check the trial balance

(F) To verify user can able to do transaction in gl2 moduyle

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check the trial balance

(F) To verify user can able to do transaction in gl2 moduyle

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check the trial balance

(F) To verify user can able to do transaction in gl2 moduyle

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check the trial balance

(F) To verify user can able to do transaction in gl2 moduyle