Cucumber Report

| Start : Jan 15, 3:12:43.514 AM	End : Jan 15, 3:14:05.211 AM	Duration : 1 m 21.697 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 5 FAILED - 1 SKIPPED - 12

#	Feature Name	T	P	F	S	Duration
1	Check the Functionality of BudgetTransfer	1	0	1	0	1 m 21.697 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Functionality of BudgetTransfer	To verify Budget transfer is possible between any two budget codes within same branch	18	5	1	12	1 m 21.694 s

(F)- Check the Functionality of BudgetTransfer

FAILED	DURATION - 1 m 21.697 s	Scenarios		Steps	
		Total - 1		Total - 18	
/ 3:12:43.514 AM // 3:14:05.211 AM /		Pass - 0	1	Pass - 5	18
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 12	

(S)- To verify Budget transfer is possible between any two budget codes within same branch

FAILED	DURATION - 1 m 21.694 s		Steps	
/ 3:12:43.517 AM // 3:14:05.211 AM /			Total - 18	
Check the Functionality of BudgetTransfer			Pass - 5	18
			Fail - 1	
@BudgetTransfer_BP_BT_08_01			Skip - 12	

#	Step / Hook Details	Status	Duration
1	Given Maker login	PASSED	16.096 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.307 s
	screenshot		
2	And Maker click on the direction tab	PASSED	1.386 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.303 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	Then Maker click on the budget	PASSED	1.132 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.350 s
	screenshot		
4	Then Maker click on budget transfer eye button	PASSED	1.300 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.168 s
	screenshot		
5	And Maker click on add button	PASSED	0.182 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.180 s
	screenshot		
6	Then Maker fill the details and save	FAILED	53.179 s
	org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [fa0166dae2cb822ea713107c33f45f06, findElement {using=xpath, value=(//app-kub-currency[@id='1'])[1]//input}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\L...},		

| #	Step / Hook Details	Status	Duration

	goog:chromeOptions: {debuggerAddress: localhost:58581}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58581/devtoo..., se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: fa0166dae2cb822ea713107c33f45f06
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	   at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)
	   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
	   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
	   at jdk.proxy2/jdk.proxy2.$Proxy46.isDisplayed(Unknown Source)
	   at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307)
	   at org.openqa.selenium.support.ui.ExpectedConditions.access$000(ExpectedConditions.java:40)
	   at org.openqa.selenium.support.ui.ExpectedConditions$10.apply(ExpectedConditions.java:293)
	   at org.openqa.selenium.support.ui.ExpectedConditions$10.apply(ExpectedConditions.java:290)
	   at org.openqa.selenium.support.ui.ExpectedConditions$23.apply(ExpectedConditions.java:660)
	   at org.openqa.selenium.support.ui.ExpectedConditions$23.apply(ExpectedConditions.java:656)
	   at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)
	   at helper.WaitHelper.waitForElement(WaitHelper.java:79)
	   at stepdefinitions.BUDGET_BudgetTransfer.maker_fill_the_details_and_save(BUDGET_BudgetTransfer.java:143)
	   at ?.Maker fill the details and save(file:///C:/Users/inindc00089/eclipse-workspace/AzentioAutomationFramework2/src/test/java/features/BUDGET_BudgetTransfer.feature:32)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	FAILED	4.013 s
	org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [fa0166dae2cb822ea713107c33f45f06, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:58581}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:		

#	Step / Hook Details	Status	Duration

	Proxy(), se:cdp: ws://localhost:58581/devtoo..., se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: fa0166dae2cb822ea713107c33f45f06
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606)
	  at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:347)
	  at stepdefinitions.HooksClass.addScreenshot(HooksClass.java:42)		

7	Then Maker click on the notification icon	SKIPPED	0.000 s
8	Then Maker submit the budget transfer record	SKIPPED	0.000 s
9	Then user login to checker1	SKIPPED	0.000 s
10	And click on notification icon	SKIPPED	0.000 s
11	And click on action button button of the record which we want to approve	SKIPPED	0.000 s
12	Then user approve the record	SKIPPED	0.000 s
13	And user write the remark & submit the record	SKIPPED	0.000 s
14	Then User should login to checker2	SKIPPED	0.000 s
15	Then click on open pool	SKIPPED	0.000 s
16	And Verify for claming the record	SKIPPED	0.000 s
17	Then User should click on notification icon on reviewer2 home page	SKIPPED	0.000 s
18	Then Claim and approve the record	SKIPPED	0.000 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	0.239 s
	org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [fa0166dae2cb822ea713107c33f45f06, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:58581}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58581/devtoo..., se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true,		

#	Step / Hook Details	Status	Duration

	webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: fa0166dae2cb822ea713107c33f45f06
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606)
	    at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:432)
	    at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)		

|	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify Budget transfer is possible between any two budget codes within same branch	
(F) Check the Functionality of BudgetTransfer	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify Budget transfer is possible between any two budget codes within same branch	
(F) Check the Functionality of BudgetTransfer	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify Budget transfer is possible between any two budget codes within same branch

(F) Check the Functionality of BudgetTransfer

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify Budget transfer is possible between any two budget codes within same branch

(F) Check the Functionality of BudgetTransfer

Budget Transfer

Actions		Budget Code	Budget Name	Budget Year	Transfer From	Transfer To	Transfer Amount	Status
👁	✎	4234	agag	2022-2023	4234			Active
👁	✎	4234	agag	2022-2023	4234			Active
👁	✎	QC2BUD3	Monthly	2022-2023	QC2BUD3			Active
👁	✎	2525	test	2021-2022	2525			Active
👁	✎	4234	agag	2022-2023	4234			Active
👁	✎	2525	test	2022-2023	2525			Active
👁	✎	2525	test	2022-2023	2525			Active
👁	✎	544515	test1	2022-2023	544515			Active

55 total

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify Budget transfer is possible between any two budget codes within same branch

(F) Check the Functionality of BudgetTransfer

☰ 🌐 Kastle Universal Banking   21-Oct-2021   English ⌄   Azentio Software ⌄   (AZENT-MAIN) 🔔 ▣ 👤 ANANT

Finance ⌄

🔧 🚏 📋

⊘ General ledger transaction

⊘ Budget

▶ Budget request & allocation   ☑ 👁

▶ Supplementary budget   ☑ 👁

▶ Budget transfer   ☑ 👁

⊘ Accounts payable

⊘ Adjustments (AR and AP)

⊘ Accounts receivable

⊘ Fixed assets

⊘ Inventory management

22 Appro... ✕   11 Messa... ✕

← Budget Transfer   🔍

Actions	Budget Code	Budget Name	Budget Year	Transfer From	Transfer To	Transfer Amount	Status
👁 ✏	4234	agag	2022-2023	4234			Active
👁 ✏	4234	agag	2022-2023	4234			Active
👁 ✏	QC2BUD3	Monthly	2022-2023	QC2BUD3			Active
👁 ✏	2525	test	2021-2022	2525			Active
👁 ✏	4234	agag	2022-2023	4234			Active
👁 ✏	2525	test	2022-2023	2525			Active
👁 ✏	2525	test	2022-2023	2525			Active
👁 ✏	544515	test1	2022-2023	544515			Active

55 total |◁ ◁ **1** 2 3 4 5 ▷ ▷|

+

▦ Home   ➤ Preference