Cucumber Report

| Start : May 12, 11:04:19.609 am	End : May 12, 11:04:54.804 am	Duration : 35.195 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 9 FAILED - 1 SKIPPED - 1

#	Feature Name	T	P	F	S	Duration
1	to verify user can able to do transaction in petty cash module	1	0	1	0	35.195 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	to verify user can able to do transaction in petty cash module	Check the GL entries for replenishment of petty cash	11	9	1	1	35.189 s

## (F)- to verify user can able to do transaction in petty cash module

FAILED	DURATION - 35.195 s	Scenarios		Steps	
		Total - 1		Total - 11	
/ 11:04:19.609 am // 11:04:54.804 am /		Pass - 0	1	Pass - 9	11
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 1	

(S)- Check the GL entries for replenishment of petty cash

FAILED	DURATION - 35.189 s		Steps	
/ 11:04:19.615 am // 11:04:54.804 am /			Total - 11	
to verify user can able to do transaction in petty cash module			Pass - 9	11
			Fail - 1	
@KUBS_PC_UAT_004_002			Skip - 1	

#	Step / Hook Details	Status	Duration
1	Given Navigate to URL and user should login as a maker	PASSED	15.960 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.333 s
	screenshot		
	+		
2	Then click on report button	PASSED	2.630 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.185 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	And click Enquiry menu	PASSED	0.207 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.163 s
	screenshot		
4	Then click on Edit icon near by financial transaction	PASSED	0.297 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.288 s
	screenshot		
5	And choose branch code Id	PASSED	0.298 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.208 s
	screenshot		
6	And click on transaction from date in calender icon	PASSED	0.169 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.208 s
	screenshot		

| #	Step / Hook Details	Status	Duration
7	Then choose from date in calender for petty cash	PASSED	1.108 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.193 s
	screenshot		
8	And click on the transaction to date in calender icon	PASSED	0.171 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.175 s
	screenshot		
9	Then choose the To date in calender for petty cash	PASSED	2.320 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.142 s
	screenshot		
10	And click on view button to see the Record	FAILED	1.088 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-button _ngcontent-flr-c642="" shape="round" color="primary" ng-reflect-shape="round" ng-reflect-color="primary" ng-reflect-disabled="true" aria-disabled="true" class="ion-color ion-color-primary md button button-round button-clear in-toolbar button-disabled ion-activatable ion-focusable hydrated" disabled="">...</ion-button> is not clickable at point (1404, 88). Other element would receive the click: <div class="cdk-overlay-backdrop cdk-overlay-transparent-backdrop {background-color:#f00;} cdk-overlay-backdrop-showing"></div> (Session info: chrome=101.0.4951.54) Build info: version: '4.0.0-rc-1',		

#	Step / Hook Details	Status	Duration
	revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1d47a7609e56ff8f11b3acbc456d3872, clickElement {id=9359f5ff-d6ac-472c-920e-4d6de856b2de}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 101.0.4951.54, chrome: {chromedriverVersion: 101.0.4951.41 (93c720db8323..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:58003}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58003/devtoo..., se:cdpVersion: 101.0.4951.54, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (1d47a7609e56ff8f11b3acbc456d3872)] -> xpath: //ion-button[contains(text(),'View')]] Session ID: 1d47a7609e56ff8f11b3acbc456d3872 　　at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) 　　at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) 　　at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) 　　at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) 　　at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) 　　at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) 　　at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) 　　at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) 　　at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) 　　at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) 　　at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) 　　at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) 　　at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) 　　at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) 　　at jdk.internal.reflect.GeneratedMethodAccessor5.invoke(Unknown Source) 　　at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) 　　at java.base/java.lang.reflect.Method.invoke(Method.java:568) 　　at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) 　　at jdk.proxy2/jdk.proxy2.$Proxy46.click(Unknown Source) 　　at stepdefinitions.InventoryManagament.click_on_view_button_to_see_the_record(InventoryManagament.java:1484) 　　at ?.click on view button to see the Record(file:///C:/Users/inindc00075/git/AzentioAutomationFramework/AzentioAutomationFramework/src/test/java/features/PettyCash_UAT.feature:230) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.150 s
11	Then validate voucher number for petty cash	SKIPPED	0.000 s

|	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check the GL entries for replenishment of petty cash	
(F) to verify user can able to do transaction in petty cash module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check the GL entries for replenishment of petty cash	
(F) to verify user can able to do transaction in petty cash module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check the GL entries for replenishment of petty cash	
(F) to verify user can able to do transaction in petty cash module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check the GL entries for replenishment of petty cash	
(F) to verify user can able to do transaction in petty cash module	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check the GL entries for
replenishment of petty cash

(F) to verify user can able to do
transaction in petty cash module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check the GL entries for
replenishment of petty cash

(F) to verify user can able to do
transaction in petty cash module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check the GL entries for replenishment of petty cash

(F) to verify user can able to do transaction in petty cash module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check the GL entries for replenishment of petty cash

(F) to verify user can able to do transaction in petty cash module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check the GL entries for replenishment of petty cash	
(F) to verify user can able to do transaction in petty cash module	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check the GL entries for replenishment of petty cash	
(F) to verify user can able to do transaction in petty cash module	