

Cucumber Report

Nov 28, 2022, 9:43:05 AM

Start : Nov 28, 9:42:14.254 AM

End : Nov 28, 9:43:03.454 AM

Duration : 49.200 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0


FAILED - 1

SKIPPED - 0

PASSED - 5


FAILED - 1

SKIPPED - 8







#	Feature Name	T	P	F	S	Duration
1	AR/AP Module	1	0	1	0	49.200 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	AR/AP Module	PO should be created successfully and displayed in approved queue with Active Status	14	5	1	8	49.196 s




(F)- AR/AP Module


FAILED	DURATION - 49.200 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 14 Pass - 5 Fail - 1 Skip - 8	
/ 9:42:14.254 AM // 9:43:03.454 AM /					

(S)- PO should be created successfully and displayed in approved queue with Active Status

<div>FAILED</div> <div>DURATION - 49.196 s</div>		<div></div>	<div>Steps</div> <div>Total - 14</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 8</div>	<div></div>
<div>/ 9:42:14.258 AM // 9:43:03.454 AM /</div>				
<div>AR/AP Module</div>				
<div>@KUBS_AR/AP_UAT_001_001_TC_02_01</div>				

#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	15.421 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.337 s
	screenshot		
			
2	And user should navigate to accounts payable menu	PASSED	2.493 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.196 s
	screenshot		
			

#	Step / Hook Details	Status	Duration
3	Then Click on purchase order Eye Icon	PASSED	0.345 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.222 s
	screenshot		
			
4	Then Click on purchase order Add button	PASSED	1.958 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.203 s
	screenshot		
			
5	And user update the data set ID for Purchase Order	PASSED	0.002 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.190 s
	screenshot		
			
6	Then Fill purchase order Mandatory fields	FAILED	19.726 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-button color="primary" ng-reflect-color="primary" ng-reflect-disabled="true" aria-disabled="true" class="ion-color ion-color-primary ios button button-clear in-toolbar button-disabled ion-activatable ion-focusable hydrated" disabled="">...</ion-button> is not clickable at point (1337, 369). Other element would receive the click: <ion-buttons slot="end" class="buttons-last-slot sc-ion-buttons-ios-h sc-ion-buttons-ios-s ios hydrated">...</ion-buttons> (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc551cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [293d0f3b045b30156f740d9c8a40c6ee, clickElement {id=be1392fc-6ead-4a31-bcf1-16a63093fc52}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5..., userDataDir: C:\Users\lININDC~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:64183}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:64183/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS	FAILED	19.726 s


#	Step / Hook Details	Status	Duration
	<p>(293d0f3b045b30156f740d9c8a40c6ee)] -> xpath: //body[1]/app-root[1]/ion-app[1]/ion-modal[1]/div[3]/page-po-item-details[1]/ion-header[1]/ion-toolbar[1]/ion-buttons[1]/ion-button[1]] Session ID: 293d0f3b045b30156f740d9c8a40c6ee</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source) at helper.ClicksAndActionsHelper.clickOnElement(ClicksAndActionsHelper.java:22) at stepdefinitions.AccountPayable_VendorPurchaseOrder.fill_purchase_order_mandatory_fields(AccountPayable_VendorPurchaseOrder.java:114) at ?.Fill purchase order Mandatory fields(file:///C:/Users/inindc00089/eclipse-workspace/AzentioAutomationFramework_ARAP/src/test/java/features/ArAp1.feature:71) * Not displayable characters are replaced by '?'.</p>		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.140 s
	<p>screenshot</p> 		
7	Then Click on Account Payable Save button	SKIPPED	0.000 s
8	Then close the confrimation msg	SKIPPED	0.001 s
9	Then Click on Item Details Record	SKIPPED	0.000 s
10	Then Edit the item details fields	SKIPPED	0.000 s
11	Then Click on Account Payable Save button	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
12	Then Click on Account Payable Notification	SKIPPED	0.000 s
13	Then Select the record from Notification	SKIPPED	0.000 s
14	And Submit the Selected record	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) PO should be created successfully
and displayed in approved queue with
Active Status


(F) AR/AP Module



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) PO should be created successfully
and displayed in approved queue with
Active Status


(F) AR/AP Module



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) PO should be created successfully
and displayed in approved queue with
Active Status


(F) AR/AP Module



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) PO should be created successfully
and displayed in approved queue with
Active Status

(F) AR/AP Module



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) PO should be created successfully
and displayed in approved queue with
Active Status

(F) AR/AP Module

07-Jan-2024EnglishAzentio Software(AZENTMAIN)ANANT

PO creation

PO Details

* Entity Branch

* BP Name

Reference Type

* PO Type

Finance

General ledger transaction

Budget

Accounts payable

Vendor contracts

Vendor purchase orders

Goods received note (GRN)

Invoice booking

Payment settlement

Payment settlement cancellation

Auto payout

Manual payout

Payment file download

Payment response file upload

22 Appro...

11 Mess...

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) PO should be created successfully
and displayed in approved queue with
Active Status

(F) AR/AP Module

07-Jan-2024EnglishAzentio Software(AZENTMAIN)ANANT

PO creation

PO Details

* Entity Branch

* BP Name

Reference Type

* Contract

* PO Type

Finance

General ledger transaction

Budget

Accounts payable

Vendor contracts

Vendor purchase orders

Goods received note (GRN)

Invoice booking

Payment settlement

Payment settlement cancellation

Auto payout

Manual payout

Payment file download

Payment response file upload

22 Appro...

11 Mess...

PO Item

Sr	Contract Number	Expense Code	HSN Code	Description	Available Quantity	PO Qty	Total Amount	Cut
1	<input type="checkbox"/> Agency-15-23-09112	<input type="text" value="8471-L..."/>	8471- Laptop	Laptop	10000	<input type="text" value="1"/>	10	INF
1 total								