
**Duration: 35 m 28.376 s** Start: Feb 14, 10:39:57.382 PM End: Feb 14, 11:15:25.758 PM Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 4 SKIPPED - 0 SKIPPED - 0 SKIPPED - 9 14 40 50 60 40 50 60 40 50 60 Pass % 70 30 Pass % 70 30 Pass % 70 20 20 20 80 80 80 90 90 10 28 % 100 100

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	FIXED ASSETS	1	0	1	0	35 m 28.376 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	FIXED ASSETS	Check if the given asset is transferred to a pre decided	14	4	1	9	35 m 28.370 s
		centre					

DETAILED SECTION -- 4 --

## (F)- FIXED ASSETS

FAILED	DURATION - 35 m 28.376 s	Scenarios		Steps	
		Total - 1		Total - 14	
/ 10:39:57.382	2 PM // 11:15:25.758 PM /	Pass - 0	1	Pass - 4	14
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 9	

## (S)- Check if the given asset is transferred to a pre decided centre



#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	32.676 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.566 s
	screenshot		
2	And user should navigate to fixed assets menu	PASSED	0.877 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.664 s
	screenshot		


#	Step / Hook Details	Status	Duration
	#		
3	When click on eye button of asset transfer	PASSED	0.721 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.782 s
	screenshot		
	# CONTINUED NOTE OF THE PARTY CONTINUED OF TH		
4	And click on add button for asset transfer	PASSED	0.386 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.502 s
	Screenshot		
5	And Fill the required fields for asset transfer	FAILED	33 m 45.293 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: Proxy element for: DefaultElementLocator 'By.xpath: //datatable-body-cell/div/app-kub-lov/ion-select' (tried for 2000 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:138) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at helper.WaitHelper.waitForElement(WaitHelper.java:79) at stepdefinitions.FIXEDASSETS_AssetUndertaking.fill_the_required_fields_for_asset_transfer(FIXEDASSETS_AssetUndertaking.java:84) at ?.Fill the required fields for asset transfer(file:///C:/Users/inindc00091/git/repository/Devesh_AzentioFramework/src/test/java/features/ FIXEDASSETS_AssetTransfer.feature:10) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath", "selector":"//datatable-body-cell/div/app-kub-lov/ion-select"} (Session info: chrome=96.0.4664.45) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [41655989a9e781711369576cff486e7f, findElement {using=xpath, value=//datatable-body-cell/div/app-kub-lov/ion-select}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46, userDataDir: C:\Users\Unde		

#	Step / Hook Details	Status	Duration
	WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56939/devtoo, se:cdpVersion: 96.0.4664.45, setWindowRect:		
	true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify,		
	webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 41655989a9e781711369576cff486e7f		
	at jdk.internal.reflect.GeneratedConstructorAccessor22.newInstance(Unknown Source)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.DelegatingConstructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openga.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)		
	at org.openga.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)		
	at org.openga.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)		
	at jdk.proxy2/jdk.proxy2.\$Proxy46.isDisplayed(Unknown Source)		
	at org.openqa.selenium.support.ui.ExpectedConditions.elementlfVisible(ExpectedConditions.java:307)		
	at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:660)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:656)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)		
	at helper.WaitHelper.waitForElement(WaitHelper.java:79)		
	at stepdefinitions.FIXEDASSETS_AssetUndertaking.fill_the_required_fields_for_asset_transfer(FIXEDASSETS_AssetUndertaking.java:84)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)		


Step / Hook Details	Status	Duratio
at io.cucumber.core.runner.TestStep.run(TestStep.java:64)		
at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
at io.cucumber.core.runner.TestCase.run(TestCase.java:104)		
at io.cucumber.core.runner.Runner.runPickle(Runner.java:71)		
at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116)		
at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117)		
at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113)		
at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133)		
at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598)		
at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173)		
at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46)		
at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824)		
at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146)		
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146)		
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128)		
at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)		
at org.testng.TestRunner.privateRun(TestRunner.java:794)		
at org.testng.TestRunner.run(TestRunner.java:596)		
at org.testng.SuiteRunner.runTest(SuiteRunner.java:377)		
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371)		
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332)		
at org.testng.SuiteRunner.run(SuiteRunner.java:276)		
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53)		
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96)		
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212)		
at org.testng.TestNG.runSuitesLocally(TestNG.java:1134)		
at org.testng.TestNG.runSuites(TestNG.java:1063)		
at org.testng.TestNG.run(TestNG.java:1031)		
at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115)		
at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251)		
at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)		
* Not displayable characters are replaced by '?'.		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	13.917 s
screenshot		

#	Step / Hook Details	Status	Duration
6	Then Save and submit the asset transfer	SKIPPED	0.001 s
7	And User should go to the kubs url and login as a reviewer user	SKIPPED	0.000 s
8	Then Click on notification button in reviewer	SKIPPED	0.000 s
9	And approve the record by the final checker user	SKIPPED	0.000 s
10	Given User should go to the kubs url and login as a maker user	SKIPPED	0.000 s
11	And user should navigate to fixed assets menu	SKIPPED	0.000 s
12	When click on eye button of asset transfer	SKIPPED	0.000 s
13	Then click on first view icon to see the transferred	SKIPPED	0.001 s
14	And maker should logout	SKIPPED	0.000 s

EXPANDED SECTION --- 9 --



EXPANDED SECTION -- 10 --



EXPANDED SECTION -- 11 --

