

Cucumber Report

7 Feb 2023, 12:57:52 PM

Start : Feb 07, 12:22:28.717 PM

End : Feb 07, 12:57:41.668 PM

Duration : 35 m 12.951 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 6
FAILED - 1
SKIPPED - 7







#	Feature Name	T	P	F	S	Duration
1	AR/AP Module	1	0	1	0	35 m 12.951 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	AR/AP Module	Verify creating po against cancelled order is not allowed	14	6	1	7	35 m 12.930 s





(F)- AR/AP Module

FAILED	DURATION - 35 m 12.951 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 14 Pass - 6 Fail - 1 Skip - 7	
/ 12:22:28.717 PM // 12:57:41.668 PM /					

(S)- Verify creating po against cancelled order is not allowed

<div>FAILED</div> <div>DURATION - 35 m 12.930 s</div>			<div>Steps</div> <div>Total - 14</div> <div>Pass - 6</div> <div>Fail - 1</div> <div>Skip - 7</div>	
/ 12:22:28.738 PM // 12:57:41.668 PM /				
AR/AP Module				
@KUBS_AR/AP_UAT_003_001TC_02 @AR/AP				

#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	46.928 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.767 s
	screenshot		
			
2	And user should navigate to accounts payable menu	PASSED	2.976 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.350 s
	screenshot		
			

#	Step / Hook Details	Status	Duration
3	When click on eye button of vendor contract	PASSED	0.669 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.524 s
	screenshot		
			
4	And user click search icon	PASSED	1.554 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.476 s
	screenshot		
			
5	And user update the data set ID for po against cancelled order	PASSED	0.008 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.252 s
	screenshot		
			
6	And user search cancelled vendor contract	PASSED	4.418 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.308 s
	screenshot		
			
7	And user click the cancelled vendor contract eye icon	FAILED	33 m 25.347 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=109.0.5414.74) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.122', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [7617e57b695747aa5134fb77d8883bdc, findElement {using=xpath, value=//*[@tbody-body-cell[1]/div/ion-buttons/		

#	Step / Hook Details	Status	Duration
	<p>ion-button[1]][2]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.74, chrome: {chromedriverVersion: 108.0.5359.22 (ec46c90f5938..., userDataDir: C:\Users\ININDC~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:52499}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52499/devtoo..., se:cdpVersion: 109.0.5414.74, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 7617e57b695747aa5134fb77d8883bdc</p> <p>atjdk.internal.reflect.GeneratedConstructorAccessor40.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) atjdk.proxy2/jdk.proxy2.\$Proxy46.toString(Unknown Source) at java.base/java.lang.String.valueOf(String.java:4215) at java.base/java.lang.StringBuilder.append(StringBuilder.java:169) at org.openqa.selenium.support.ui.ExpectedConditions\$23.toString(ExpectedConditions.java:673) at java.base/java.lang.String.valueOf(String.java:4215) at java.base/java.lang.StringBuilder.append(StringBuilder.java:169) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:229) at helper.WaitHelper.waitForElement(WaitHelper.java:81) at stepdefinitions.AccountPayable_VendorPurchaseOrder. user_click_the_cancelled_vendor_contract_eye_icon(AccountPayable_VendorPurchaseOrder.java:523) at ?.user click the cancelled vendor contract eye icon(file:///C:/Users/ININDC00089/git/AzentioAutomationFramework/ArAp/ AzentioAutomationFramework_ARAP_Excel/src/test/java/features/ArAp3.feature:27) * Not displayable characters are replaced by '?'. </p>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=109.0.5414.74) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.122', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [7617e57b695747aa5134fb77d8883bdc, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.74, chrome: {chromedriverVersion: 108.0.5359.22 (ec46c90f5938..., userDataDir:</p>	FAILED	0.284 s

#	Step / Hook Details	Status	Duration
	C:\Users\ININDC~1\AppData\Local\..., goog:chromeOptions: {debuggerAddress: localhost:52499}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52499/devtools, se:cdpVersion: 109.0.5414.74, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 7617e57b695747aa5134fb77d8883bdc at jdk.internal.reflect.GeneratedConstructorAccessor40.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:347) at stepdefinitions.HooksClass.addScreenshot(HooksClass.java:42)		
8	And get buisness partner name and get contract name	SKIPPED	0.004 s
9	Then Click on purchase order Eye Icon	SKIPPED	0.001 s
10	Then Click on purchase order Add button	SKIPPED	0.000 s
11	And select buisness partner we get in cancelled list	SKIPPED	0.000 s
12	And select referece type as contract	SKIPPED	0.000 s
13	And select the contract Name	SKIPPED	0.000 s
14	Then verify not able to select contract and po creation is not allowed	SKIPPED	0.000 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	34.141 s
	org.openqa.selenium.WebDriverException: disconnected: unable to connect to renderer (failed to check if window was closed: disconnected: unable to connect to renderer) (Session info: chrome=109.0.5414.74) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.122', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [7617e57b695747aa5134fb77d8883bdc, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.74, chrome: {chromedriverVersion: 108.0.5359.22 (ec46c90f5938..., userDataDir: C:\Users\ININDC~1\AppData\Local\..., goog:chromeOptions: {debuggerAddress: localhost:52499}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52499/devtools, se:cdpVersion: 109.0.5414.74, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 7617e57b695747aa5134fb77d8883bdc at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:432) at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)		

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify creating po against cancelled
order is not allowed


(F) AR/AP Module



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify creating po against cancelled
order is not allowed


(F) AR/AP Module



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify creating po against cancelled
order is not allowed


(F) AR/AP Module



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify creating po against cancelled
order is not allowed

(F) AR/AP Module



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify creating po against cancelled
order is not allowed

(F) AR/AP Module

≡

AZENTIO[™]
ONEBanking

Finance

⚙️

↔️

🕒

🔍

General ledger transaction

🔍

Budget

🔍

Accounts payable

🔍

Vendor contracts

🔍

Vendor purchase orders

🔍

Goods received note (GRN)

🔍

Invoice booking

22 Appro...

11 Mess...

10-Dec-2022

English

Azentio Software

(AZENTMAIN)

✉️

📄

👤 ANANT

←

Contract Creation View

✖️

Actions	Branch Code - Name Search Branch Code	Contract Number Search Contract Nui	Contract Description Search Contract De	Contract Type Search Contract Typ	Business Partner Search Business Pa	Txn Date Search
👁️ / ✎	AZENTMAIN - Azentio	Bank-9-28-06022023	Contract-002	Purchases Contract	Shasheekant	09-Dec-
👁️ / ✎	AZENTMAIN - Azentio	Bank-9-27-03022023	Contract-002	Purchases Contract	Shasheekant	06-Dec-
👁️ / ✎	AZENTMAIN - Azentio	Bank-9-26-03022023	Contract-002	Purchases Contract	Shasheekant	06-Dec-
👁️ / ✎	AZENTMAIN - Azentio	Bank-9-25-03022023	Contract-002	Purchases Contract	Shasheekant	06-Dec-
👁️ / ✎	AZENTMAIN - Azentio	Bank-9-24-03022023	Contract-002	Purchases Contract	Shasheekant	06-Dec-
👁️ / ✎	AZENTMAIN - Azentio	Bank-9-23-03022023	Contract-002	Purchases Contract	Shasheekant	06-Dec-
👁️ / ✎	AZENTMAIN - Azentio	Bank-9-22-02022023	Contract-002	Purchases Contract	Shasheekant	05-Dec-
👁️ / ✎	AZENTMAIN - Azentio	Bank-9-21-01022023	Contract-002	Purchases Contract	Shasheekant	04-Dec-
👁️ / ✎	AZENTMAIN - Azentio	Bank-9-20-31012023	Contract-002	Purchases Contract	Shasheekant	03-

133 total

🔍 < 1 2 3 4 5 > 🔍

+

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify creating po against cancelled
order is not allowed

(F) AR/AP Module

≡

AZENTIO[™]
ONEBanking

Finance

⚙️

↔️

🕒

🔍

General ledger transaction

🔍

Budget

🔍

Accounts payable

🔍

Vendor contracts

🔍

Vendor purchase orders

🔍

Goods received note (GRN)

🔍

Invoice booking

22 Appro...

11 Mess...

10-Dec-2022

English

Azentio Software

(AZENTMAIN)

✉️

📄

👤 ANANT

←

Contract Creation View

✖️

e - Name Branch Code	Contract Number Search Contract Nui	Contract Description Search Contract De	Contract Type Search Contract Typ	Business Partner Search Business Pa	Txn Date Search Txn Date	Contract Status CANCELLED
↓ - Azentio	Bank-9-3-11102022	DD	Expense Contract	Shasheekant	10-Sep-2023	CANCELLED

+