Cucumber Report

| Start : Feb 12, 5:03:49.999 AM	End : Feb 12, 5:07:57.853 AM	Duration : 4 m 7.854 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 12 FAILED - 1 SKIPPED - 3

1

1

16

Pass %

0 %

Pass %

0 %

Pass %

75 %

#	Feature Name	T	P	F	S	Duration
1	FIXED ASSETS	1	0	1	0	4 m 7.854 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	FIXED ASSETS	Check if other centre can accept the asset once received in their branch	16	12	1	3	4 m 7.833 s

(F)- FIXED ASSETS

| FAILED	DURATION - 4 m 7.854 s	Scenarios		Steps	
		Total - 1		Total - 16	
/ 5:03:49.999 AM // 5:07:57.853 AM /		Pass - 0	1	Pass - 12	16
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 3	

(S)- Check if other centre can accept the asset once received in their branch

FAILED	DURATION - 4 m 7.833 s		Steps	
/ 5:03:50.020 AM // 5:07:57.853 AM /			Total - 16	
FIXED ASSETS			Pass - 12	16
@KUBS_FAT_UAT_005_005			Fail - 1	
			Skip - 3	

#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	30.425 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	2.367 s
	screenshot		
2	And user should navigate to fixed assets menu	PASSED	0.801 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.435 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	When click on eye button of asset transfer	PASSED	0.578 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.460 s
	screenshot 		
4	And click on add button for asset transfer	PASSED	0.378 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.536 s
	screenshot 		
5	And Fill the required fields for asset transfer	PASSED	2.211 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.299 s
	screenshot 		
6	Then Save and submit the asset transfer	PASSED	8.864 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.241 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	And User should go to the kubs url and login as a reviewer user	PASSED	16.143 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.594 s
	screenshot 		
8	Then Click on notification button in reviewer	PASSED	0.547 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.800 s
	screenshot 		
9	And approve the record by the reviewer user	PASSED	5.634 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.359 s
	screenshot 		
10	Given User should go to the kubs url and login as a maker user for FAUM	PASSED	12.289 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.152 s
	screenshot		

| #	Step / Hook Details	Status	Duration
11	Then click on notification in checker	PASSED	0.189 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.803 s
	screenshot		
12	And Maker user should received the transferred asset	PASSED	6.176 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.376 s
	screenshot		
13	Then maker user should submit in undertaking	FAILED	1 m 49.610 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-button _ngcontent-oac-c290="" class="subButton ios button button-solid button-disabled ion-activatable ion-focusable hydrated" ng-reflect-disabled="true" aria-disabled="true" disabled="">...</ion-button> is not clickable at point (723, 450). Other element would receive the click: <ion-col _ngcontent-oac-c290="" size-lg="12" size-md="12" size-sm="12" size="12" ng-reflect-size="12" class="md hydrated" style="flex: 0 0 calc(calc(12 / var(--ion-grid-columns, 12)) * 100%); width: calc(calc(12 / var(--ion-grid-columns, 12)) * 100%); max-width: calc(calc(12 / var(--ion-grid-columns, 12)) * 100%);">...</ion-col> (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [3416d73751ac0351a2297f7771402738, clickElement {id=9b6fcb10-bbb6-4b4b-a1cc-507d2699d6da}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:51996}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:51996/devtoo..., se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (3416d73751ac0351a2297f7771402738)] -> xpath: //ion-row/ion-col/ion-button] Session ID: 3416d73751ac0351a2297f7771402738 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at jdk.internal.reflect.GeneratedMethodAccessor6.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.$Proxy46.click(Unknown Source) at stepdefinitions.FIXEDASSETS_AssetUndertaking.maker_user_should_submit_in_undertaking(FIXEDASSETS_AssetUndertaking.java:200) at ?.maker user should submit in undertaking(file:///C:/Users/inindc00091/git/repository/Devesh_AzentioFramework/src/test/java/features/FIXEDASSETS_AssetUndertaking.feature:20) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.280 s
14	And User should go to the kubs url and login as a reviewer user	SKIPPED	0.000 s
15	Then Click on notification button in reviewer	SKIPPED	0.000 s
16	And approve the record by the reviewer user	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check if other centre can accept the asset once received in their branch

(F) FIXED ASSETS

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check if other centre can accept the asset once received in their branch

(F) FIXED ASSETS

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check if other centre can accept the
asset once received in their branch

(F) FIXED ASSETS

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check if other centre can accept the
asset once received in their branch

(F) FIXED ASSETS

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check if other centre can accept the
asset once received in their branch

(F) FIXED ASSETS

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check if other centre can accept the
asset once received in their branch

(F) FIXED ASSETS

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check if other centre can accept the asset once received in their branch

(F) FIXED ASSETS

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check if other centre can accept the asset once received in their branch

(F) FIXED ASSETS

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check if other centre can accept the asset once received in their branch	
(F) FIXED ASSETS	

Fixed Asset Transfer screen

Record APPROVED Successfully, and Current Stage is FAUM with status PENDING from in00100.

Kastle Universal Banking (Beta) — 04-Oct-2022 — English — Azentio Software

Configuration

- Entity maintenance
- Security management
- User management
- Job scheduler
- Reference data
- Tax configuration

* Asset Reference Number: 01-001-desk_AZENTMAIN_5
Asset code: 01-001-desk
Asset Description: desk
Asset Value: 200,000.000 INR
Total Asset Value: 200,000.000 INR
* New Branch: Dadar Branch
Status: ACTIVE

Sr Number	Item Number	Item Description	Item Value	Depreciation Amount	Transfer
1	SampleTesting	SampleTesting	200000	0	Yes

1 total

22 Appro... — 11 Messa...

Home — Preference

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check if other centre can accept the asset once received in their branch	
(F) FIXED ASSETS	

Kastle Universal Banking (Beta) — 04-Oct-2022 — English — Azentio Software — (BR0003) — HARSHA

Configuration

- Entity maintenance
- Security management
- User management
- Job scheduler
- Reference data
- Tax configuration

Welcome, Harsha

22 Appro... — 11 Messa...

Home — Preference

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check if other centre can accept the asset once received in their branch

(F) FIXED ASSETS

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check if other centre can accept the asset once received in their branch

(F) FIXED ASSETS

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check if other centre can accept the asset once received in their branch

(F) FIXED ASSETS