


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Checking accountsPayable and accounts Receivable module	1	0	1	0	37.477 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Checking accountsPayable and	Verify cancelling Advance To employee is not allowed if the	40	7	1	32	37.467 s
	accounts Receivable module	same has been adjusted at payment settlement					

DETAILED SECTION

## (F)- Checking accounts Payable and accounts Receivable module

FAILED	DURATION - 37.477 s	Scenarios		Steps	
		Total - 1		Total - 40	
/ 5:27:33.803 F	PM // 5:28:11.280 PM /	Pass - 0	1	Pass - 7	40
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 32	

## (S)- Verify cancelling Advance To employee is not allowed if the same has been adjusted at payment settlement

FAILED DURATION - 37.467 s	20													1	;	Steps		
/ 5:27:33.813 PM // 5:28:11.280 PM /	15	-										-	-		-	Total - 40		
Checking accountsPayable and accounts Receivable module	10		- 1			- +	-!	+				- + -	-	+	-	Pass - 7	40	
	0			<u> </u>	_	<u> </u>					<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u>.</u>	Skip - 32		
@KUBS_AR_AP_UAT_003_008_TC_03		1	2	3	4	5	6	7 8	3 9	10	11	12	13	14	15			

#	Step / Hook Details	Status	Duration
1	Given Navigate to KUBS URL and login with maker credentials	PASSED	19.228 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.199 s
	screenshot		
	■ Particular States   Market		
2	And Goto accounts receivable advances module	PASSED	1.673 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.396 s
	screenshot		

3 Then click on search  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  5 And go to accounts payable module  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  5 And go to accounts payable module  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - ste	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  4 And select the advance to employee active record  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  5 And go to accounts payable module  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  4 And select the advance to employee active record  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  5 And go to accounts payable module  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.227 s  PASSED  0.264 s  1.310 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.178 s		The control of the		
screenshot  4 And select the advance to employee active record  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  Screenshot  5 And go to aacounts payable module  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  1.310 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  0.78 s	3	Then click on search	PASSED	0.123 s
4 And select the advance to employee active record  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  Screenshot  ARTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED 1.310 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED 0.178 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.256 s
4 And select the advance to employee active record  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  5 And go to accounts payable module  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  1.310 s  PASSED  0.27 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  5 And go to aacounts payable module  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 And Go to payment settlement module  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  1.310 s  PASSED  0.178 s		C		
Screenshot  5 And go to aacounts payable module  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  6 And Go to payment settlement module  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  PASSED  1.310 s  PASSED  0.78 s	4	And select the advance to employee active record	PASSED	0.686 s
5 And go to aacounts payable module  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 And Go to payment settlement module  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  1.310 s  PASSED  0.178 s			PASSED	0.238 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 And Go to payment settlement module  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  1.310 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  DASSED  0.264 s		© Yeard   0		
Screenshot  6 And Go to payment settlement module  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.178 s	5	And go to aacounts payable module	PASSED	0.227 s
6 And Go to payment settlement module  AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario)  PASSED  0.178 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.264 s
6 And Go to payment settlement module  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.178 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.178 s				
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.178 s	6	And Go to payment settlement module	PASSED	1.310 s
screenshot			PASSED	0.178 s
			1	


#	Step / Hook Details	Status	Duration
	1		
7	And click on Add Icon	PASSED	0.385 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.358 s
	screenshot		
	*** On the control of		
8	And fill the form for settlement	FAILED	5.230 s
	org.openga.selenium.NoSuchElementException: no such element: Unable to locate element: "method": "xpath", "selector": "/td[@aria-label='Janauary 7, 2023']/span"} (Session info: chrome=99.0.4844.82) For documentation on this error, please visit: https://selenium.dev/exceptions//fno_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014584', ip: '10.1.47.109', os.name: Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openga.selenium.chrome.ChromeDriver Command: [Zded4c5a68edea20f4.13249e66f3d839, findElement (Lusing=xpath, value=//td[@aria-label=Janauary 7, 2023']/span]) Capabilities (acceptinsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: (chromedriverVersion: 99.0.4844.85.1 (d537ec02474b5, userDataDir: C:\Users\ININDC-1\AppData\L), goog:chromeOptions: (debuggerAddress: localhost:49320), javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), sec.dcp wsri/localhost:49320/devtoo, sec.dpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: (implicit: 0, pageLoad: 300000, script: 30000), unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:virtualAuthenticators: true) Session ID: 2ded4c5a68edea20f413249e66f3d839 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.AttpCommand		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at stepdefinitions.ACCOUNTSPAYABLE_PaymentSettlement.fill_the_form_for_settlement(ACCOUNTSPAYABLE_PaymentSettlement. java:330) at ?.fill the form for settlement(file:///C:/Users/inindc00076/git/AzentioAutomationFrameworkAnandh/ Anandh_AzentioAutomationFramework1/src/test/java/features/ACCOUNTSPAYABLE_ACCOUNTSRECEIVABLE.feature:348) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.241 s
	screenshot		
	Particularities    Particularities   Particulari		
9	And Save the form	SKIPPED	0.000 s
10	And click notification button	SKIPPED	0.000 s
11	Then choose first record in the notification record	SKIPPED	0.000 s
12	And click on Submit button	SKIPPED	0.001 s
13	Then enter remark in confirmation alert	SKIPPED	0.000 s
14	Then click on submit button in alert	SKIPPED	0.001 s
15	And capture the reviewer ID in pop up which is open when we submit our record in maker stage	SKIPPED	0.000 s
16	Then logout from maker	SKIPPED	0.001 s
17	And login with reviewer credentials	SKIPPED	0.000 s
18	Then click on notification button	SKIPPED	0.000 s
19	And select our record in notification records using reference ID	SKIPPED	0.000 s
20	Then Approve the record from reviewer	SKIPPED	0.000 s
21	And enter the remark in alert	SKIPPED	0.000 s
22	Then click on submit in alert	SKIPPED	0.000 s
23	Then verify the approval status of the record	SKIPPED	0.000 s
24	And logout from reviewer	SKIPPED	0.000 s
25	Then login as a checker	SKIPPED	0.000 s
26	And click on security management menu in checker	SKIPPED	0.004 s
27	Then click on action button under security management menu	SKIPPED	0.000 s
28	And select our record and clime using reference ID	SKIPPED	0.002 s
29	Then click on Notification button	SKIPPED	0.000 s
30	Then select our record in notification records by the help of reference ID	SKIPPED	0.000 s


DETAILED SECTION -- 8 --


#	Step / Hook Details	Status	Duration
31	And click on approve button in checker stage	SKIPPED	0.000 s
32	Then give alert remark	SKIPPED	0.000 s
33	Then click on submit button on alert	SKIPPED	0.000 s
34	And verify the record got approved from checker	SKIPPED	0.000 s
35	Then logout from checker	SKIPPED	0.000 s
36	And login with Maker ID	SKIPPED	0.000 s
37	And goto arap adjustment main module	SKIPPED	0.001 s
38	Then go to ar ap adjustment module	SKIPPED	0.000 s
39	And click on Add Icon	SKIPPED	0.000 s
40	Then check the settlement completed advance can be cancelled	SKIPPED	0.000 s

EXPANDED SECTION



EXPANDED SECTION --- 10 --





EXPANDED SECTION -- 12 --

