Cucumber Report

| **Start : Mar 02, 9:32:10.500 AM**	**End : Mar 02, 9:32:35.658 AM**	**Duration : 25.158 s**
Features	Scenarios	Steps
PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 10 FAILED - 0 SKIPPED - 0

#	Feature Name	T	P	F	S	Duration
1	Checking the Acount Payable functionality	1	1	0	0	25.158 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Checking the Acount Payable functionality	Verify creating PO against contract is allowed if total QTY of previous	10	10	0	0	25.155 s

(F)- Checking the Acount Payable functionality

PASSED	DURATION - 25.158 s	Scenarios		Steps	
		Total - 1		Total - 10	
/ 9:32:10.500 AM // 9:32:35.658 AM /		Pass - 1	1	Pass - 10	10
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- Verify creating PO against contract is allowed if total QTY of previous

PASSED	DURATION - 25.155 s		Steps	
/ 9:32:10.503 AM // 9:32:35.658 AM /			Total - 10	
Checking the Acount Payable functionality			Pass - 10	10
@KUBS_AR/AP_UAT_013_TC_02 @MultiAuth			Fail - 0	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given Maker Navigate to UAT URL login	PASSED	9.119 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.169 s
	screenshot		
2	Then Click on Direction icon	PASSED	2.329 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.157 s
	screenshot		

| #	Step / Hook Details	Status	Duration
3	Then Click on Account Payable	PASSED	0.126 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.115 s
	screenshot		
4	Then Click on purchase order Eye Icon	PASSED	0.180 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.299 s
	screenshot		
5	Then Click on purchase order Add button	PASSED	0.245 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.191 s
	screenshot		
6	Then enter the PO service type details	PASSED	6.114 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.114 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	Then Click on Account Payable Save button	PASSED	0.085 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.162 s
	screenshot		
8	Then Click on purchase order Add button	PASSED	0.181 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.172 s
	screenshot		
9	Then fill the item details PO Amount is equal or lesser than contract Amount	PASSED	2.093 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.120 s
	screenshot		
10	Then Click on Account Payable Save button	PASSED	0.098 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.193 s
	screenshot		

#	Step / Hook Details	Status	Duration

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify creating PO against contract is allowed if total QTY of previous

(F) Checking the Acount Payable functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify creating PO against contract is allowed if total QTY of previous

(F) Checking the Acount Payable functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify creating PO against contract is allowed if total QTY of previous

(F) Checking the Acount Payable functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify creating PO against contract is allowed if total QTY of previous

(F) Checking the Acount Payable functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify creating PO against contract is
allowed if total QTY of previous

(F) Checking the Acount Payable
functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify creating PO against contract is
allowed if total QTY of previous

(F) Checking the Acount Payable
functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify creating PO against contract is allowed if total QTY of previous

(F) Checking the Acount Payable functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify creating PO against contract is allowed if total QTY of previous

(F) Checking the Acount Payable functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify creating PO against contract is
allowed if total QTY of previous

(F) Checking the Acount Payable
functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify creating PO against contract is
allowed if total QTY of previous

(F) Checking the Acount Payable
functionality