

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check Budget Request and Allocation feature module	1	1	0	0	17.358 s

SCENARIOS SUMMARY -- 3 --



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check Budget Request and Allocation	System Should follow the flow as Search criteria	9	9	0	0	17.350 s
	feature module						

DETAILED SECTION

(F)- Check Budget Request and Allocation feature module

PASSED	DURATION - 17.358 s	Scenarios		Steps	
		Total - 1		Total - 9	
/ 6:44:48.774 am	// 6:45:06.132 am /	Pass - 1	1	Pass - 9	9
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- System Should follow the flow as Search criteria


PASSED DURATION - 17.350 s	10 -		 			-;					Steps	
/ 6:44:48.782 am // 6:45:06.132 am /	8 -	 ▮	 								Total - 9	
Check Budget Request and Allocation feature module	6 -	 	 								Pass - 9 Fail - 0	9
@KUBS_SEARCH_CRITERIA_MODIFICATION BP_BC_19_01	0 -	1	 2	3	4	5	6	7	8	9	Skip - 0	


#	Step / Hook Details	Status	Duration
1	Given Navigate the Azentio Url Maker	PASSED	10.701 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.297 s
	screenshot		
2	Then Click Transfer icon button Maker	PASSED	0.553 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.237 s
	screenshot		

AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 4 Then Click Budget module Budget Request and Allocation Edit Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 5 And Click search icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) pASSED AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) pASSED AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.130 s PASSED 0.175 s		The state of the s		
screenshot Then Click Budget module Budget Request and Allocation Edit Icon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot ARTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) ARTER_STEP - stepdefinitions. HooksClass.addScr	3	And Click to Budget module in Maker	PASSED	0.095 s
Then Click Budget module Budget Request and Allocation Edit Icon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot ARTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) ARTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cu		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.156 s
Then Click Budget module Budget Request and Allocation Edit Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And Click search icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.130 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then Enter the search code AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.130 s PASSED 0.175 s		9 1 0 0 minimum 0 M 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
Screenshot 5 And Click search icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 6 Then Enter the search code AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.130 s PASSED 0.175 s	4	Then Click Budget module Budget Request and Allocation Edit Icon	PASSED	0.192 s
5 And Click search icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 Then Enter the search code AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.130 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.175 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.311 s
5 And Click search icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot Then Enter the search code AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.130 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.175 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 6 Then Enter the search code AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.216 s 0.130 s PASSED 0.175 s		0 1 1 1 1 1 1 1 1 1 1 1 1		
Screenshot 6 Then Enter the search code AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.130 s 0.175 s	5	And Click search icon	PASSED	0.104 s
6 Then Enter the search code AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario) PASSED 0.130 s 0.175 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.216 s
6 Then Enter the search code AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.130 s 0.175 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.175 s		The continue The		
	6	Then Enter the search code	PASSED	0.130 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.175 s
		screenshot		


#	Step / Hook Details	Status	Duration
	Page 1 pa		
7	And Click action button	PASSED	0.434 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.295 s
	screenshot		
8	Then Capture the code	PASSED	0.010 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.139 s
	screenshot		
	Point space		
9	And Modify the Code	PASSED	0.250 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.125 s
	screenshot		
	Particular Par		

EXPANDED SECTION -- 7






EXPANDED SECTION -- 9 --



EXPANDED SECTION -- 10 --



EXPANDED SECTION -- 11 --

