


FEATURES SUMMARY -- 2 --



| # | Feature Name                            | T | P | F | S | Duration    |
|---|---|---|---|---|---|-------------|
| 1 | BUDGET TRANSFER SUBMODULE UAT TESTCASES | 1 | 0 | 1 | 0 | 1 m 4.131 s |




| # | Feature Name              | Scenario Name  | T  | P | F | S  | Duration    |
|---|---------------------------|--|----|---|---|----|-------------|
| 1 | BUDGET TRANSFER SUBMODULE | Check the trasnfering budget code and transferred budget | 19 | 6 | 1 | 12 | 1 m 4.120 s |
|   | UAT TESTCASES             | code type should be same                                 |    |   |   |    |             |

DETAILED SECTION -- 4 --

## (F)- BUDGET TRANSFER SUBMODULE UAT TESTCASES

| FAILED          | DURATION - 1 m 4.131 s | Scenarios |   | Steps      |    |
|-----------------|------------------------|-----------|---|------------|----|
|                 |                        | Total - 1 |   | Total - 19 |    |
| / 9:03:40.138 I | PM // 9:04:44.269 PM / | Pass - 0  | 1 | Pass - 6   | 19 |
|                 |                        | Fail - 1  |   | Fail - 1   |    |
|                 |                        | Skip - 0  |   | Skip - 12  |    |

## (S)- Check the trasnfering budget code and transferred budget code type should be same



| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
| 1 | Given navigate to kubs url and login as a maker user   | PASSED | 15.724 s |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)   | PASSED | 1.931 s  |
|   | screenshot   |        |          |
|   | Howard to the control of the control |        |          |
| 2 | Then select the budget menu in segment button  | PASSED | 1.443 s  |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)   | PASSED | 0.196 s  |
|   | screenshot   |        |          |


| 3 And click on the eye icon of budget transfer sub module  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)   | # | Step / Hook Details   | Status | Duration |
|---|---|---|--------|----------|
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.954 s  4 Then click on add button to create budget record  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  5 And fill the required field to transfer budget  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  3.239 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  4 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.427 s  0.427 s  0.755 s   |   | The control of the |        |          |
| Screenshot  4 Then click on add button to create budget record  AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario)  Screenshot  5 And fill the required field to transfer budget  AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario)  AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario)  AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario)  Screenshot  AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario)  Screenshot  | 3 | And click on the eye icon of budget transfer sub module   | PASSED | 0.723 s  |
| 4 Then click on add button to create budget record  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  5 And fill the required field to transfer budget  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  3.239 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.427 s  0.427 s  0.427 s  0.427 s  0.427 s  0.427 s  0.755 s  |   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  | PASSED | 0.954 s  |
| 4 Then click on add button to create budget record  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  5 And fill the required field to transfer budget  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  3.239 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.349 s  |   | screenshot  |        |          |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  5 And fill the required field to transfer budget  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  PASSED  0.755 s  3.239 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  |   | Contraction   |        |          |
| Screenshot  5 And fill the required field to transfer budget  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  PASSED 3.239 s  0.349 s   | 4 | Then click on add button to create budget record  | PASSED | 0.427 s  |
| 5 And fill the required field to transfer budget  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  ###################################   |   |   | PASSED | 0.755 s  |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  |   | © Name   Name |        |          |
| Screenshot    * * *******************************   | 5 | And fill the required field to transfer budget  | PASSED | 3.239 s  |
|   |   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  | PASSED | 0.349 s  |
| □ Dear to the total tot |   | screenshot  |        |          |
|   |   | 0 ms s s s s s s s s s s s s s s s s s s  |        |          |
| 6 Then save and submit by the maker user to transfer 8.832 s  | 6 | Then save and submit by the maker user to transfer  | PASSED | 8.832 s  |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.438 s   |   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  | PASSED | 0.438 s  |
| screenshot  |   | screenshot  |        |          |


| Step / Hook Details  | Status | Duration |
|--|--------|----------|
| ### OF CONTROLLED ### OF CONTR |        |          |
| And Navigate to the Url and login as reviewer user   | FAILED | 10.917 s |
| org.openga.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath":"selector:"://p[contains(text().0(p)]"] (Session info: chrome=96.0.4664.45). For documentation on this error, please visit: https://selentom.elvexceptions/#no_such_element Build info: version: "4.0-or-c1; revision: "bc551.cbda" System info: host: "PG00X8KU; ip: 10.1.47.121; os.name: Windows 10; os.arch: "amd64", os.version: "10.0; java.version: "17.0.1 'Driver info: org. openga.selenium.chrome. ChromeDirver Command: [7.9447ccfee4dab581l157449451fb, findfellement (using=xpath, value=-p[ontains(text), 070])]] Capabilities (acceptinsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: (chromedriverVersion: 96.0.4664.45 (764c1bb2ab46, userDatabir: C:UsersiNiNiDC-1NxppDatalL); goog: chromeOptions: (debuggerAddress: localhost51723), javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WiNDOWS, platformName: WINDOWS, proxy; Proxy(), secdp; ws://localhost.61723/devtoo, secdpVersion: 96.0.4664.45, setWindowRect: true, strictFleInteractability: false, timeouts: (implicit: 0, pageLoad: 300000), script: 30000), unhandfeldPromptEehadvior: dismiss and notify, webatin-extension:largeBlob: true, webauthn:extension:largeBlob: largeBlob: largeBlo           |        |          |

DETAILED SECTION -- 7 --


| #  | Step / Hook Details  | Status  | Duration |
|----|--|---------|----------|
|    | * Not displayable characters are replaced by '?'.  |         |          |
|    | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)   | PASSED  | 0.717 s  |
|    | screenshot   |         |          |
|    | The control of the co |         |          |
| 8  | Then Click on the Notification button  | SKIPPED | 0.001 s  |
| 9  | Then Find the budget code which is submitted by maker  | SKIPPED | 0.001 s  |
| 10 | And reviewer user should logout  | SKIPPED | 0.001 s  |
| 11 | Given Navigate to kubs Url and login as a Checker user   | SKIPPED | 0.001 s  |
| 12 | And Click on the security management menu  | SKIPPED | 0.000 s  |
| 13 | Then Click on open pool sub menu   | SKIPPED | 0.001 s  |
| 14 | And Click on claim button of the submitted record  | SKIPPED | 0.000 s  |
| 15 | Then claimed status should appear  | SKIPPED | 0.000 s  |
| 16 | Then Click on the Notification button  | SKIPPED | 0.001 s  |
| 17 | Then finally checker should approve the record   | SKIPPED | 0.000 s  |
| 18 | And system should show prompt message for verification   | SKIPPED | 0.000 s  |
| 19 | Then checker user should logout  | SKIPPED | 0.000 s  |

EXPANDED SECTION --- 8 --





EXPANDED SECTION -- 10 --



(Step) AFTER\_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check the trasnfering budget code and transferred budget code type should be same

(F) BUDGET TRANSFER SUBMODULE UAT TESTCASES

