

# Cucumber Report

9 Jan 2023, 5:38:39 PM

Start : Jan 09, 5:38:23.955 PM

End : Jan 09, 5:38:36.821 PM

Duration : 12.866 s

Features

Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 0  
FAILED - 1  
SKIPPED - 7







#	Feature Name	T	P	F	S	Duration
1	AR_AP Module	1	0	1	0	12.866 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	AR_AP Module	Checking of downloaded payment files for online payment where create file basis is Bank Wise	8	0	1	7	12.861 s


**(F)- AR\_AP Module**

<b>FAILED</b>	<b>DURATION - 12.866 s</b>	Scenarios		Steps	
/ 5:38:23.955 PM // 5:38:36.821 PM /		Total - 1		Total - 8	
		Pass - 0		Pass - 0	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 7	

**(S)- Checking of downloaded payment files for online payment where create file basis is Bank Wise**

<b>FAILED</b>	<b>DURATION - 12.861 s</b>		Steps	
/ 5:38:23.960 PM // 5:38:36.821 PM /			Total - 8	
AR_AP Module			Pass - 0	
@blocker @AR/AP @KUBS_AR_AP_UAT_008_002_TC_01			Fail - 1 Skip - 7	

#	Step / Hook Details	Status	Duration
1	<p>Given User should go to the kubs url and login as a maker user</p> <p>org.openqa.selenium.WebDriverException: unknown error: net::ERR_CONNECTION_REFUSED (Session info: chrome=108.0.5359.125)            Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.150', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.4.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command:            [486f23fd3c4fb229ac415cd3e6315109, get {url=http://172.27.78.245:6080/kubs-qc/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.125, chrome: {chromedriverVersion: 108.0.5359.71 (1e0e3868ee06..., userDataDir: C:\Users\NINDC~1\AppData\Local\Temp\chrome-devtools-remote\chrome-devtools-remote-chromium-108.0.5359.71\userDataDir\default}, goog:chromeOptions: {debuggerAddress: localhost:52416}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52416/devtools, se:cdpVersion: 108.0.5359.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 486f23fd3c4fb229ac415cd3e6315109            at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)            at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)            at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)            at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)            at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)            at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)            at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)            at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)</p>	FAILED	6.669 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:326) at stepdefinitions.ACCOUNTSPAYABLE_VendorContracts. user_should_go_to_the_kubs_url_and_login_as_a_maker_user(ACCOUNTSPAYABLE_VendorContracts.java:48)   at ?.User should go to the kubs url and login as a maker user(file:///C:/Users/ININDC00075/git/Arshath_Excel_AzentioAutomationFramework/ AzentioAutomationFramework_ARAP_Excel_Arshath/src/test/java/features/ArAp2.feature:817) * Not displayable characters are replaced by '?'. </pre>		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.423 s
	screenshot		
			
2	And click on arap configuration main menu	SKIPPED	0.000 s
3	And click on payment file generation setup sub menu	SKIPPED	0.000 s
4	And user update the Excel sheet testdata for online payment	SKIPPED	0.000 s
5	And configure the file format as Bank Wise	SKIPPED	0.000 s
6	And save the arap configure record	SKIPPED	0.001 s
7	Then Click on Update Deposited Cheque Notification	SKIPPED	0.001 s
8	And Select and Submit the Update Deposited Cheque recordssss	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)
<u>(S) Checking of downloaded payment files for online payment where create file basis is Bank Wise</u>
<u>(F) AR_AP Module</u>



This site can't be reached

172.27.78.245 refused to connect.

- Try:
- Checking the connection
  - [Checking the proxy and the firewall](#)

ERR\_CONNECTION\_REFUSED

Reload

Details