Cucumber Report

| Start : May 11, 5:06:51.688 pm	End : May 11, 5:07:34.792 pm	Duration : 43.104 s
Features	Scenarios	Steps
PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 13 FAILED - 0 SKIPPED - 0

#	Feature Name	T	P	F	S	Duration
1	Check the Functionality of the GL1 Module	1	1	0	0	43.104 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Functionality of the GL1 Module	If COA marked as de-active when accounting transaction carried out	13	13	0	0	43.093 s

(F)- Check the Functionality of the GL1 Module

PASSED	DURATION - 43.104 s	Scenarios		Steps	
/ 5:06:51.688 pm // 5:07:34.792 pm /		Total - 1		Total - 13	
		Pass - 1	1	Pass - 13	13
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- If COA marked as de-active when accounting transaction carried out

PASSED	DURATION - 43.093 s		Steps	
/ 5:06:51.699 pm // 5:07:34.792 pm /			Total - 13	
Check the Functionality of the GL1 Module			Pass - 13	13
			Fail - 0	
@KUBS_GL_UAT_005_009			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given Navigate to URL and user should login as a maker	PASSED	12.100 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.259 s
	screenshot		
2	Then Click on the Finance	PASSED	0.000 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.401 s
	screenshot		

| #	Step / Hook Details	Status	Duration
3	Then click on accounting setup	PASSED	2.280 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.199 s
	screenshot		
4	Then Click on Chart of account definatation	PASSED	0.199 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.593 s
	screenshot		
5	Then Click on search button to search COA	PASSED	1.009 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.158 s
	screenshot		
6	Then Click on Edit button to edit COA record	PASSED	0.143 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.543 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	Then Click on status to make it inactive	PASSED	5.336 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.111 s
	screenshot		
8	Then Click on save button to save record	PASSED	0.134 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.213 s
	screenshot		
9	Then Validation message should pop up	PASSED	0.031 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.193 s
	screenshot		
10	Given Navigate to URL and user should login as a maker	PASSED	9.774 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.215 s
	screenshot		

#	Step / Hook Details	Status	Duration
11	Then Click on the Finance	PASSED	0.002 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.429 s
	screenshot		
12	Then click on accounting setup	PASSED	2.161 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.117 s
	screenshot		
13	Then Click on Chart of account definatation	PASSED	0.179 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.384 s
	screenshot		

| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) If COA marked as de-active when accounting transaction carried out	
(F) Check the Functionality of the GL1 Module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) If COA marked as de-active when accounting transaction carried out	
(F) Check the Functionality of the GL1 Module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) If COA marked as de-active when accounting transaction carried out	
(F) Check the Functionality of the GL1 Module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) If COA marked as de-active when accounting transaction carried out	
(F) Check the Functionality of the GL1 Module	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) If COA marked as de-active when
accounting transaction carried out

(F) Check the Functionality of the GL1
Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) If COA marked as de-active when
accounting transaction carried out

(F) Check the Functionality of the GL1
Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) If COA marked as de-active when accounting transaction carried out	
(F) Check the Functionality of the GL1 Module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) If COA marked as de-active when accounting transaction carried out	
(F) Check the Functionality of the GL1 Module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) If COA marked as de-active when accounting transaction carried out	
(F) Check the Functionality of the GL1 Module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) If COA marked as de-active when accounting transaction carried out	
(F) Check the Functionality of the GL1 Module	

|	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) If COA marked as de-active when accounting transaction carried out	
(F) Check the Functionality of the GL1 Module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) If COA marked as de-active when accounting transaction carried out	
(F) Check the Functionality of the GL1 Module	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cumber.
java.Scenario)

(S) If COA marked as de-active when accounting transaction carried out

(F) Check the Functionality of the GL1 Module