

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check the Functionality of Inventory	1	1	0	0	55.930 s

SCENARIOS SUMMARY -- 3 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Functionality of Inventory	Check inventory request report	8	8	0	0	55.923 s

(F)- Check the Functionality of Inventory

PASSED	DURATION - 55.930 s	Scenarios		Steps	
		Total - 1		Total - 8	
/ 5:44:57.964 PN	1 // 5:45:53.894 PM /	Pass - 1	1	Pass - 8	8
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	


(S)- Check inventory request report




	#	Step / Hook Details	Status	Duration
1		Given User should go to the kubs url and login as a maker user	PASSED	44.965 s
		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.451 s
		screenshot		
		A SECTION The above to the control of the control		
2		Then select data set ID for inventory request report	PASSED	0.359 s
		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.273 s
		screenshot		
		A SCHOOL STATE OF THE PROPERTY		

#	Step / Hook Details	Status	Duration
3	Then click on report button	PASSED	1.020 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.251 s
	screenshot		
	Dated to the control of the control		
4	Then Click on Report Tab	PASSED	0.162 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.269 s
	screenshot		
	ASSETTO BALESTO BALES		
5	Then Click on Inventory Request report edit grid	PASSED	0.258 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.250 s
	screenshot		
	ASSITION Broad 25 light Control (1) Contr		
6	Then Fill the form for Inventory Request report	PASSED	1.568 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.234 s
	screenshot		
	ASSITION Studies light foundation and read		
7	And click on view button to view report of inventory request	PASSED	0.165 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.284 s
	screenshot		


DETAILED SECTION -- 6 --




EXPANDED SECTION -- 7



EXPANDED SECTION -- 8 -



EXPANDED SECTION -- 9 --



EXPANDED SECTION -- 10 --

