Cucumber Report

Feb 22, 2022, 11:45:14 PM

Start : Feb 22, 11:44:09.716 PM	End : Feb 22, 11:45:13.962 PM	Duration : 1 m 4.246 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 21 FAILED - 1 SKIPPED - 4

Features: 1

Scenarios: 1

Steps: 26

Pass % : 0 %

Pass % : 0 %

Pass % : 80 %

#	Feature Name	T	P	F	S	Duration
1	*Checking the Acount Payable GRN functionality*	1	0	1	0	1 m 4.246 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Checking the Acount Payable GRN functionality	GRN should be created successfully and displayed in approved queue with Active Status.	26	21	1	4	1 m 4.243 s

(F)- Checking the Acount Payable GRN functionality

FAILED	DURATION - 1 m 4.246 s	Scenarios		Steps	
		Total - 1		Total - 26	
/ 11:44:09.716 PM // 11:45:13.962 PM /		Pass - 0	1	Pass - 21	26
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 4	

(S)- GRN should be created successfully and displayed in approved queue with Active Status.

FAILED	DURATION - 1 m 4.243 s		Steps	
/ 11:44:09.719 PM // 11:45:13.962 PM /			Total - 26	
Checking the Acount Payable GRN functionality			Pass - 21	26
@MultiAuth @TC_003			Fail - 1	
			Skip - 4	

#	Step / Hook Details	Status	Duration
1	Given Maker Navigate to UAT URL login	PASSED	9.744 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.143 s
	screenshot		
2	Then Click on Direction icon	PASSED	2.328 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.131 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	Then Click on Account Payable	PASSED	0.122 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.111 s
	screenshot		
4	Then Click on GRN Eye button	PASSED	0.315 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.204 s
	screenshot		
5	Then Click on purchase order Add button	PASSED	0.219 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.215 s
	screenshot		
6	Then Fill the form for GRN	PASSED	1.188 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.141 s
	screenshot		

| #	Step / Hook Details	Status	Duration
7	Then Click on Account Payable Save button	PASSED	0.093 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.131 s
	screenshot		
8	Then Click on Account Payable Notification	PASSED	0.279 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.235 s
	screenshot		
9	Then Select the record from Notification	PASSED	0.309 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.213 s
	screenshot		
10	Then Click on item Details tab	PASSED	2.099 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.195 s
	screenshot		

#	Step / Hook Details	Status	Duration
11	Then Select PO Number	PASSED	2.421 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.086 s
	screenshot 		
12	Then Add qty received qty approved	PASSED	2.347 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.088 s
	screenshot 		
13	Then Click on item Details Save button	PASSED	0.084 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.147 s
	screenshot 		
14	Then Click on Account Payable Notification	PASSED	0.232 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.178 s
	screenshot		

#	Step / Hook Details	Status	Duration
15	Then Select the record from Notification	PASSED	0.761 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.193 s
	screenshot		
16	And Submit the record with Remark	PASSED	10.602 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.099 s
	screenshot		
17	Then log in to the reviewer account	PASSED	4.711 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.094 s
	screenshot		
18	Then click on the Notification Approve the record	PASSED	5.563 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.105 s
	screenshot		

| #	Step / Hook Details	Status	Duration
19	Then log in to the Checker Account	PASSED	5.255 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.075 s
	screenshot		
20	And then checker claim the record	PASSED	1.873 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.120 s
	screenshot		
21	Then click on the checker Notification	PASSED	1.096 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.156 s
	screenshot		
22	And select the record and Approve by checker	FAILED	7.033 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-button _ngcontent-hmd-c290="" class="subButton ios button button-solid button-disabled ion-activatable ion-focusable hydrated" ng-reflect-disabled="true" aria-disabled="true" disabled="">...</ion-button> is not clickable at point (723, 436). Other element would receive the click: <ion-col _ngcontent-hmd-c290="" size-lg="12" size-md="12" size-sm="12" size="12" ng-reflect-size="12" class="md hydrated" style="flex: 0 0 calc(calc(12 / var(--ion-grid-columns, 12)) * 100%); width: calc(calc(12 / var(--ion-grid-columns, 12)) * 100%); max-width: calc(calc(12 / var(--ion-grid-columns, 12)) * 100%);">...</ion-		

#	Step / Hook Details	Status	Duration

	col> (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [754db6745494ffd0885efbbc01754227, clickElement {id=9c6bf29d-8569-4803-9988-d1e77ee1a18a}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:49906}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:49906/devtoo..., se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (754db6745494ffd0885efbbc01754227)] -> xpath: //ion-button[contains(text(),'Submit')]] Session ID: 754db6745494ffd0885efbbc01754227
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	   at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251)
	   at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77)
	   at jdk.internal.reflect.GeneratedMethodAccessor5.invoke(Unknown Source)
	   at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	   at java.base/java.lang.reflect.Method.invoke(Method.java:568)
	   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52)
	   at jdk.proxy2/jdk.proxy2.$Proxy46.click(Unknown Source)
	   at stepdefinitions.InventoryMaintenance.select_the_record_and_approve_by_checker(InventoryMaintenance.java:399)
	   at ?.select the record and Approve by checker(file:///C:/Users/inindc00089/git/repository/Priyanka_AzentioAutomationFramework/src/test/java/features/AccountPayable_Grn.feature:28)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.088 s
23	Given Maker Navigate to UAT URL login	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
24	Then Click on Direction icon	SKIPPED	0.000 s
25	Then Click on Account Payable	SKIPPED	0.000 s
26	Then Click on GRN Eye button	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) GRN should be created successfully
and displayed in approved queue with
Active Status.

(F) Checking the Acount Payable GRN
functionality

☰ 🌐 Kastle Universal Banking (Beta)	19-Oct-2022 English ▾ Azentio Software ▾ (AZENTMAIN)	ANANT

Finance ▾

| Configuration | ◉ |
| Finance | ○ |

Welcome, anant

22 Appro... ⊗   11 Messa... ⊗   Home   Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) GRN should be created successfully
and displayed in approved queue with
Active Status.

(F) Checking the Acount Payable GRN
functionality

☰ 🌐 Kastle Universal Banking (Beta)   19-Oct-2022 English ▾   Azentio Software ▾   (AZENTMAIN) 🔔 ▶ 👤 ANANT

Finance ▾

🔧   ⚏   📋

⊙ General ledger transaction
⊙ Budget
⊙ Accounts payable
⊙ Adjustments (AR and AP)
⊙ Accounts receivable
⊙ Fixed assets
⊙ Inventory management
⊙ Petty cash
⊙ Bank recon

Welcome, anant

22 Appro... ⊗   11 Messa... ⊗   Home   Preference

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) GRN should be created successfully and displayed in approved queue with Active Status.

(F) Checking the Acount Payable GRN functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) GRN should be created successfully and displayed in approved queue with Active Status.

(F) Checking the Acount Payable GRN functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) GRN should be created successfully and displayed in approved queue with Active Status.	
(F) Checking the Acount Payable GRN functionality	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) GRN should be created successfully and displayed in approved queue with Active Status.	
(F) Checking the Acount Payable GRN functionality	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) GRN should be created successfully and displayed in approved queue with Active Status.

(F) Checking the Acount Payable GRN functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) GRN should be created successfully and displayed in approved queue with Active Status.

(F) Checking the Acount Payable GRN functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) GRN should be created successfully and displayed in approved queue with Active Status.	
(F) Checking the Acount Payable GRN functionality	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) GRN should be created successfully and displayed in approved queue with Active Status.	
(F) Checking the Acount Payable GRN functionality	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) GRN should be created successfully and displayed in approved queue with Active Status.	
(F) Checking the Acount Payable GRN functionality	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) GRN should be created successfully and displayed in approved queue with Active Status.	
(F) Checking the Acount Payable GRN functionality	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) GRN should be created successfully
and displayed in approved queue with
Active Status.

(F) Checking the Acount Payable GRN
functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) GRN should be created successfully
and displayed in approved queue with
Active Status.

(F) Checking the Acount Payable GRN
functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) GRN should be created successfully and displayed in approved queue with Active Status.	
(F) Checking the Acount Payable GRN functionality	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) GRN should be created successfully and displayed in approved queue with Active Status.	
(F) Checking the Acount Payable GRN functionality	

|	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) GRN should be created successfully and displayed in approved queue with Active Status. (F) Checking the Acount Payable GRN functionality	≡ 🌐 Kastle Universal Banking (Beta) 19-Oct-2022 English ▾ Azentio Software ▾ (AZENTMAIN) 🔔 ⌨ 👤 REVIEWER Welcome, Reviewer 22 Appro... ✕ 11 Messa... ✕ Home Preference

|	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) GRN should be created successfully and displayed in approved queue with Active Status. (F) Checking the Acount Payable GRN functionality	≡ 🌐 Kastle Universal Banking (Beta) 19-Oct-2022 English ▾ Azentio Software ▾ (A Record is available in CHECKER's Open Pool with status PENDING ✕ No Module Mapped GRN Item Details ← GRN *BP Name: Bonton Agency ✕ ▾ BP Branch: Corporate Branch- Panvel ✕ ▾ GRN Number *Invoice Number: INV-22-02 *GRN Date: 23-Feb-2022 📅 GRN Amount: 1,000.00 INR ✕ ▾ *Delivery Location: Azentio Main Branch ✕ ▾ Upload Delivery challan [Choose File] No file chosen [DOWNLOAD ⬇] GRN Status: Active ▾ TXT Status: MAKER Remark 22 Appro... ✕ 11 Messa... ✕

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) GRN should be created successfully and displayed in approved queue with Active Status.	
(F) Checking the Acount Payable GRN functionality	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) GRN should be created successfully and displayed in approved queue with Active Status.	
(F) Checking the Acount Payable GRN functionality	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) GRN should be created successfully and displayed in approved queue with Active Status.

(F) Checking the Acount Payable GRN functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) GRN should be created successfully and displayed in approved queue with Active Status.

(F) Checking the Acount Payable GRN functionality