Cucumber Report

| **Start : Feb 11, 11:45:18.155 PM**	**End : Feb 11, 11:45:33.542 PM**	**Duration : 15.387 s**
Features	*Scenarios*	*Steps*
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 6 FAILED - 1 SKIPPED - 8

#	Feature Name	T	P	F	S	Duration
1	Checking the Fixed Asset functionality	1	0	1	0	15.387 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Checking the Fixed Asset functionality	Asset Category should be created and visible in the list view of Asset category sub-module	15	6	1	8	15.384 s

(F)- Checking the Fixed Asset functionality

FAILED	DURATION - 15.387 s	Scenarios		Steps	
		Total - 1		Total - 15	
/ 11:45:18.155 PM // 11:45:33.542 PM /		Pass - 0	1	Pass - 6	15
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 8	

(S)- Asset Category should be created and visible in the list view of Asset category sub-module

FAILED	DURATION - 15.384 s		Steps	
/ 11:45:18.158 PM // 11:45:33.542 PM /			Total - 15	
Checking the Fixed Asset functionality			Pass - 6	15
			Fail - 1	
@KUBS_FAT_UAT_002_002 @MultiAuth			Skip - 8	

#	Step / Hook Details	Status	Duration
1	Given Maker Navigate to UAT URL login	PASSED	9.144 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.176 s
	screenshot		
2	Then Click on Fixed Asset Direction icon	PASSED	0.110 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.262 s
	screenshot		

| #	Step / Hook Details	Status	Duration
3	Then Click on Fixed assets configuration	PASSED	0.119 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.120 s
	screenshot 		
4	Then Click on Asset Category Eye button	PASSED	0.144 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.248 s
	screenshot 		
5	Then Click on Asset Category Add button	PASSED	0.170 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.207 s
	screenshot 		
6	Then Fill Asset Category Mandatory fields	PASSED	0.853 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.132 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	Then Click on Asset Category Save button	FAILED	1.094 s

org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-button color="primary" ng-reflect-color="primary" class="ion-color ion-color-primary md button button-clear in-toolbar ion-activatable ion-focusable hydrated button-disabled" ng-reflect-disabled="true" aria-disabled="true" disabled="">...</ion-button> is not clickable at point (1413, 88). Other element would receive the click: <ion-buttons slot="end" class="buttons-last-slot sc-ion-buttons-md-h sc-ion-buttons-md-s md hydrated">...</ion-buttons>   (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os. name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c1c89f484f2bfeba4af3abfa1811ef3c, clickElement {id=3b99e3e3-64c4-4c20-895d-3196af9c5f33}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:57744}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57744/devtoo..., se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (c1c89f484f2bfeba4af3abfa1811ef3c)] -> xpath: (//ion-toolbar[1]/ion-buttons[2]/ion-button[1])[2]] Session ID: c1c89f484f2bfeba4af3abfa1811ef3c
    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
    at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251)
    at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77)
    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
    at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
    at java.base/java.lang.reflect.Method.invoke(Method.java:568)
    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52)
    at jdk.proxy2/jdk.proxy2.$Proxy46.click(Unknown Source)
    at stepdefinitions.FixedAsset_AssetCategory.click_on_asset_category_save_button(FixedAsset_AssetCategory.java:125)

#	Step / Hook Details	Status	Duration
	at ?.Click on Asset Category Save button(file:///C:/Users/inindc00089/git/repository/Priyanka_AzentioAutomationFramework/src/test/java/features/FixedAsset_AssetCategory.feature:12) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.086 s
8	Then Click on Asset Category Notification	SKIPPED	0.000 s
9	And Select Inventory Item and Submit the record	SKIPPED	0.000 s
10	Then log in to the reviewer account	SKIPPED	0.000 s
11	Then click on the Notification select the record and Approve	SKIPPED	0.001 s
12	Then log in to the Checker Account	SKIPPED	0.000 s
13	And then checker claim the record	SKIPPED	0.000 s
14	Then click on the checker Notification	SKIPPED	0.000 s
15	And select the record and Approve by checker	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Asset Category should be created and visible in the list view of Asset category sub-module	
(F) Checking the Fixed Asset functionality	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Asset Category should be created and visible in the list view of Asset category sub-module	
(F) Checking the Fixed Asset functionality	

|	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Asset Category should be created and visible in the list view of Asset category sub-module	
(F) Checking the Fixed Asset functionality	

|	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Asset Category should be created and visible in the list view of Asset category sub-module	
(F) Checking the Fixed Asset functionality	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Asset Category should be created and visible in the list view of Asset category sub-module	
(F) Checking the Fixed Asset functionality	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Asset Category should be created and visible in the list view of Asset category sub-module	
(F) Checking the Fixed Asset functionality	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Asset Category should be created and visible in the list view of Asset category sub-module

(F) Checking the Fixed Asset functionality

☰   🌐   Kastle Universal Banking (Beta)   04-Oct-2022   English ⌄   Azentio Software ⌄   (AZENTMAIN) 🔔 💻 👤 ANANT

Finance

🔧   🚩   📋

⊘ Business partner setup

⊘ General ledger configurat...

⊘ Accounting setup

⊘ Expense/AR & AP configu...

⊘ Budget configuration

⊙ Fixed assets configuration

▶ Asset category   ✎ 👁

▶ Asset code
   configuration   ✎ 👁

▶ Branch level
   depreciation   ✎ 👁

▶ Asset GL configuration   ✎ 👁

   Asset serial number

22 Appro... ⊗   11 Messa... ⊗

← ASSET_CATEGORY   💾

* Asset Category   * Asset Sub Category   * Asset Item category

Furnitures & Fixtures   ✕ ⌄   ⌄

* Asset Description   ⊕
ply

Asset Code is already exist !!!!   ✕