Cucumber Report

| Start : Mar 31, 2:49:53.141 PM	End : Mar 31, 2:51:02.973 PM	Duration : 1 m 9.832 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 7 FAILED - 1 SKIPPED - 9
1	1	17
0 %	0 %	41 %

#	Feature Name	T	P	F	S	Duration
1	Check the Functionality of Fixed Asset module	1	0	1	0	1 m 9.832 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Functionality of Fixed Asset module	Check if any used asset can be allocated to a specific resource in the branch	17	7	1	9	1 m 9.827 s

(F)- Check the Functionality of Fixed Asset module

FAILED	DURATION - 1 m 9.832 s	Scenarios		Steps	
		Total - 1		Total - 17	
/ 2:49:53.141 PM // 2:51:02.973 PM /		Pass - 0		Pass - 7	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 9	

(S)- Check if any used asset can be allocated to a specific resource in the branch

FAILED	DURATION - 1 m 9.827 s		Steps	
/ 2:49:53.146 PM // 2:51:02.973 PM /			Total - 17	
			Pass - 7	
Check the Functionality of Fixed Asset module			Fail - 1	
@KUBS_FAT_UAT_006_002			Skip - 9	

#	Step / Hook Details	Status	Duration
1	Given Navigate to kubs URL and user should login as a maker	PASSED	18.150 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	2.437 s
	screenshot		
	+		
2	Then Click on the Finance	PASSED	0.024 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.372 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	Then Click on the Direction	PASSED	0.765 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.214 s
	screenshot		
4	Then Click on Fixed Asset	PASSED	0.189 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.857 s
	screenshot		
5	Then Click on Asset Allocation Eye button	PASSED	0.830 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.923 s
	screenshot		
6	Then Click on the add button to add new record	PASSED	0.702 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.283 s
	screenshot		

| #	Step / Hook Details	Status	Duration
7	Then Fill the Allocation form with used asset details	PASSED	2.343 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.625 s
	screenshot		
8	Then Save the filled Allocation	FAILED	21.141 s

	org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014667', ip: '10.1.47.117', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [cf72c0a048ef1913df344e6e4547f5ce, findElement {using=xpath, value=//page-fixed-asset-creation-item-dtl-update[1]/ion-header[1]/ion-toolbar[1]/ion-buttons[1]/ion-button[1]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:62084}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62084/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: cf72c0a048ef1913df344e6e4547f5ce
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.$Proxy46.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.ExpectedConditions$23.apply(ExpectedConditions.java:660) at org.openqa.selenium.support.ui.ExpectedConditions$23.apply(ExpectedConditions.java:656) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at helper.WaitHelper.waitForElement(WaitHelper.java:79) at stepdefinitions.FixedAsset.save_the_filled_allocation(FixedAsset.java:493) at ?.Save the filled Allocation(file:///C:/Users/inindc00082/git/AzentioAutomationFrameworkmaster_new1/AzentioAutomationFramework/src/test/java/features/FixedAsset.feature:145) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	FAILED	12.025 s
	org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014667', ip: '10.1.47.117', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [cf72c0a048ef1913df344e6e4547f5ce, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:62084}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62084/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: cf72c0a048ef1913df344e6e4547f5ce at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:347) at stepdefinitions.HooksClass.addScreenshot(HooksClass.java:42)		
9	Then Click on the Notification	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
10	Then Select the record which we saved	SKIPPED	0.000 s
11	Then Submit record	SKIPPED	0.000 s
12	Then Open Reviewer account	SKIPPED	0.001 s
13	And Click on notification	SKIPPED	0.001 s
14	Then Approve the record which we submitted from maker stage	SKIPPED	0.001 s
15	Then Go to Checker account	SKIPPED	0.000 s
16	And Clam the record	SKIPPED	0.001 s
17	Then Click on notification and approve the record	SKIPPED	0.001 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	0.219 s

	org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014667', ip: '10.1.47.117', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [cf72c0a048ef1913df344e6e4547f5ce, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:62084}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62084/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: cf72c0a048ef1913df344e6e4547f5ce
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606)
	  at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:432)
	  at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)		

| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check if any used asset can be allocated to a specific resource in the branch	
(F) Check the Functionality of Fixed Asset module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check if any used asset can be allocated to a specific resource in the branch	
(F) Check the Functionality of Fixed Asset module	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check if any used asset can be
allocated to a specific resource in the
branch

(F) Check the Functionality of Fixed Asset
module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check if any used asset can be
allocated to a specific resource in the
branch

(F) Check the Functionality of Fixed Asset
module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check if any used asset can be allocated to a specific resource in the branch

(F) Check the Functionality of Fixed Asset module

Actions	entity	Branch Code - Name	Asset Code	Asset Reference No	Item No	Allocated TO	Allocated BY
👁	Azentio Software	BR0007 - Andheri Branc	ELECTRONICS-LAP001	ELECTRONICS-LAP001	56	1002435	1002435
👁	Azentio Software	BR0003 - East Zone	LAND-BUILDING-Buildi	LAND-BUILDING-Buildi	12	1002435	1002435
👁	Azentio Software	AZENTMAIN - Azentio N	01-ASTSBCTGRY001-L	01-ASTSBCTGRY001-L	54454	1002435	1002435
👁	Azentio Software	AZENTMAIN - Azentio N	01-001-desk	01-001-desk_AZENTM/	re2343	1002435	1002435
👁	Azentio Software	AZENTMAIN - Azentio N	01-001-desk	01-001-desk_AZENTM/	IN153	1002435	1002435
👁	Azentio Software	AZENTMAIN - Azentio N	01-001-adjustable table	01-001-adjustable table	123	1002435	1002435
👁	Azentio Software	BR0007 - Andheri Branc	ELECTRONICS-LAP001	ELECTRONICS-LAP001	56	1002435	1002435
👁	Azentio Software	AZENTMAIN - Azentio N	LAND-BUILDING-Buildi	LAND-BUILDING-Buildi	01	1002435	1002435

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check if any used asset can be allocated to a specific resource in the branch

(F) Check the Functionality of Fixed Asset module

Actions	entity	Branch Code - Name	Asset Code	Asset Reference No	Item No	Allocated TO	Allocated BY
👁 ✏	Azentio Software	BR0007 - Andheri Branc	ELECTRONICS-LAP001	ELECTRONICS-LAP001	56	1002435	1002435
👁 ✏	Azentio Software	BR0003 - East Zone	LAND-BUILDING-Buildi	LAND-BUILDING-Buildi	12	1002435	1002435
👁 ✏	Azentio Software	AZENTMAIN - Azentio N	01-ASTSBCTGRY001-L	01-ASTSBCTGRY001-L	54454	1002435	1002435
👁 ✏	Azentio Software	AZENTMAIN - Azentio N	01-001-desk	01-001-desk_AZENTM/	re2343	1002435	1002435
👁 ✏	Azentio Software	AZENTMAIN - Azentio N	01-001-desk	01-001-desk_AZENTM/	IN153	1002435	1002435
👁 ✏	Azentio Software	AZENTMAIN - Azentio N	01-001-adjustable table	01-001-adjustable table	123	1002435	1002435
👁 ✏	Azentio Software	BR0007 - Andheri Branc	ELECTRONICS-LAP001	ELECTRONICS-LAP001	56	1002435	1002435
👁 ✏	Azentio Software	AZENTMAIN - Azentio N	LAND-BUILDING-Buildi	LAND-BUILDING-Buildi	01	1002435	1002435

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check if any used asset can be
allocated to a specific resource in the
branch

(F) Check the Functionality of Fixed Asset
module