


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check the Functionality of Inventory	1	0	1	0	34.848 s

SCENARIOS SUMMARY -- 3 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Functionality of Inventory	Create a purchase order with Unique purchase order number	24	11	1	12	34.839 s

DETAILED SECTION -- 4 --

## **(F)- Check the Functionality of Inventory**

FAILED	DURATION - 34.848 s	Scenarios		Steps	
		Total - 1		Total - 24	
/ 12:52:42.667	AM // 12:53:17.515 AM /	Pass - 0	1	Pass - 11	24
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 12	

## (S)- Create a purchase order with Unique purchase order number



#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	12.333 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.544 s
	screenshot		
	Fig. 20 Ages - Search Search - Sea		
2	And user should navigate to inventory management	PASSED	2.811 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.235 s
	screenshot		

3 When click on eye button of purchase requisition confirmation  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  screenshot  4 Then click on first eye button to get the indent reference number  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  Screenshot  5 Then Click on Account Payable  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  O.121 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  O.168 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  O.159 s	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Then Click on Account Payable AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Then Click on Account Payable AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.159 s  PASSED 0.159 s  PASSED 0.154 s		The state of the s		
screenshot  ATTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  Then Click on Account Payable  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  0.159 s  PASSED  0.154 s	3		PASSED	
4 Then click on first eye button to get the indent reference number  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  Screenshot  5 Then Click on Account Payable  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  0.159 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  0.159 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.396 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  Then Click on Account Payable  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.159 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.159 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  Then Click on Account Payable  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.159 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.159 s				
Screenshot  Then Click on Account Payable  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  Then Click on purchase order Eye Icon  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.159 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.154 s	4	Then click on first eye button to get the indent reference number	PASSED	2.363 s
5 Then Click on Account Payable  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  Then Click on purchase order Eye Icon  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  O.159 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  O.154 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.119 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 Then Click on purchase order Eye Icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.168 s  0.168 s  0.159 s  0.159 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 Then Click on purchase order Eye Icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.168 s  0.168 s  0.159 s  0.159 s		# 10 continues with the continues of the		
Screenshot  6 Then Click on purchase order Eye Icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.159 s  0.154 s	5	Then Click on Account Payable	PASSED	0.121 s
6 Then Click on purchase order Eye Icon AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario) PASSED 0.159 s 0.154 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.168 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.154 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.154 s		# \$\$ \text{\$ \te		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.154 s	6	Then Click on purchase order Eye Icon	PASSED	0.159 s
screenshot			PASSED	0.154 s
		screenshot		


#	Step / Hook Details	Status	Duration
	Figure 1989  Figure 2089		
7	Then Click on purchase order Add button	PASSED	0.681 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.284 s
	screenshot		
	# O ADD SQUARE AND ADD SQUARE AND ADD SQUARE AND ADD SQUARE ADD SQ		
8	Then Fill purchase order for inventory Mandatory fields	PASSED	4.575 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.191 s
	screenshot		
	# 10 April 1		
9	Then Click on Account Payable Save button	PASSED	2.223 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.144 s
	screenshot		
	## 10 10 10 10 10 10 10 10 10 10 10 10 10		
10	Then Click on Item Details Record	PASSED	0.700 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.168 s
	screenshot		

#	Step / Hook Details	Status	Duration
	### OF THE PROPERTY CONTINUES OF THE PROPERT		
11	Then Edit the item details fields po	PASSED	0.548 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.204 s
	screenshot	1	
	# 10 Million   10		
12	Then Click on the item details save button po	FAILED	1.120 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-button class="ion-color ion-color-primary md button button-clear in-toolbar ion-accitavable ion-focusable hydrated" color="primary" fon-button="" ng-reflect-color="primary" ng-reflect-disabled="false"> is not clickable at point (1415, 134). Other element would receive the click: &lt; div class="ng-tns-c136-3 ng-star-inserted ng-trigger ng-trigger-flylnOut ngx-toastr toast-success" toast-component="" style="opacity: 1;"&gt;   inserted ng-trigger ng-trigger-flylnOut ngx-toastr toast-success" toast-component="" style="opacity: 1;"&gt; (div closes) (Session info: chrome=100.04896.60) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121, os.name: Windows 10', os.arch: 'am64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [59d9642fd636aff7831a1d3f9a50ad51, clickElement {id=19152944-ab4d-479f-b898-372e5ad3e056}] Capabilities {acceptinsecureCerts: false, browserName: chrome, browserVersion: 100.0.4896.60, chrome: {chromedriverVersion: 90.0484.51 (d537ec02474b5, userDataDir: ClUsersUniNDC-11AppDatalL)}, goog:chromeOptions: {debuggerAddress: localhost:565094}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:56094/devtoo, se.cdp/version: 100.0.4896.60, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 300000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (59d9642fd636aff7831a1d3f9a50ad51)] &gt;&gt; xpath: //page-po-item-details-update/ion-header/ion-botloar/ion-buttons[2]/ion-button] Session ID: 59d9642fd636aff7831a1d3f9a50ad51]  at java.base/jdk.internal.reflect.NativeCo</ion-button>		


DETAILED SECTION -- 8 --

#	Step / Hook Details	Status	Duration
at org.openqa.sel at org.openqa.sel at jdk.internal.refle at java.base/jdk.ir at java.base/java. at org.openqa.sel at jdk.proxy2/jdk.p at stepdefinitions. Click_on_the_item_e at ?.Click on the it AzentioAutomationF	enium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) enium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) enium.remote.RemoteWebElement.click(RemoteWebElement.java:77) ect.GeneratedMethodAccessor6.invoke(Unknown Source) eternal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) lang.reflect.Method.invoke(Method.java:568) enium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) eroxy2.\$Proxy46.click(Unknown Source) AccountPayable_VendorPurchaseOrder. details_save_button_po(AccountPayable_VendorPurchaseOrder.java:256) em details save button po(file:///C:/Users/inindc00091/git/ ramework_15072022/AzentioAutomationFramework/src/test/java/features/InventoryManageMent_Testing.feature:97) eracters are replaced by '?'.		
	epdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.192 s
screenshot			
The state of the	The state of the s		
13 Then Click on Ber	eficiary details tab	SKIPPED	0.001 s
14 Then fill Beneficia	y Details	SKIPPED	0.000 s
15 Then Click on Ber	eficiary Save button	SKIPPED	0.000 s
16 Then Click on Acc	ount Payable Notification	SKIPPED	0.000 s
17 Then Select the re	cord from Notification	SKIPPED	0.000 s
18 And Submit the Se	elected record	SKIPPED	0.001 s
19 Then log in to the	reviewer account	SKIPPED	0.000 s
20 Then click on the I	Notification select the record and Approve	SKIPPED	0.001 s
21 Then log in to the	Checker Account	SKIPPED	0.000 s
22 And then checker	claim the record	SKIPPED	0.000 s
23 Then click on the	checker Notification	SKIPPED	0.000 s
24 And select the rec	ord and Approve by checker	SKIPPED	0.000 s


EXPANDED SECTION -- 9 --




EXPANDED SECTION -- 10 --




EXPANDED SECTION -- 11 --



EXPANDED SECTION -- 12 --



EXPANDED SECTION -- 13 --



EXPANDED SECTION -- 14 --

