Cucumber Report

| Start : Feb 24, 4:42:24.190 PM	End : Feb 24, 4:42:54.426 PM	Duration : 30.236 s
Features	Scenarios	Steps
PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 11 FAILED - 0 SKIPPED - 0

| #	Feature Name	T	P	F	S	Duration
1	*Check the Functionality of AR/AP Module*	1	1	0	0	30.236 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Functionality of AR/AP Module	Cancellation of approved receipts Cancel approved receipts through Cheque Mode	11	11	0	0	30.230 s

(F)- Check the Functionality of AR/AP Module

PASSED	DURATION - 30.236 s	Scenarios		Steps	
		Total - 1		Total - 11	
/ 4:42:24.190 PM // 4:42:54.426 PM /		Pass - 1	1	Pass - 11	11
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- Cancellation of approved receipts   Cancel approved receipts through Cheque Mode

PASSED	DURATION - 30.230 s		Steps	
/ 4:42:24.196 PM // 4:42:54.426 PM /			Total - 11	
Check the Functionality of AR/AP Module			Pass - 11	11
@KUBS_AR/AP_UAT_011_001			Fail - 0	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given Navigate to kubs URL and user should login as a maker	PASSED	12.881 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.354 s
	screenshot		
2	Then Click on the Finance	PASSED	0.000 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.094 s
	screenshot		

| #	Step / Hook Details	Status	Duration
3	Then Click on the Direction	PASSED	0.443 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.239 s
	screenshot		
4	Then Click on Accounts Recivable	PASSED	0.192 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.165 s
	screenshot		
5	Then Click on Receipts reversals eye button	PASSED	0.580 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.322 s
	screenshot		
6	Then Click on add button of Receipts reversals	PASSED	0.501 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.252 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	Then Fill all the details of Receipts reversals formm	PASSED	1.442 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.133 s
	screenshot		
8	Then Click on save button of Receipts reversals form	PASSED	3.098 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.182 s
	screenshot		
9	Then Click on Edit Grid of Receipts reversals	PASSED	0.164 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.172 s
	screenshot		
10	Then Open first record from Edit Grid of Receipts reversals	PASSED	0.149 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.345 s
	screenshot		

#	Step / Hook Details	Status	Duration
11	Then Click on initiate	PASSED	0.226 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.249 s
	screenshot		

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Cancellation of approved receipts Cancel approved receipts through Cheque Mode

(F) Check the Functionality of AR/AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Cancellation of approved receipts Cancel approved receipts through Cheque Mode

(F) Check the Functionality of AR/AP Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Cancellation of approved receipts
Cancel approved receipts through
Cheque Mode

(F) Check the Functionality of AR/AP
Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Cancellation of approved receipts
Cancel approved receipts through
Cheque Mode

(F) Check the Functionality of AR/AP
Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) Cancellation of approved receipts Cancel approved receipts through Cheque Mode (F) Check the Functionality of AR/AP Module	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) Cancellation of approved receipts Cancel approved receipts through Cheque Mode (F) Check the Functionality of AR/AP Module	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Cancellation of approved receipts
Cancel approved receipts through
Cheque Mode

(F) Check the Functionality of AR/AP
Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Cancellation of approved receipts
Cancel approved receipts through
Cheque Mode

(F) Check the Functionality of AR/AP
Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Cancellation of approved receipts
Cancel approved receipts through
Cheque Mode

(F) Check the Functionality of AR/AP
Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Cancellation of approved receipts
Cancel approved receipts through
Cheque Mode

(F) Check the Functionality of AR/AP
Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Cancellation of approved receipts
Cancel approved receipts through
Cheque Mode

(F) Check the Functionality of AR/AP
Module