

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check the Functionality of AR/AP Module	1	1	0	0	26.500 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Functionality of AR/AP	Verify TDS % & amount is correctly calculated & displayed	17	17	0	0	26.492 s
	Module	for the bill					

DETAILED SECTION -- 4 --

## (F)- Check the Functionality of AR/AP Module

PASSED	DURATION - 26.500 s	Scenarios		Steps	
		Total - 1		Total - 17	
/ 3:39:03.520 pm	// 3:39:30.020 pm /	Pass - 1	1	Pass - 17	17
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

## (S)- Verify TDS % & amount is correctly calculated & displayed for the bill



#	Step / Hook Details	Status	Duration
1	Given Navigate The Azentio Url	PASSED	13.467 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.140 s
	screenshot		
	The Continue of the Continue o		
2	Then Choose the second Tab Segment	PASSED	0.394 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.208 s
	screenshot		


#	Step / Hook Details	Status	Duration
	Double Control of the		
3	And Click On Main module Accounts Receivable	PASSED	0.114 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.198 s
	screenshot		
	© Contractions   100 to 100 t		
4	Then Click on Accounts Receive Advances Eye Icon	PASSED	0.398 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.288 s
	screenshot		
	Description		
5	And Click On Search Icon	PASSED	0.149 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.255 s
	screenshot		
	Section   Sect		
6	Then Enter Advance Against PO and Active Value In Advance Status	PASSED	0.306 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.183 s
	screenshot		
	·	-	

7 Then Click on Table Row First Eye Icon  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  8 And Get The Business Partner and Advance Number  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.423 s  PASSED  0.133 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.137 s  PASSED  0.197 s  O.197 s  O.	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  8 And Get The Business Partner and Advance Number  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  4 AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  4 AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass.addSc				
screenshot  8 And Get The Business Partner and Advance Number  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  9 And Click On Main module Accounts payable  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  Then Click sub module Payment settlement Eye Icon  PASSED  0.133 s  PASSED  0.133 s  PASSED  0.132 s  0.132 s  0.132 s  0.132 s  0.133 s  PASSED  0.133 s  PASSED  0.137 s	7	Then Click on Table Row First Eye Icon	PASSED	
8 And Get The Business Partner and Advance Number PASSED 0.133 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  9 And Click On Main module Accounts payable  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefiniti		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.423 s
8 And Get The Business Partner and Advance Number  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  9 And Click On Main module Accounts payable  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  FASSED  O.132 s  O.132 s  O.132 s  O.132 s  O.133 s  PASSED  O.132 s  O.132 s  O.133 s  O.132 s  O.132 s  O.133 s  O.132 s  O.133 s  O.134 s  O.134 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  9 And Click On Main module Accounts payable  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  10 Then Click sub module Payment settlement Eye Icon  PASSED  0.132 s  0.132 s  0.132 s  0.132 s				
screenshot  9 And Click On Main module Accounts payable  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  10 Then Click sub module Payment settlement Eye Icon  PASSED  0.119 s  PASSED  0.197 s  PASSED  0.174 s	8	And Get The Business Partner and Advance Number	PASSED	0.133 s
9 And Click On Main module Accounts payable AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot  10 Then Click sub module Payment settlement Eye Icon  PASSED  0.119 s  0.197 s  0.197 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.132 s
9 And Click On Main module Accounts payable  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  10 Then Click sub module Payment settlement Eye Icon  PASSED  O.119 s  O.119 s  O.119 s  O.119 s  O.197 s  O.197 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  10 Then Click sub module Payment settlement Eye Icon  PASSED  0.197 s  PASSED  0.197 s				
Screenshot  Then Click sub module Payment settlement Eye Icon  PASSED 0.174 s	9	And Click On Main module Accounts payable	PASSED	0.119 s
10 Then Click sub module Payment settlement Eye Icon  PASSED 0.174 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.197 s
10 Then Click sub module Payment settlement Eye Icon  PASSED 0.174 s		screenshot		
	10	Then Click sub module Payment settlement Eye Icon	PASSED	0.174 s
AFTER_STEP - Stephelinitions. Hooks Class. add Screenshol (io. cucumber. Java. Scenario)		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.381 s
screenshot		screenshot	1	


AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.211 s  PASSED 0.262 s  PASSED 0.262 s  PASSED 0.397 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.183 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.184 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.184 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io. cucumber.java. Scenario)  screenshot  2 Then Enter payment option AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io. cucumber.java. Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io. cucumber.java. Scenario)  PASSED O.397 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io. cucumber.java. Scenario)  PASSED O.157 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io. cucumber.java. Scenario)  Screenshot  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io. cucumber.java. Scenario)  PASSED O.183 s  PASSED O.183 s  Then Choose value date as System current date AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io. cucumber.java. Scenario)  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io. cucumber.java. Scenario)  PASSED O.168 s		0 / 10 marked 10 / 10 marked 10 mark		
screenshot    12   Then Enter payment option   PASSED   0.397 s	11	And Click Add icon button	PASSED	0.211 s
Then Enter payment option		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.262 s
12 Then Enter payment option PASSED 0.397 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  And Give stored Business partner Name  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.295 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.183 s  Then Choose value date as System current date  PASSED 1.964 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.168 s		screenshot		
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  And Give stored Business partner Name  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.157 s  0.157 s  0.157 s  13 And Give stored Business partner Name  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.183 s  14 Then Choose value date as System current date  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.168 s		2		
screenshot  And Give stored Business partner Name  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  Then Choose value date as System current date  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  1.964 s  PASSED  0.168 s	12	Then Enter payment option	PASSED	0.397 s
And Give stored Business partner Name  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  Then Choose value date as System current date  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  1.964 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.168 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.157 s
And Give stored Business partner Name  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  Then Choose value date as System current date  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  1.964 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.168 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  14 Then Choose value date as System current date  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  1.964 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.183 s				
Screenshot  14 Then Choose value date as System current date  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.168 s	13	And Give stored Business partner Name	PASSED	0.295 s
14 Then Choose value date as System current date  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 1.964 s  0.168 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.183 s
Then Choose value date as System current date  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.168 s		screenshot	]	
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.168 s		9 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		
	14	Then Choose value date as System current date	PASSED	1.964 s
screenshot			PASSED	0.168 s
		screenshot	]	

#	Step / Hook Details	Status	Duration
	10   10   10   10   10   10   10   10		
15	And find the Advance reference number and Net Adjustable value in the billing queue	PASSED	1.048 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.124 s
	screenshot		
	State   Stat		
16	Then Click the Checkbox As Tick	PASSED	0.105 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.175 s
	screenshot		
	State   Stat		
17	And Verify the TDS % & amount is correctly calculated & displayed	PASSED	0.009 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.211 s
	screenshot		
	10   10   10   10   10   10   10   10		


EXPANDED SECTION --- 9 --




EXPANDED SECTION -- 10 --




EXPANDED SECTION




EXPANDED SECTION -- 12 --




EXPANDED SECTION -- 13 --



EXPANDED SECTION -- 14 --



EXPANDED SECTION -- 15 --



EXPANDED SECTION -- 16 --

