Cucumber Report

Start : Dec 21, 5:11:57.455 PM

End : Dec 21, 5:12:39.344 PM

Duration : 41.889 s

Features	Scenarios	Steps

PASSED - 0	PASSED - 0	PASSED - 5
FAILED - 1	FAILED - 1	FAILED - 1
SKIPPED - 0	SKIPPED - 0	SKIPPED - 12

1

1

18

0 %

0 %

27 %

Pass %

#	Feature Name	T	P	F	S	Duration
1	AR_AP Module	1	0	1	0	41.889 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	AR_AP Module	Verify Accounts Receivable Report post payout approval	18	5	1	12	41.884 s

(F)- AR_AP Module

FAILED	DURATION - 41.889 s	Scenarios		Steps	
		Total - 1		Total - 18	
/ 5:11:57.455 PM // 5:12:39.344 PM /		Pass - 0	1	Pass - 5	18
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 12	

(S)- Verify Accounts Receivable Report post payout approval

FAILED	DURATION - 41.884 s		Steps	
/ 5:11:57.460 PM // 5:12:39.344 PM /			Total - 18	
AR_AP Module			Pass - 5	18
@KUBS_AR_AP_UAT_006_002_TC_04 @AR/AP			Fail - 1	
			Skip - 12	

| #	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	30.013 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.716 s
	screenshot		
2	And click on accounts Payable module	PASSED	2.466 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.260 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	When click on eye button of manual payout	PASSED	0.738 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.731 s
	screenshot		
4	Then click on search	PASSED	0.807 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.264 s
	screenshot		
5	And user update the Excelsheet Testdata for Account Receivable post Payout approval	PASSED	0.036 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.287 s
	screenshot		
6	Then Get the Transaction Date	FAILED	0.027 s

	org.openqa.selenium.JavascriptException: javascript error: Cannot read properties of undefined (reading 'value') (Session info: chrome=108.0.5359.125) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.10.202', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.4.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d445860fbab1b6be558e7f1dbc21491e, executeScript {script=return document.getElementsByName('kubDateTime')[0].value, args=[]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.125, chrome: {chromedriverVersion: 108.0.5359.71 (1e0e3868ee06..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:56368}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56368/devtoo..., se:cdpVersion: 108.0.5359.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: d445860fbab1b6be558e7f1dbc21491e
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:481) at helper.JavascriptHelper.executeScript(JavascriptHelper.java:21) at stepdefinitions.AR_AP_Module.get_the_transaction_date(AR_AP_Module.java:2657) at ?.Get the Transaction Date(file:///C:/Users/ININDC00075/git/Arshath_Excel_AzentioAutomationFramework/AzentioAutomationFramework_ARAP_Excel_Arshath/src/test/java/features/ArAp2.feature:675) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.215 s
7	And search the advance approved reference number in the reference number search column	SKIPPED	0.001 s
8	And get the business partner nname	SKIPPED	0.000 s
9	And click on the perticular suggestion record and get the advance reference number	SKIPPED	0.000 s
10	Then click on report segment button	SKIPPED	0.000 s
11	And click on report main menu	SKIPPED	0.000 s
12	And click on temp view near by accounts receivable report	SKIPPED	0.001 s
13	And enter the business partner name for advances to employee	SKIPPED	0.008 s
14	And click on date icon	SKIPPED	0.001 s
15	Then Give Getted Transaction Date	SKIPPED	0.000 s
16	And enter the advances to employee status active	SKIPPED	0.001 s
17	And click on the view button	SKIPPED	0.000 s
18	Then verify the advance reference number is available in the accounts Receivable report	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)


(S) Verify Accounts Receivable Report post payout approval

(F) AR_AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify Accounts Receivable Report post payout approval

(F) AR_AP Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify Accounts Receivable Report
post payout approval

(F) AR_AP Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify Accounts Receivable Report
post payout approval

(F) AR_AP Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cumber.
java.Scenario)

(S) Verify Accounts Receivable Report post payout approval

(F) AR_AP Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cumber.
java.Scenario)

(S) Verify Accounts Receivable Report post payout approval

(F) AR_AP Module