


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	to verify user can able to do transaction in petty cash module	1	1	0	0	1 m 3.339 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	to verify user can able to do transaction	Create a fund request for Petty Cash	21	21	0	0	1 m 3.332 s
	in petty cash module						

DETAILED SECTION -- 4 --

(F)- to verify user can able to do transaction in petty cash module

PASSED	DURATION - 1 m 3.339 s	Scenarios		Steps	
		Total - 1		Total - 21	
/ 12:18:54.388 pr	m // 12:19:57.727 pm /	Pass - 1	1	Pass - 21	21
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- Create a fund request for Petty Cash



#	Step / Hook Details	Status	Duration
1	Given Navigate The Azentio Url	PASSED	15.735 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.133 s
	screenshot		
	■		
2	Then Choose the second Tab Segment	PASSED	0.399 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.359 s
	screenshot		

B O HONOMORPHISM No. 107 Light: Sate School or 400000 Q B O 1007 D O Honomorphism O Honomor	
3 And Click on Petty cash module PASSED 0.16	69 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.16	60 s
screenshot	
■ Note that seems of the seems	
4 Then Click on Fund Request Eye Icon PASSED 0.40	07 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.29	95 s
Screenshot	
5 Then Click on Add Icon in Petty cash PASSED 0.43	30 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.510	10 s
screenshot	
# 10 minutes 10	
6 And Enter Request Amount value PASSED 0.12	22 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.22	21 s
screenshot	


#	Step / Hook Details	Status	Duration
7	Then Enter Petty cash Remark	PASSED	0.159 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.138 s
	screenshot		
	We design the second of the se		
8	Then save Record in Petty cash	PASSED	0.094 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot **Texact	PASSED	0.269 s
9	Then Goto The Notification Icon	PASSED	0.314 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot **Tex_Step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)* **Tex_Step - step	PASSED	0.304 s
10	And Store the Referance Id and Open the Record	PASSED	0.377 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.254 s
	screenshot		

#	Step / Hook Details	Status	Duration
	*** *** *** *** *** *** *** *** *** **		
11	Then Click submit button and Enter Remark then submit it	PASSED	2.738 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.197 s
	screenshot		
	# ** ** ** ** ** ** ** ** ** ** ** ** **		
12	Given Navigate as a Reviewer	PASSED	9.316 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.106 s
13	Then click on Notify icon	PASSED	0.817 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.143 s
	*** *** **** *** **** ****************		
14	And Click First record Action icon	PASSED	0.084 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.239 s
	screenshot		


15 Then Approve the record in ReviewerStage AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 16 And Give Remark and Submit AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 17 Given Navigate The Azentio Url AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.148 s 18 Then Choose the second Tab Segment AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.378 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.378 s PASSED 0.327 s	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And Give Remark and Submit AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot To Given Navigate The Azentio Url AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 11.004 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.18 s Then Choose the second Tab Segment AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.378 s PASSED 0.378 s		## 1504 100 100 100 100 100 100 100 100 100 1		
Screenshot And Give Remark and Submit AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 11.004 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.18 s Then Choose the second Tab Segment AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.378 s PASSED 0.378 s PASSED 0.327 s	15	Then Approve the record in ReviewerStage	PASSED	0.189 s
16 And Give Remark and Submit AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.107 s 17 Given Navigate The Azentio Url AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.148 s 18 Then Choose the second Tab Segment AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.378 s PASSED 0.378 s PASSED 0.327 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.164 s
16 And Give Remark and Submit PASSED 2.055 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) passed 0.107 s Cliven Navigate The Azentio Url AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) passed 11.004 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) passed 0.148 s Then Choose the second Tab Segment AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.378 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.378 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.107 s oreenshot To Given Navigate The Azentio Url AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then Choose the second Tab Segment AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.107 s O.107 s O.107 s O.107 s O.107 s		SAUTH MARK SANDANIA S		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.107 s oreenshot To Given Navigate The Azentio Url AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then Choose the second Tab Segment AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.107 s O.107 s O.107 s O.107 s O.107 s	16	And Give Remark and Submit	PASSED	2.055 s
17 Given Navigate The Azentio Url PASSED 11.004 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 18 Then Choose the second Tab Segment AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.378 s PASSED 0.378 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	_	0.107 s
17 Given Navigate The Azentio Url AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 18 Then Choose the second Tab Segment AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.378 s PASSED 0.327 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then Choose the second Tab Segment AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.148 s PASSED 0.378 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.378 s		SATISTICS		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then Choose the second Tab Segment AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.148 s PASSED 0.378 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.378 s	17	Given Navigate The Azentio Url	PASSED	11 004 s
Screenshot Then Choose the second Tab Segment AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario) PASSED 0.378 s 0.327 s	1	Ÿ		
18 Then Choose the second Tab Segment AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario) PASSED 0.378 s 0.327 s				
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.327 s		■ © AND CONTROL STATE OF DE CONTROL STATE OF	-	
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.327 s	18	Then Choose the second Tab Segment	PASSED	0.378 s
screenshot			PASSED	0.327 s
		screenshot		

#	Step / Hook Details	Status	Duration
	No. 000 I Square No. 00		
19	And Click on Petty cash module	PASSED	0.079 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.203 s
	screenshot		
20	Then Click on Fund Request Eye Icon	PASSED	0.426 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.297 s
	screenshot		
	# O Maniferentiation		
21	Then Click on Table Row First Eye Icon	PASSED	0.292 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.327 s
	screenshot		
	10 10 10 10 10 10 10 10		


EXPANDED SECTION -- 10 --




EXPANDED SECTION




EXPANDED SECTION -- 12 --





EXPANDED SECTION -- 13 --







EXPANDED SECTION -- 15 --








EXPANDED SECTION -- 18 --



EXPANDED SECTION -- 19 --



EXPANDED SECTION -- 20 --

