

# Cucumber Report

9 Jan 2023, 9:12:16 PM

Start : Jan 09, 9:11:09.510 PM

End : Jan 09, 9:12:14.403 PM

Duration : 1 m 4.893 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 3  
FAILED - 1  
SKIPPED - 5







#	Feature Name	T	P	F	S	Duration
1	AR/AP Module	1	0	1	0	1 m 4.893 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	AR/AP Module	Verify status for the receipt is auto changed to Deposit	9	3	1	5	1 m 4.887 s


**(F)- AR/AP Module**



<b>FAILED</b>	<b>DURATION - 1 m 4.893 s</b>	Scenarios		Steps	
/ 9:11:09.510 PM // 9:12:14.403 PM /		Total - 1		Total - 9	
		Pass - 0		Pass - 3	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 5	



**(S)- Verify status for the receipt is auto changed to Deposit**



<div>FAILED</div> <div>DURATION - 1 m 4.887 s</div>			<div>Steps</div> <div>Total - 9</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 5</div>	
/ 9:11:09.516 PM // 9:12:14.403 PM /				
AR/AP Module				
@AR/AP @KUBS_AR_AP_UAT_010_002_TC_02_01				



#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	49.962 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.909 s
	screenshot		
			
2	Then select data set ID for verify status of the receipt is auto changed to deposit	PASSED	0.283 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.286 s
	screenshot		
			

#	Step / Hook Details	Status	Duration
3	And goto accouts Receivable module	PASSED	2.402 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.257 s
	screenshot		
			
4	And goto accouts receipt module	FAILED	0.007 s
	<pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.JavascriptExecutor.executeScript(String, Object[])" because "exe" is null     at helper.JavascriptHelper.executeScript(JavascriptHelper.java:27)     at helper.JavascriptHelper.scrollToView(JavascriptHelper.java:49)     at stepdefinitions.ARAP_ClearingReceiptViaChequeMode.goto_accouts_receipt_module(ARAP_ClearingReceiptViaChequeMode.java:107)     at ?.goto accouts receipt module(file:///C:/Users/ININDC00091/git/AzentioAutomationFramework/DeveshFW_Excel/ARAP_AzentioAutomationFramework_Excel/src/test/java/features/ArAp_2_Excel.feature:1054)     * Not displayable characters are replaced by '?'. </pre>		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.248 s
	screenshot		
			
5	And click on Add Icon	SKIPPED	0.001 s
6	And fill the all receipt mendatory details	SKIPPED	0.001 s
7	And save the receipt record	SKIPPED	0.000 s
8	Then Click on Update Deposited Cheque Notification	SKIPPED	0.000 s
9	And Select and Submit the Update Deposited Cheque record	SKIPPED	0.000 s

<p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p>		
<p><u>(S) Verify status for the receipt is auto changed to Deposit</u></p>		
<p><u>(F) AR/AP Module</u></p>		

<p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p>		
<p><u>(S) Verify status for the receipt is auto changed to Deposit</u></p>		
<p><u>(F) AR/AP Module</u></p>		

<p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p>		
<p><u>(S) Verify status for the receipt is auto changed to Deposit</u></p>		
<p><u>(F) AR/AP Module</u></p>		

<p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p>		
<p><u>(S) Verify status for the receipt is auto changed to Deposit</u></p>		
<p><u>(F) AR/AP Module</u></p>		